

FLORMAR SMOOTH TOUCH FOUNDATION 13 CARAMEL- octinoxate aerosol
Kosan Kozmetik Sanayi ve Ticaret A.S.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Flormar Smooth Touch Foundation 13 Caramel

Drug Facts

Active ingredient

Octinoxate 5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.

- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

Inactive ingredients

water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsesquioxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-B, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate. may contain: titanium dioxide, iron oxides.

□ *Package Labeling:*



Kosan Kozmetik Sanayi ve Ticaret A.S.,
Gebze Organize Sanayi Bolgesi
Ihsan Dede Cad.900.SK NO:133
Gebze, Kocaeli 41480
Turkey

Made in Turkey

To report a serious adverse event contact [971] 766-7350.



www.flormar.com
info@flormar.com.de
ITEM: 1632.00

A new smooth texture creates flawless definition and dimension. A blend of lotus flower extract and orchid complex help reinforce the natural beauty of the skin.

Dermatologically tested. Shake well before use.

SMOOTH TOUCH

FOUNDATION

SPF 20

**Sunscreen
Broad Spectrum
SPF 20**

1.0 fl oz
(30 ml e)

13 CARMEL

Drug Facts

Active ingredient	Purpose
Octinoxate 5%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.
 - Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

Inactive ingredients

water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsesquioxane, glycerin, trimethylsiloxyethylsilicate, disteardimonium hectorite, SD alcohol 40-B, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate. may contain: titanium dioxide, iron oxides.

23 mm



66 mm

**SMOOTH
TOUCH**
FOUNDATION

SPF 20

 Sunscreen
Broad Spectrum
SPF 20

13 CARAMEL

1.0 fl oz (30ml e)

Peel away for Drug Facts
A new smooth texture
creates flawless definition
and dimension. A blend of
lotus flower extract and
orchid complex help
reinforce the natural
beauty of the skin.

Dermatologically tested.
Shake well before use.

Kosan Kozmetik Sanayi ve
Ticaret A.S.,
Gebze Organize Sanayi Bolgesi
Ihsan Dede Cad.900.SK NO:133
Gebze, Kocaeli 41480
Turkey

Made in Turkey

To report a serious adverse
event contact [971] 766-7350.



www.flormar.com
info@flormar.com.de

Drug Facts

Active ingredient	Purpose
Octinoxate 5%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only

Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.
 - Children under 6 months of age: Ask a doctor.

**Drug Facts
(continued)**

Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

Inactive ingredients water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polydimethylsiloxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-8, phenylethanol, sodium chloride, polyacrylate-11, triethoxycaprylsilane, aluminum hydroxide, sodium PCA, fragrance, ursol, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leucosctoradiol root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, lig (licus carinal) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum) seed extract, sodium dehydroacetate; may contain: titanium dioxide, iron oxides

FLORMAR SMOOTH TOUCH FOUNDATION 13 CARAMEL

octinoxate aerosol

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61722-282
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	

UREA (UNII: 8W8T17847W)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
TREHALOSE (UNII: B8WCK70T7I)
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)
CYMBIDIUM HOOKERIANUM FLOWER (UNII: H2DJ03DI5I)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
CHLORPHENESIN (UNII: I670DAL4SZ)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
FIG (UNII: TGD87RII2U)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61722-282-00	1 in 1 BOX	02/14/2016	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/14/2016	

Labeler - Kosan Kozmetik Sanayi ve Ticaret A.S. (644090409)

Revised: 10/2019

Kosan Kozmetik Sanayi ve Ticaret A.S.