STAPHYSAGRIA KIT REFILL- delphinium staphisagria seed pellet Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

STAPHYSAGRIA 30C

USES

To relieve the symptoms of anger.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications: STAPHYSAGRIA Anger

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL



CONTENTS: HOMEOPATHIC MEDICINE (HPUS*)

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products Staphysagria 30c Anger

Washington Homeopathic Products, Inc. 260 J R Hawvermale Way, Berkeley Springs, WV 25411 www.homeopathyworks.com EST. # 3006489197



Labeler - Washington Homeopathic Products (084929389)

Establishment			
Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-122)