

MOISTIE CELL PLUS- niacinamide, adenosine cream
Purecell Korea Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Niacinamide, Adenosine

Water, Glycerin, Butylene Glycol

Skin Protectant - Whitening & Anti-wrinkle

keep out or reach of the children

1. **After cleansing**, massage slowly along your face skin's texture. (After cleansing, You can do it after applying your skin softner)

2. Forehead

Massage with proper pressure of the finger from top to bottom in one direction.

3. Chin

Massage with proper pressure of the fingers from top to bottom, or from side to side in one direction.

4. Cheek

Massage the finger at the proper pressure only in one direction from the lower jaw to the upper jaw along the skin's texture.

5. Finish,

with lotion or cream after fever disappears. you can make up. It is usually done in the evening or at night.

6. After the heat is gone, finish with lotion or cream. It is usually done in the evening or at night. (You can use it once a week even if it is used in dermatology)

1. Do not use in the following cases(Eczema and scalp wounds)

2.Side Effects

1)Due to the use of this druf if rash, irritation, itching and symptopms of hypersnesitivity occur dicontinue use and consult your phamacisr or doctor

3.General Precautions

1)If in contact with the eyes, wash out thoroughty with water If the symptoms are servere, seek medical advice immediately

2)This product is for exexternal use only. Do not use for internal use


4.Storage and handling precautions

1)If possible, avoid direct sunlight and store in cool and area of low humidity

2)In order to maintain the quality of the product and avoid misuse

3)Avoid placing the product near fire and store out in reach of children



for external use only



P 136C

자질: CCP 350

무광 코팅



MOISTIE CELL PLUS

niacinamide, adenosine cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71609-0003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| NIACINAMIDE (UNII: 25X51I8 RD4) (NIACINAMIDE - UNII:25X51I8 RD4) | NIACINAMIDE | 2 g in 100 mL |
| ADENOSINE (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567) | ADENOSINE | 0.04 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| WATER (UNII: 059QF0K00R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71609-0003-1 | 10 mL in 1 SYRINGE, PLASTIC; Type 0: Not a Combination Product | 09/30/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/30/2018 | |

Labeler - Purecell Korea Co., Ltd. (694667185)**Registrant** - Purecell Korea Co., Ltd. (694667185)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|-------------------------|
| MICELL KOREA CO.,LTD | | 689851542 | manufacture(71609-0003) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|---------------------|
| Purecell Korea Co., Ltd. | | 694667185 | label(71609-0003) |

Revised: 9/2018

Purecell Korea Co., Ltd.