

FLEET- docusate sodium capsule, liquid filled
C.B. Fleet Company, Inc.

Fleet Oral Lax Docusate sodium 0132-0402

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- abdominal pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.
-

Adults and children 12 years and over	take 1-3 softgels daily
Children 2 to under 12 years of age	take 1 softgel daily
Children under 2 years	ask a doctor

Other information

- each softgel contains: **sodium 5 mg**
- **VERY LOW SODIUM**
- store at 25°C (77°F) excursions permitted between 15°- 30°C (59°-86°F)

Inactive ingredients

black edible ink, citric acid, D&C red no. 33, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, sorbitol solution, water

Questions?

Call 1-866-255-6960

Principal Display Panel

Fleet

Docusate sodium 100 mg Stool Softener

Oral Laxative

25 softgels

<p>Drug Facts</p> <p>Active ingredient (in each softgel) Purpose Docusate sodium 100 mg Stool softener</p> <p>Uses ■relieves occasional constipation (irregularity) ■generally produces bowel movement in 12 to 72 hours</p> <p>Warnings Do not use ■if you are presently taking mineral oil, unless directed by a doctor Ask a doctor before use if you have ■stomach pain ■nausea ■vomiting ■noticed a sudden change in bowel habits that lasts over a period of 2 weeks Stop use and ask a doctor if ■you have rectal bleeding or fail to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition. ■you need to use a stool softener laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. ►</p> <p>Keep carton for future reference.</p>	<p>Drug Facts (continued)</p> <p>Directions ■Take only by mouth. Doses may be taken as a single daily dose or in divided doses. Adults and children 12 years and over take 1-3 softgels daily Children 2 to under 12 years of age take 1 softgel daily Children under 2 years ask a doctor</p> <p>Other information ■each softgel contains: sodium 5 mg ■VERY LOW SODIUM ■store at 25°C (77°F) excursions permitted between 15°–30°C (59°–86°F)</p> <p>Inactive ingredients black edible ink, citric acid, D&C red no. 33, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, sorbitol solution, water</p> <p>Questions? 1-866-255-0960</p> <p>Tamper Evident: Do not use if safety seal under cap is broken or missing.</p> <p>Distributed by C.B. Fleet Company, Inc., Lynchburg, VA 24502 ©2024 Trade dress is owned by C.B. Fleet Company, Inc. All rights reserved. FLUS038101 LB2166 R0124</p>	<p>NEW</p> <p>Fleet. Docusate Sodium 100 mg Stool Softener</p> <p>stool softener ORAL LAXATIVE</p> <p>Gentle, Dependable Relief</p> <p>Stimulant Free</p> <p>#1 FROM THE PROFESSIONALS</p> <p>actual size 25 Softgels</p>	<p>Fleet. Docusate Sodium 100 mg Stool Softener</p> <p>stool softener ORAL LAXATIVE</p> <p>Gentle, Dependable Relief</p> <p>Stimulant Free</p> <p>#1 FROM THE PROFESSIONALS</p> <p>actual size 25 Softgels</p>
---	---	---	---

FLEET

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0132-0402
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	7mm
Flavor		Imprint Code	PC18
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0132-0402-25	25 in 1 BOTTLE; Type 0: Not a Combination Product	06/21/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/21/2024	

Labeler - C.B. Fleet Company, Inc. (003119054)

Revised: 6/2024

C.B. Fleet Company, Inc.