

**PACTO REFRESHING SUNSCREEN BROAD SPECTRUM SPF 50- avobenzone,
octisalate, octocrylene gel
Mynd LLC**

Pacto Refreshing Sunscreen Broad Spectrum SPF 50

DRUG FACTS

Active Ingredients

Avobenzone 3%
Octisalate 5%
Octocrylene 10 %

Purpose

Sunscreen

Uses

Help prevent sunburn.

- Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding,

ask a health professional before use

Directions

Apply liberally 15 minutes before sun exposure and as needed.

- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating **Sun Protection**

Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum of SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses


Inactive Ingredients:


Acrylates/Octylacrylamide Copolymer, Alcohol, Aloe Barbadensis Leaf Extract, Ascorbyl Palmitate, Butyloctyl Salicylate, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Eucalyptus Globulus Leaf Oil, Helianthus Annuus (Sunflower) Seed Oil, Tocopheryl Acetate

Other information

- Protect the product in this container from excessive heat and direct sun.

Package Labeling:

DRUG FACTS	
Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10 %	Sunscreen
Uses	
Help prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only. Do not use ■ on damaged or broken skin. When using this product ■ keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if ■ rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use	
Directions	
Apply liberally 15 minutes before sun exposure and as needed. ■ Children under 6 months of age: ask a doctor. ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum of SPF of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses	
Inactive Ingredients: Acrylates/Octylacrylamide Copolymer, Alcohol, Aloe Barbadensis Leaf Extract, Ascorbyl Palmitate, Butyloctyl Salicylate, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Eucalyptus Globulus Leaf Oil, Helianthus Annuus (Sunflower) Seed Oil, Tocopheryl Acetate	
Other information	
■ Protect the product in this container from excessive heat and direct sun.	
Distributed by Mynd LLC. 6827 Arnoldson St. Orlando, FL. 32827 www.gopacto.com	
	

DRUG FACTS	
Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10 %	Sunscreen
Uses	
Help prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only. Do not use ■ on damaged or broken skin. When using this product ■ keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if ■ rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use	
Directions	
Apply liberally 15 minutes before sun exposure and as needed. ■ Children under 6 months of age: ask a doctor. ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum of SPF of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses	
Inactive Ingredients: Acrylates/Octylacrylamide Copolymer, Alcohol, Aloe Barbadensis Leaf Extract, Ascorbyl Palmitate, Butyloctyl Salicylate, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Eucalyptus Globulus Leaf Oil, Helianthus Annuus (Sunflower) Seed Oil, Tocopheryl Acetate	
Other information	
■ Protect the product in this container from excessive heat and direct sun.	
Distributed by Mynd LLC. 6827 Arnoldson St. Orlando, FL. 32827 www.gopacto.com	
	

PACTO

**REFRESHING
SUNSCREEN**

Broad Spectrum SPF 50
2.5 fl oz (75 mL)





Bogey-free protection




PACTO

**REFRESHING
SUNSCREEN**

Broad Spectrum SPF 50
2.5 fl oz (75 mL)





Bogey-free protection




PACTO REFRESHING SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, octisalate, octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87506-974
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE -	OCTISALATE	50 mg in 1 mL

UNII:4X49Y0596W)	OCTOCRYLENE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CHAMOMILE (UNII: FGL3685T2X)	
CUCUMBER (UNII: YY7C30VXJT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87506-974-00	75 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/24/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/24/2026	

Labeler - Mynd LLC (144864256)

Registrant - Pure Source, LLC (080354456)

Revised: 3/2026

Mynd LLC