

FLORIDA GLOW SPF 15- avobenzone, octocrylene, octisalate spray
Southeast Holdings Corp.

Active Ingredients

Octisalate 5%
Octocrylene 1.85%
Avobenzone 2%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (***see Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask a doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product Keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure

- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum of 15 or higher and other sun protection measures, including:

- limit time in the sun, especially from 10 a.m.- 2 p.m.
- wear long sleeve shirts, pants, hats & sunglasses

Inactive Ingredients

SD Alcohol 40-B, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance, Coconut Oil, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Glycerin, Water, Carbomer, Butylene Glycol, Polysorbate 20

Other Information

- protect this product from heat and direct sun.
- may stain or damage some fabrics or surfaces.

Questions or Comments?

Call 1 (561) 503-6592

Product label

Drug Facts

| | | | |
|---------------------------|-------|---|----------------|
| Active Ingredients | | | Purpose |
| Octisalate | 5% | } | Sunscreen |
| Octocrylene | 1.85% | | |
| Avobenzone | 2% | | |

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only.
Stop use and ask a doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product Keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum of 15 or higher and other sun protection measures, including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long sleeve shirts, pants, hats & sunglasses

Inactive Ingredients

SD Alcohol 40-B, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance, Coconut Oil, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Glycerin, Water, Carbomer, Butylene Glycol, Polysorbate 20

Other Information

- protect this product from heat and direct sun.
- may stain or damage some fabrics or surfaces

Questions or Comments?
Call 1 (561) 503-6592

Official Sunscreen of



ARTISTIC SWIMMING



100% Vegan & Cruelty Free



Paraben & Sulfate Free



BOV Technology



Oxybenzone & Octinoxate Free



PABA Free



Coconut Scent



SPF 15

BROAD SPECTRUM SPF 15
WATER RESISTANT
(80 MINUTES)

PEPTIDES + VITAMIN C
CERTIFIED BENZENE-FREE

Our Sunscreen
No harmful aerosols used thanks to BOV technology

Leading Brands
Can contain more harmful aerosols than sunscreen

Continuous Spray
Dry Touch Clear Formula

5.5 FL OZ / 162 mL

Proudly made in South Florida, USA
Distributed by Southeast Holdings Corp.
dba Florida Glow, Boca Raton, FL 33433
www.FloridaGlow.com

FLORIDA GLOW SPF 15

avobenzone, octocrylene, octisalate spray

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:83862-003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 2 g in 100 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 1.85 g in 100 mL |
| OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| COCONUT OIL (UNII: Q9L0O73W7L) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| DIBUTYL MALEATE (UNII: 4X371TMK9K) | |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:83862-003-01 | 162 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 01/19/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/19/2021 | |

Labeler - Southeast Holdings Corp. (122400191)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---|
| Southeast Holdings Corp | | 080504027 | manufacture(83862-003) , pack(83862-003) , label(83862-003) |

Revised: 11/2025

Southeast Holdings Corp.