

RUGBY LIDOCAINE- lidocaine cream
Rugby Laboratories

Drug Facts

Active ingredient

Lidocaine HCL 4%

Purpose

Topical anesthetic

Uses

- Temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

use only as directed. read and follow all directions and warnings on this carton.

do not allow contact with the eyes

do not bandage or apply local heat (such as heating pads) to the area of use.

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days.
- **If pregnant or breast feeding**, ask a health professional before use.

Keep this and all drugs out of the reach of children and pets.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- **Adults and children over 12 years:**
- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in

a 24 hour period

- **Children under 12 years or younger:**ask a doctor

Other information

- Store at controlled room temperature 20°-25°C (68°-77°F)

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicyetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Phenoxyethanol, SD Alcohol 40, Steareth-21, Water (purified)

Questions?(800)645-2158

Principal Panel-Tube

RUGBY® NDC 0536-1139-20

Maximum Strength

4% Lidocaine

Pain Relieving Cream

NET WT. 15g (0.52 oz)

NDC 0536-1139-20



Maximum Strength

4% Lidocaine Pain Relieving Cream

NET WT. 15 g (0.52 OZ)

Active ingredient

Lidocaine HCl 4% Topical anesthetic

Purpose

Uses temporarily relieves minor pain **Warnings For external use only. Do not use**

- on large areas of the body or on cut, irritated or swollen skin
 - on puncture wounds
 - for more than one week without consulting a doctor
- When using this product**
- use only as directed. Read and follow all directions and warnings on this carton.
 - do not allow contact with the eyes
 - do not bandage or apply local heat (such as heating pads) to the area of use
- Stop use and ask a doctor if**
- condition worsens
 - symptoms persist for more than 7 days or clear up and occur again within a few days.
- If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children and pets.** If swallowed, get medical help or contact Poison Control Center right away.

Directions adults and children over 12 years: • apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period **children 12 years or younger:** • ask a doctor. **Other information** Store at a controlled room temperature 20°- 25°C (68°-77°F) **KEEP CARTON FOR COMPLETE DRUG FACTS.**

Dist. By RUGBY LABORATORIES 17177 N Laurel Park Drive, Suite 233, Livonia, MI 48152 USA
 Re-Order No. : 370565 R-101 Rev. 01/18 **Questions or comments?** (800) 645-2158 2503909

Principal Panel - Carton

RUGBY® NDC 0536-1139-20

Maximum Strength

4% Lidocaine

Pain Relieving Cream

NET WT. 15g (0.52 oz)



RUGBY LIDOCAINE

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SILICON (UNII: Z4152N8IU)	
ALCOHOL (UNII: 3K9958V90M)	
CARBOMER INTERPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 132584PQMO)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARETH-21 (UNII: 53J3F32P58)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETEARETH-2 PHOSPHATE (UNII: 8NSU66JGZR)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1139-20	1 in 1 CARTON	09/21/2018	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0536-1139-28	1 in 1 CARTON	11/27/2018	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/21/2018	

Labeler - Rugby Laboratories (079246066)

Revised: 11/2025

Rugby Laboratories