

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet
Cardinal Health (Leader) 49781**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are now taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
-

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: **calcium 20 mg**
- each tablet contains: **sodium 6 mg** VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C(59-86°F)

Inactive ingredients

carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin*, microcrystalline cellulose, polyethylene glycol*, polyvinyl alcohol*, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to Peri-Colace® active ingredient†

stool softener

Plus Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

For Relief of Occasional Constipation

TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

†This product is not manufactured or distributed by Purdue Products LP., distributor of Peri-Colace®.

DISTRIBUTED BY:

CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com

1-800-200-6313

Product Label

NDC 49781-150-51

Compare to **Peri-Colace®** active ingredient

LEADER®

Stool Softener

Plus Stimulant Laxative

Docusate sodium 50 mg
Sennosides 8.6 mg

For Relief of Occasional Constipation

100 TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg.....Stool softener
Sennosides 8.6 mg.....Stimulant laxative

Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Drug Facts (continued under label)

This product is not manufactured or distributed by Purdue Products L.P., distributor of Peri-Colace®.

DISTRIBUTED BY:
CARDINAL HEALTH
DUBLIN, OHIO 43017
CIN 5201363 Rev. 1/16
www.myleader.com
1-800-200-6313

All Leader® Brand Products are 100% satisfaction guaranteed or return to place of purchase for a full refund

PLD-D9T 0 96295 12748 5
Lot No.: L8003838 Exp. Date:

PEEL HERE

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: calcium 20 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose*, magnesium stearate, methylodextrin*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol*, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?
Call 1-877-733-3935 Monday-Friday 9AM-5PM EST

Leader Stool Softener Plus Stimulant Laxative

STOOL SOFTENER PLUS STIMULANT LAXATIVE			
docusate sodium and sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49781-150
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
	SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
Inactive Ingredients			
	Ingredient Name		Strength
	CARNAUBA WAX (UNII: R12CBM0EIZ)		
	CROSCARMELOSE SODIUM (UNII: M28OL1HH48)		
	DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)		

FD&C RED NO. 40 (UNII: WZB9127XOA)
HYPROMELLOSES (UNII: 3NXW29V3WO)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
STEARIC ACID (UNII: 4ELV7Z65AP)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
ALUMINUM OXIDE (UNII: LM26O6933)
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

Product Characteristics			
Color	RED	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097;0806;AV;S44
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49781-150-51	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2016	12/31/2020

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/31/2016	12/31/2020

Labeler - Cardinal Health (Leader) 49781 (097537435)