LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet QUALITY CHOICE (Chain Drug Marketing Association)

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

• noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

• are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

• do not use for a period longer than 1 week

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movement occur after use of a laxative

These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

• each tablet contains: calcium 40 mg

- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, calcium phosphate dihydrate, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide*, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid*, sugar,, talc, titanium dioxide

Questions or comments?

Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to the active ingredient in ex-lax® MAXIMUM STRENGTH

Maximum Strength

Laxative

Stimulant Laxative

Sennosides USP, 25 mg

Gentle, Dependable Overnight Relief

Tablets

*This product is not manufactured or distributed by GlaxoSmithKline Ex-Lax®.plc, distributor of ex-lax®.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT

INFORMATION.

Distributed by C.D.M.A., Inc.© 43157 W 9 Mile Rd Novi, MI 48375 www.qualitychoice.com

Product Label

This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of ex-lax®.

Or twice daily take 2 tablets once

years of age and older adults and children 12

- swallow tablet(s) whole, do not crush, break, or chew ■ swallow tablet(s) with a glass of water
 - DIFECTIONS

medical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

serious condition.

- occur after use of a laxative. These may be signs of a ■ rectal bleeding or failure to have a bowel movement Stop use and ask a doctor if
 - do not use for a period longer than 1 week When using this product

before or after other drugs.

other drugs work. Take this product 2 or more hours ■ ste taking any other drug. Laxatives may affect how Ask a doctor or pharmacist before use if you

Drug Facts (continued)

Inactive ingredients acacia, calcium phosphate ■ store between 20-25°C (68-77°F)

Questions or comments?

mulbos wol ynav m ■ each tablet contains: calcium 40 mg Other information

	years of age
ask a doctor	children under 6
or twice daily	years of age
take 1 tablet once	children 6 to under 12
	The STATE OF THE S

Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

glycol, povidone, shellac, stearic acid, sugar, talc, titanium

oxide black, iron oxide yellow, kaolin, magnesium stearate,

maltodextrin, microcnystalline cellulose, polyethylene

sodium, FD&C blue #1 aluminum lake, iron oxide, iron colloidal silicon dioxide, com starch, croscarmellose

dihydrate, calcium sulfate anhydrous, carnauba wax,

Drug Facts (continued)

■ denerally produces bowel movement in 6 to 12 hours relieves occasional constibation (irregularity)

SƏSN

Stimulant laxative Sennosides USP, 25 mg.

(in each tablet)

920ding Active ingredient

Drug Facts

over a period of 2 weeks ■ noticed a sudden change in bowel habits that persists Ask a doctor before use if you have

nausea, or vomiting are present unless directed by a doctor. po uot nee laxative products when abdominal pain, Warnings

Drug Facts (continued)

NDC 63868-296-24

*Compare to the Active Ingredient in ex-lax® **MAXIMUM STRENGTH**



Maximum Strength axative

Stimulant Laxative

Sennosides 25 mg Gentle, Dependable Overnight Relief

actual size

24 Tablets



Distributed by C.D.M.A., Inc.® 43157 W 9 Mile Rd Novi, MI 48375 www.qualitychoice.com Questions: 248-449-9300

QUALITY CHOICE Maximum Strength Laxative

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.: Exp. Date:

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63868-296

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

SENNOSIDES (25 mg

Inactive Ingredients

mactive ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B710)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-296- 24	24 in 1 CARTON	08/31/2018	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	08/31/2018		

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 10/2023 QUALITY CHOICE (Chain Drug Marketing Association)