

**TRIPLE ANTIBIOTIC PLUS MAXIMUM STRENGTH- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment  
The Kroger Co.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine Hydrochloride**

**OTC - ACTIVE INGREDIENT**

**(in each gram)**

Bacitracin zinc, USP 500 units

Neomycin Sulfate, USP 3.5 mg

Polymyxin B sulfate, USP 10,000 units

Pramoxine hydrochloride, USP 10 mg

**OTC - PURPOSE**

First aid antibiotic/Pain reliever

**USES**

First aid to help prevent infection and for temporary relief of pain or discomfort due to

- minor cuts
- scrapes
- burns

**WARNINGS**

**For external use only**

**Allergy alert:**

- do not use if allergic to any of the ingredients

**OTC - DO NOT USE**

- in the eyes
- over large areas of the body

**OTC - ASK A DOCTOR BEFORE USE IF YOU HAVE**

- deep or puncture wounds
- animal bites
- serious burns[S][S][S]

**OTC - WHEN USING THIS PRODUCT**

- do not use longer than 1 week unless directed by a doctor

**OTC - STOP USE AND ASK A DOCTOR IF**

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

## **OTC - KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

## **2 DOSAGE & ADMINISTRATION**

Adults and children 2 years and older:

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years: ask a doctor

## **OTHER INFORMATION**

- Store at 59° -86°F (15° -30°C).
- Before using any medication, read all label directions. Keep carton, it contains important information.

## **INACTIVE INGREDIENT**

White petrolatum

## **OTC - QUESTIONS OR COMMENTS?**

1-800-632-6900

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

**Kroger®**

## **QUALITY GUARANTEED**

Compare to the active ingredients of NEOSPORIN® PLUS.

\*See Back Panel.

maximum strength


## **TRIPLE ANTIBIOTIC OINTMENT**

## **PLUS PAIN RELIEF**

- Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride
- First aid antibiotic plus topical pain reliever

NET WT 1 OZ (28 g)

08230611xx VC108014



CARTON LABEL

**TRIPLE ANTIBIOTIC PLUS MAXIMUM STRENGTH**  
 bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59450-823
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP <sup>U</sup> ] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP <sup>U</sup> ] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:59450-823-56	1 in 1 CARTON		
1		28 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	07/01/2008	

**Labeler** - The Kroger Co. (006999528)

Revised: 3/2013

The Kroger Co.