

**POMODA DRAGON PAIN NUMBING- pomoda dragon pain numbing cream
SIGAN INDUSTRIES GROUP**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MAX STRENGTH POMADA DRAGON PAIN NUMBING CREAM

ACTIVE INGREDIENT

LIDOCAINE HCl 4%

PURPOSE

TOPICAL ANALGESIC

USES

FOR TEMPORARY RELIEF OF PAIN

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE

ON LARGE AREAS OF THE BODY OR ON RAW OR BLISTERED SKIN
ON WOUNDS OR DAMAGED SKIN

WHEN USING THIS PRODUCT

USE ONLY AS DIRECTED.
DO NOT USE IN LARGE QUANTITIES
AVOID CONTACT WITH EYES
DO NOT APPLY TIGHT BANDAGES
DO NOT APPLY A HEATING PAD TO TREATED SKIN

STOP USE AND ASK A DOCTOR IF

CONDITIONS WORSEN OR SYMPTOMS PERSIST FOR MORE THAN 7 DAYS.
SYMPTOMS CLEAR UP AND OCCUR AGAIN WITHIN A FEW DAYS

IF PREGNANT OR BREAST-FEEDING

ASK A HEALTH PROFESSIONAL BEFORE USE

KEEP OUT OF REACH OF CHILDREN TO AVOID ACCIDENTAL INGESTION

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

IMMEDIATELY

DIRECTIONS

USE ONLY AS DIRECTED

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER: APPLY TO AFFECTED AREA
NOT MORE THAN 3 TO 4 TIMES DAILY

CHILDREN UNDER 12 YEARS OF AGE: ASK A DOCTOR

OTHER INFORMATION

STORE AT ROOM TEMPERATURE

CLOSE CAP TIGHTLY AFTER USE

QUESTION SOR COMMENTS?

CALL TOLL FREE 1 877 99 GENOM (43666)

INACTIVE INGREDIENTS

ACRYLATES/C10-30 ALKYL CRYLATE CROSSPOLYMER, ALCOHOL DENAT.,
AMINOMETHYL PROPANOL, C30-45 ALKYL CETEARLYL DIMETHICONE CROSSPOLYMER,
CAPRYLYL METHICONE, CETEARYL ALCOHOL, CETETH-20 PHOSPHATE, DECOLORIZED
ALOE BARBADENSIS LEAF JUICE, DICETYL PHOSPHATE DIMETHICONE, DISODIUM
EDTA, ETHYLHEXYGLYCERIN, GLYCERYL STARATE SE, PHENOXYETHANOL, PURIFIED
WATER, STEARETH-21

PACKAGE LABEL DISPLAY PANEL

NEW MAX STRENGTH LIDOCAINE 4%

POMADA DRAGON PAIN NUMBING CREAM

CREMA PARA ANESTESIAR EL DOLOR LIDOCAINA HCI 4%

ORDOR FREE. NO IRRITATION, NO BURNING./ SIN OLOR. SIN IRRITACIÓN. SIN ARDOR

BLOCKS PAIN RECEPTORS/ BLOQUEA LOS RECEPTORES DEL DOLOR

NET WT 2.7 OZ (76.5g)



DRAGON
POMADA

07-140
2000006626

Drug Facts

Active ingredient Purpose
Lidocaine HCl 4% Topical analgesic

Uses For the temporary relief of pain

Warnings

For external use only

Do not use ■ on large areas of the body or on raw or blistered skin
■ on wounds or damaged skin

When using this product ■ use only as directed ■ do not use in large quantities ■ avoid contact with eyes ■ do not apply tight bandages ■ do not apply a heating pad to treated skin

Stop use and ask a doctor if ■ conditions worsen or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children to avoid accidental ingestion.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ use only as directed **Adults and children 12 years of age and older:** apply to affected area not more than 3 to 4 times daily **Children under 12 years of age:** ask a doctor

Other information ■ Store at room temperature. ■ Close cap tightly after use

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate
Crosspolymer, Alcohol denat., Aminomethyl propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteleth-20 Phosphate, Decolorized Aloe barbadensis leaf juice, Dicalcyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glycerol Stearate SE, Phenoxietanol, Purified water, Steareth-21

Questions or comments?
Call toll free 1 877 99 GENOM (43666)

Made in Canada / Hecho en Canada
Distributed by / Distribuido por:
Genomma Lab USA, Inc.,
Houston, TX 77027
www.genommalab.us



NEW MAX STRENGTH LIDOCAINE 4%

MAX STRENGTH

NEW

POMADA

DRAGON

PAIN NUMBING CREAM

Crema para anestésiar el dolor Lidocaina HCl, 4%
Odor Free • No Irritation • No Burning / Sin olor • Sin irritación • Sin ardor

BLOCKS PAIN RECEPTORS

BLOQUEA LOS RECEPTORES DEL DOLOR

NET WT
2.7 oz (76.5 g)

Información del Medicamento

Ingrediente activo Propósito
Lidocaina HCl 4%.....Analgésico Tópico

Usos Para el alivio temporal del dolor

Advertencias
Solo para uso externo

No se utilice ■ En grandes áreas del cuerpo o en pieles irritadas o con ampollas
■ En heridas o piel dañada

Cuando use este producto ■ use solo como se indica ■ no use en grandes cantidades ■ evite el contacto con los ojos ■ no aplique vendajes apretados ■ no aplique una almohadilla de calefacción a la piel tratada

Deje de usar y pregunte a un médico si:

■ La condición empeora o los síntomas persisten más de 7 días ■ Los síntomas se aclaran y vuelven a ocurrir dentro de unos días

Si está embarazada o amamantando, consulte con un profesional de la salud antes de usarlo.

Manténgase fuera del alcance de los niños.

Si se traga, obtenga ayuda médica o comuníquese con un centro de control de envenenamientos inmediatamente.

Instrucciones ■ utilizar según indicaciones **Adultos y niños mayores de 12 años:** Aplicar en el área afectada no más de 3 a 4 veces por día **Niños menores de 12 años:** Consulte a su médico

Información Adicional ■ Almacenar a temperatura ambiente. ■ Cerrar el tapón firmemente después de usarlo.

Ingredientes inactivos

Acrylates/C10-30 Alkyl Acrylate Polímero Cruzado, Alcohol denat., Aminometil propanol, C30-45 Alkyl Cetearil Dimeticona Polímero Cruzado, Caprylyl Meticona, Cetearil Alcohol, Ceteleth-20 Fosfato, Aloe barbadensis jugo de hojas decolorado, Dicalcilo Fosfato, Dimeticona, Disodium EDTA, Ethylhexylglycerina, Estearato de glicerilo SE, Fenoxietanol, Agua purificada, Steareth-21

Preguntas o comentarios?
Call toll free 1 877 99 GENOM (43666)

Do not use if cap seal is broken or missing

No usar si el sello de seguridad está roto o falta

MAX STRENGTH
LIDOCAINE 4%

POMADA

DRAGON

PAIN NUMBING CREAM
Crema para anestésiar el dolor Lidocaina 4%



**Numbs pain fast
Hours of relief**

BLOCKS PAIN RECEPTORS

BLOQUEA LOS RECEPTORES DEL DOLOR

- Anestesia el dolor rapidamente
- Alivio por horas

- Odor free • no irritation • no burning
- Sin olor • sin irritación • sin ardor

NET WT 2.7 oz (76.5 g)



LOT / LOTE:
EXP.:

3⁵³/₆₄



Active ingredients: Lidocaine HCl 4%
Uses: For the temporary relief of pain
Warnings: For external use only
Do not use: ■ on large areas of the body or on raw or blistered skin ■ on wounds or damaged skin
When using this product: ■ use only as directed ■ do not use in large quantities ■ avoid contact with eyes ■ do not apply tight bandages ■ do not apply a heating pad to treated skin
Stop use and ask a doctor if: ■ conditions worsen or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children to avoid accidental ingestion.
Directions: ■ use only as directed
Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily.
Children under 12 years of age: ask a doctor
Other information: ■ Store at room temperature ■ Close cap tightly after use ■ See carton for complete information.
 Distributed by / Distribuido por:
 Genomma Lab USA, Inc.,
 Houston, TX 77027
PEEL HERE
 For Spanish information

HINGE SIDE

HINGE SIDE

Ingredientes activos: Lidocaína HCl 4%
Usos: Para el alivio temporal del dolor
Advertencias: Sólo para uso externo
No se utilice: ■ En grandes áreas del cuerpo o en pieles crudas o con ampollas ■ En heridas o piel dañada
Cuando use este producto: ■ use solo como se indica ■ o use en grandes cantidades ■ evite el contacto con los ojos ■ no aplique vendajes apretados ■ no aplique una almohadilla de calefacción a la piel tratada.
Deje de usar y pregunte a un médico si:
 ■ La condición empeora o los síntomas persisten más de 7 días ■ Los síntomas se aclaran y vuelven a ocurrir dentro de unos días.
Si está embarazada o amamantando, consulte con un profesional de la salud antes de usarlo.
Manténgase fuera del alcance de los niños. Si se traga, obtenga ayuda médica o comuníquese con un centro de control de venenos inmediatamente.
Instrucciones: ■ utilizar según indicaciones
Adultos y niños mayores de 12 años: Aplicar en el área afectada no más de 3 a 4 veces por día.
Niños menores de 12 años: Consulte a su médico
Información adicional: ■ Almacenar a temperatura ambiente. ■ Cerrar el tapón firmemente después de usarlo ■ Ver el empaque para información completa.
Questions or comments? Preguntas o comentarios?
 Call toll free 1 877 99 GENOM (43666) 2000006619 05-3377

POMODA DRAGON PAIN NUMBING

pomoda dragon pain numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65365-284
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98P1200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0K00R)	
STEARETH-21 (UNII: 53J3F32P58)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65365-284-06	1 in 1 CARTON	08/16/2017	
1	NDC:65365-284-01	76.5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/16/2017	

Labeler - SIGAN INDUSTRIES GROUP (251829404)

Registrant - SIGAN INDUSTRIES INC (255106239)

Revised: 7/2017

SIGAN INDUSTRIES GROUP