

AIPATCH NUMBING PAIN RELIEF- lidocaine patch
Active Intelligence, LLC

AIPATCH NUMBING PAIN RELIEF Patch

Drug Facts

Active Ingredients

Lidocaine 4%

Purpose

Topical analgesic

Use

for the temporary relief of pain

Warnings

for external use only

When using this product

- use only as directed. Read and follow all directions and warnings on this carton
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not use at the same time as other topical analgesics
- do not remove when wet or directly after shower, allow to dry and then slowly remove

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the patch was applied
- If pregnant or breast-feeding, ask a health professional before use
- If swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children over 12 years:

- apply patch for up to 12 hours of wear time
- apply 1 patch at a time to the affected area, not more than 2 to 3 times daily
- store in a cool dry place, in a resealable bag

children 12 years or younger: ask a doctor

Inactive Ingredients

Acrylic adhesive, Flaxseed oil, and Polysorbate 80

Maximum Strength Lidocaine Patch Without a Prescription

QuadFlex Technology | Stays in place | Up to 12 hours of wear time

Made in USA

AIPATCH™

For detailed usage instructions, scan the QR code or visit www.activeintell.com

Questions/Comments: (704) 769-0166

Manufactured and distributed by Active Intelligence,
LLC -A Nutriband, Inc company: 100 Sweetree St
Cherryville, NC 28021

Packaging



Drug Facts Label

Drug Facts	
Active Ingredients	Purpose
Lidocaine 4%	Topical analgesic
Use	
for the temporary relief of pain	
Warnings	
for external use only	
When using this product	
<ul style="list-style-type: none"> ● use only as directed. Read and follow all directions and warnings on this carton ● do not bandage tightly ● avoid contact with eyes and mucous membranes ● do not use at the same time as other topical analgesics ● do not remove when wet or directly after shower, allow to dry and then slowly remove 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ● condition worsens ● symptoms persist for more than 7 days or clear up and occur again within a few days ● you experience signs of skin injury, such as pain, swelling or blistering where the patch was applied 	
Directions	
adults and children over 12 years:	
<ul style="list-style-type: none"> ● apply patch for up to 12 hours of wear time ● apply 1 patch at a time to the affected area, not more than 2 to 3 times daily ● store in a cool dry place, in a resealable bag 	
children 12 years or younger: ask a doctor	
Inactive Ingredients	
Acrylic adhesive, Flaxseed oil, and Polysorbate 80	

AIPATCH NUMBING PAIN RELIEF

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71590-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ACRYLIC ACID (UNII: J94PBK7X8S)	
LINSEED OIL (UNII: 84XB4DV00W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71590-012-25	5 in 1 BOX	08/06/2025	
1		5 in 1 POUCH		
1		0.624 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/06/2025	

Labeler - Active Intelligence, LLC (080416593)

Establishment

Name	Address	ID/FEI	Business Operations
Active Intelligence, LLC		080416593	manufacture(71590-012)

Revised: 7/2025

Active Intelligence, LLC