

**PREMIER VALUE ARTHRITIS PAIN RELIEVER- acetaminophen tablet, film coated, extended release**  
**Chain Drug Consortium, LLC.**

-----  
**Premier Value<sup>®</sup> Arthritis Pain Relief Acetaminophen Extended-release Tablets USP, 650 mg**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"><li>▪ take 2 caplets every 8 hours with water</li><li>▪ swallow whole; do not crush, chew, split or dissolve</li><li>▪ do not take more than 6 caplets in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

## **Inactive ingredients**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

## **Questions?**

call **1-800-406-7984**

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

## **PRINCIPAL DISPLAY PANEL - 650 mg Caplet Bottle Carton**

COMPARE TO THE ACTIVE INGREDIENT OF  
TYLENOL<sup>®</sup> ARTHRITIS PAIN †

Use only as directed.

EASY TO OPEN BOTTLE

Premier  
Value<sup>®</sup>

Last up to 8 Hours  
Arthritis  
Pain Relief  
Acetaminophen  
Extended-release Tablets USP, 650 mg

THIS PACKAGE  
FOR HOUSEHOLDS  
WITHOUT YOUNG  
CHILDREN

Pain Reliever/Fever Reducer

✓ For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

100 Caplets\* (\*capsule-shaped tablets)

INDEPENDENTLY TESTED  
SATISFACTION GUARANTEED



COMPARE TO THE ACTIVE INGREDIENT OF  
TYLENOL® ARTHRITIS PAIN\*

Use only as directed.

EASY TO  
OPEN BOTTLE

Last up to 8 Hours

# Arthritis Pain Relief Acetaminophen

## Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer  
✓ For the Temporary Relief of Minor Arthritis Pain

**THIS PACKAGE FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN**

**DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN**



**100**  
Caplets\*  
(\*capsule-shaped tablets)



COMPARE TO THE ACTIVE INGREDIENT OF  
TYLENOL® ARTHRITIS PAIN\*  
EASY TO OPEN BOTTLE

Use only as directed.



# Last up to 8 Hours Arthritis Pain Relief Acetaminophen

## Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer

✓ For the Temporary Relief of Minor Arthritis Pain

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**THIS PACKAGE  
FOR HOUSEHOLDS  
WITHOUT YOUNG  
CHILDREN**



**100 Caplets\*** (\*capsule-shaped tablets)



### Drug Facts

**Active ingredient** **Purpose**  
(in each caplet) Pain reliever/  
Acetaminophen USP, 650 mg..... fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

#### Warnings

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
  - hives
  - rash
- If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

## Drug Facts (continued)

- new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use.**

### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- **do not take more than directed (see overdose warning)**

adults

- Take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

under 18 years of age

- ask a doctor

### Other information

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

### Inactive ingredients

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**Questions?** call 1-800-406-7984

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

**Contains No Aspirin**

RO816

Use only as directed.  
**EASY TO  
OPEN BOTTLE**



Last up to 8 Hours

**Arthritis  
Pain Relief**

<sup>†</sup>All trademarks are property  
This product is not affiliated  
of Tylenol<sup>®</sup> Arthritis Pain.

**Keep the carton. It contains**



Batch No.

**Non Var**

# Pain Relief Acetaminophen

Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer

✓ For the Temporary Relief of  
Minor Arthritis Pain

100 Caplets\*

(\*capsule-shaped tablets)



of their respective owners.  
with the makers/owners

is important information.



Expiration Date:

inish Area



5131567



5131567

## PREMIER VALUE ARTHRITIS PAIN RELIEVER

acetaminophen tablet, film coated, extended release

Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-333
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL (Capsule Shaped)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	cor116
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-333-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	
2	NDC:68016-333-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

**Labeler** - Chain Drug Consortium, LLC. (101668460)

**Registrant** - Ohm Laboratories Inc. (051565745)

---

## Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(68016-333)

Revised: 12/2024

Chain Drug Consortium, LLC.