

SHINGLES - apis mel., arsenicum alb., asterias rubens, cantharis, cistus canadensis, croton, dolichos, dulcamara, graphites, grindelia, hypericum, iris versicolor, lycopodium, mezereum, ranunc. bulb., rhus toxicodendron, staphysag., sulphur, thuja occ., zinc. met., chamomilla, echinacea pellet
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Shingles

INDICATIONS & USAGE SECTION

Shingles Formulated for associated symptoms such as pain, burning, itching, swelling and skin eruptions.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Apis mel. 15x, Arsenicum alb. 15x, Asterias rubens 15x, Cantharis 15x, Cistus canadensis 15x, Croton 15x, Dolichos 15x, Dulcamara 15x, Graphites 15x, Grindelia 15x, Hypericum 15x, Iris versicolor 15x, Lycopodium 15x, Mezereum 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Staphysag. 15x, Sulphur 15x, Thuja occ. 15x, Zinc. met. 15x, Chamomilla 3x, Echinacea 3x.

OTC - PURPOSE SECTION

Formulated for associated symptoms such as pain, burning, itching, swelling and skin eruptions.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

OTC - PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

SHINGLES

apis mel., arsenicum alb., asterias rubens, cantharis, cistus canadensis, croton, dolichos, dulcamara, graphites, grindelia, hypericum, iris versicolor, lycopodium, mezereum, ranunc. bulb., rhus toxicodendron, staphysag., sulphur, thuja occ., zinc. met., chamomilla, echinacea pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2335
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 g
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 g
Asterias Rubens (UNII: A7FYY9Q742) (Asterias Rubens - UNII:A7FYY9Q742)	Asterias Rubens	15 [hp_X] in 1 g
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 g
Helianthemum Canadense (UNII: 46G3W789Q3) (Helianthemum Canadense - UNII:46G3W789Q3)	Helianthemum Canadense	15 [hp_X] in 1 g

Croton Tiglium Seed (UNII: 0HK2GZK66E) (Croton Tiglium Seed - UNII:0HK2GZK66E)	Croton Tiglium Seed	15 [hp_X] in 1 g
Mucuna Pruriens Fruit Trichome (UNII: 3E271BSI0C) (Mucuna Pruriens Fruit Trichome - UNII:3E271BSI0C)	Mucuna Pruriens Fruit Trichome	15 [hp_X] in 1 g
Solanum Dulcamara Top (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	15 [hp_X] in 1 g
Graphite (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	15 [hp_X] in 1 g
Grindelia Hirsutula Flowering Top (UNII: IDB0NAZ6A1) (Grindelia Hirsutula Flowering Top - UNII:IDB0NAZ6A1)	Grindelia Hirsutula Flowering Top	15 [hp_X] in 1 g
Hypericum Perforatum (UNII: XK4IUX8MNB) (Hypericum Perforatum - UNII:XK4IUX8MNB)	Hypericum Perforatum	15 [hp_X] in 1 g
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	15 [hp_X] in 1 g
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
Daphne Mezereum Bark (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 g
Ranunculus Bulbosus (UNII: AEQ8NXJ0MB) (Ranunculus Bulbosus - UNII:AEQ8NXJ0MB)	Ranunculus Bulbosus	15 [hp_X] in 1 g
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
Delphinium Staphisagria Seed (UNII: 00543APIJV) (Delphinium Staphisagria Seed - UNII:00543APIJV)	Delphinium Staphisagria Seed	15 [hp_X] in 1 g
Sulfur (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	15 [hp_X] in 1 g
Thuja Occidentalis Leafy Twig (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	15 [hp_X] in 1 g
Zinc (UNII: J41CSQ7QDS) (Zinc - UNII:J41CSQ7QDS)	Zinc	15 [hp_X] in 1 g
Matricaria Recutita (UNII: G0R4UBI2ZZ) (Matricaria Recutita - UNII:G0R4UBI2ZZ)	Matricaria Recutita	3 [hp_X] in 1 g
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2335-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-2335-2	56.7 g in 1 BOTTLE, GLASS		
3	NDC:55714-2335-0	7.08 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-2335)

Revised: 3/2011

Newton Laboratories, Inc.