
OXYGEN- oxygen gas Boggs Gases div. Boggs Fire Equipment

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Ovvaon

Oxygen

Principal for Oxygen Product



OXYGEN, U.S.P. PRODUCED BY AIR LIQUEFACTION: WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Secure cylinder in storage and use. Keep oil and grease away. No smoking in cylinder area. Open valve slowly. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, CAUTION: R. ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Use only with pressure reducing equipment and apparatus designed for oxygen. Return with at least 25 PSIG pressure, DO NOT REMOVE THIS PRODUCT LABEL.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.



620 Main Street, Titusville, FL 32796 (321) 267-4110

BG-01


WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL; 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL YOUR SUPPLIER FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

OXYGEN COMPRESSED U.S.P. UN 1072

OXYGEN, U.S.P. PRODUCED BY AIR LIQUEFICATION. WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Secure cylinder in storage and use. Keep oil and grease away. No smoking in cylinder area. Open valve slowly. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, CAUTION: RX ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Use only with pressure reducing equipment and apparatus designed for oxygen. Return with at least 25 PSIG pressure. DO NOT REMOVE THIS PRODUCT LABEL.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of

compatible materials of construction and rated for adjudge procesure. Here

companible materials of construction and rated for cylinder pressure, use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: <u>Thaw frosted parts with lukewarm water. Do not rub affected</u> area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Representative Labeling pursuant to 21 CFR 207.3 (10)
Company name and contact information are printed in this area

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS

OXYGEN,	
REFRIGERATED	
LIQUID USP	
UN 1073	
CONTENTS	LITERS
CAS NO: 7782-44-7	
DANGER:	


REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.



OXYGEN

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62097-9937
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62097- 9937-1	100 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
2	NDC:62097- 9937-2	165 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
3	NDC:62097- 9937-3	210 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
4	NDC:62097- 9937-4	415 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
5	NDC:62097- 9937-5	682 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
6	NDC:62097- 9937-6	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
7	NDC:62097- 9937-7	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
8	NDC:62097- 9937-8	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	
9	NDC:62097- 9937-0	160 L in 1 DEWAR; Type 0: Not a Combination Product	11/04/2009	
10	NDC:62097- 9937-9	9544 L in 1 CYLINDER; Type 0: Not a Combination Product	11/04/2009	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	09/28/1995		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Boggs Gases div. Boggs Fire Equipment (048930598)

Establishment					
Name	Address	ID/FEI	Business Operations		

Revised: 10/2024

Boggs Gases div. Boggs Fire Equipment