

**GOOD NEIGHBOR PHARMACY NIGHT TIME- acetaminophen,
dextromethorphan hbr, doxylamine succinate capsule, liquid filled
Amerisource Bergen**

Amerisource Bergen Night Time Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 15 mg

Doxylamine succinate 6.25 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- minor aches and pains
- runny nose and sneezing
- sore throat
- headache
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- glaucoma
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- marked drowsiness may occur

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- redness or swelling is present
- fever gets worse or lasts more than 3 days
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed – see overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12 yrs & over	2 softgels with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

D&C yellow no. 10, edible ink*, FD&C blue no. 1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution *may contain this ingredient

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

GOOD NEIGHBOR PHARMACY®

Compare to Vicks® NyQuil® Cold & Flu LiquiCaps® active ingredients

MULTI-SYMPTOM

Night Time

pain reliever, fever reducer, cough suppressant, antihistamine

Cold & Flu

- Acetaminophen - Aches, Fever
- Dextromethorphan HBr - Cough
- Doxylamine Succinate - Sneezing, Runny Nose

24 Softgels

actual size

CONVENIENT RECLOSING TAB

**Good Neighbor Pharmacy® Night Time is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Cold & Flu LiquiCaps®.

DO NOT USE IF BULSTER UNIT IS BROKEN OR TORN

Drug Facts

Active ingredients (in each softgel)
 Acetaminophen 325 mg Pain reliever/fever reducer
 Dextromethorphan HBr 15 mg Cough suppressant
 Doxylamine succinate 6.25 mg Antihistamine

Uses temporarily relieves common cold/flu symptoms:
 ■ minor aches and pains ■ sore throat
 ■ runny nose and sneezing ■ headache ■ fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ hives ■ rash
 ■ skin redness ■ blisters ■ rash
Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.
Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ a breathing problem such as emphysema or chronic bronchitis ■ liver disease ■ glaucoma ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema ■ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are
 ■ taking sedatives or tranquilizers ■ taking the blood thinning drug warfarin
When using this product ■ excitability may occur, especially in children ■ be careful when driving a motor vehicle or operating machinery ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ marked drowsiness may occur
Stop use and ask a doctor if ■ pain or cough gets worse or lasts more than 7 days ■ redness or swelling is present ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions ■ take only as directed - see overdose warning ■ do not exceed 4 doses per 24 hours
 adults & children 12 yrs & over 2 softgels with water every 6 hrs
 children 4 to under 12 yrs ask a doctor
 children under 4 yrs do not use

PARENTS:
 Learn about teen medicine abuse
www.StopMedicineAbuse.org



Made in Canada
 Distributed By AmerisourceBergen
 1 West First Avenue, Conshohocken, PA 19428
 Questions or Concerns? www.mygnp.com

GLUTEN FREE
 ABC#: 10103728
 0 87701 41203 5



Compare to Vicks® NyQuil® Cold & Flu LiquiCaps® active ingredients**

NDC 46122-245-62

Night Time

▶ MULTI-SYMPTOM

pain reliever, fever reducer, cough suppressant, antihistamine

Cold & Flu

- Acetaminophen Aches, Fever
- Dextromethorphan HBr ... Cough
- Doxylamine Succinate Sneezing, Runny Nose

24 Softgels

actual size



OPEN OTHER END

0566229 05

Drug Facts (continued)
Other information ■ store at 20-25°C (68-77°F)
Inactive ingredients D & C yellow no. 10, edible ink*, FD&C blue no. 1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol or sorbitan solution *may contain this ingredient
Questions or comments? 1-800-719-9290



GOOD NEIGHBOR PHARMACY NIGHT TIME

acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-245
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	GREEN (clear)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	056
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-245-62	12 in 1 CARTON	03/06/2014	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/06/2014	

Labeler - Amerisource Bergen (007914906)

Revised: 1/2026

Amerisource Bergen