

AIR SINSINPAS-EX- l-menthol, methyl salicylate, dl-camphor spray
Sinsin Pharmaceutical Co., Ltd.

AIR SINSINPAS-EX

Active ingredients

L-menthol (5.48g/100g)

Methyl Salicylate (2.99g/100g)

DI-Camphor (5.20g/100g)

Purpose

Topical analgesic

Uses

For temporary relief of minor aches & pains of muscles & joints associated with:

- arthritis
- muscular pains
- strains
- bruises
- sprains

Warnings

For external use only • Avoid inhalation. • Do not use in a confined space. • Keep away from fire or flame. • Contents under pressure. • Do not puncture or incinerate container. • Do not expose to temperature exceeding 120 °F(48 °C)

Do not use on wounds or damaged skin. • if you are allergic to aspirin or salicylates. • with a heating pad. with, or at the same times as, other external analgesic products. • if you are allergic to any ingredients of this product.

When using this product

• do not use otherwise than as directed. • avoid contact with the eyes, mucous membranes or rashes. • do not bandage tightly.

Stop use and ask a doctor if • rash, itching or excessive skin irritation develops. • conditions worsen. • symptoms persist for more than 7 days. • symptoms clear up and occur again within a few days.

Other information

• Do not store in direct sunlight. • Store in Room temperature (1~30°C)

Keep out of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and over : Clean and dry affected area. Shake the can before use. Spray onto affected area no longer than 3 seconds. Do not use more than 5 times daily for not more than 7 days.
- Children under 12 years of age : Consult with a doctor

Inactive ingredients

Diphenhydramine, Ethanol, Liquefied Petroleum Gas

AIR SINSINPAS-EX

Strong & speedy

EX AIR
벤데 / 타박상 / 근육통

에어 신실파스

Drug Facts

Spray type antiphlogistic and analgesic agent. This aerosol medication is more useful than adhesive agent, attached plaster because this is composed of liquid. It has a good strong osmotic power to affected area and quick in effect. It is convenient for those with thick-haired body and it is also very useful with outdoor activities. 200ml NDC No. : 55264-102-01

Active Ingredients	Purpose
L-menthol(5.48 g / 100 g)	Topical Analgesic
Methyl Salicylate(2.99 g / 100 g)	Topical Analgesic
Dl-Camphor(5.20 g / 100 g)	Topical Analgesic

Uses For temporary relief of minor aches & pains of muscles & joints associated with : • arthritis • muscular pains • strains • bruises • sprains

Warnings

- For external use only • Avoid inhalation. • Do not use in a confined space. • Keep away from fire or flame. • Contents under pressure. • Do not puncture or incinerate container. • Do not expose to temperature exceeding 120 °F (48 °C)
- Do not use on wounds or damaged skin. • If you are allergic to aspirin or salicylates. • with a heating pad, with, or at the same times as, other external analgesic products. • If you are allergic to any ingredients of this product.
- When using this product • do not use otherwise than as directed. • avoid contact with the eyes, mucous membranes or mashes. • do not bandage tightly.
- Stop use and ask a doctor if • rash, itching or excessive skin irritation develops. • conditions worsen. • symptoms persist for more than 7 days. • symptoms clear up and occur again within a few days.
- Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and over : Clean and dry affected area. Shake the can before use. Spray onto affected area no longer than 3 seconds. Do not use more than 5 times daily for not more than 7 days.
- Children under 12 years of age : Consult with a doctor

Other Information

- Do not store in direct sunlight. • Store in Room temperature (1-30°C)

Inactive ingredients
Diphenhydramine, Ethanol, Liquefied Petroleum Gas

SINSIN
Distributed by : Sinsin Pharm America
431 W Lambert Rd, Suit 304, Brea, CA 92821
Made in Korea

8 806037 006105

AIR SINSINPAS-EX

I-menthol, methyl salicylate, dl-camphor spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55264-102

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	3.5 g in 200 mL
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	6 g in 200 mL
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	6.4 g in 200 mL

Inactive Ingredients

Ingredient Name	Strength
DIPHENHYDRAMINE (UNII: 8GTS82S83M)	
ALCOHOL (UNII: 3K9958V90M)	
LIQUEFIED PETROLEUM GAS (UNII: 5K616HU99V)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-102-01	200 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/22/2017	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Registrant - Sinsin Pharmaceutical Co., Ltd. (823149161)

Establishment

Name	Address	ID/FEI	Business Operations
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-102)

Revised: 1/2024

Sinsin Pharmaceutical Co., Ltd.