

**GUAIFENESIN AND DEXTROMETHORPHAN HBR- guaifenesin and dextromethorphan
hbr tablet, extended release
Amneal Pharmaceuticals LLC**

Guaifenesin and Dextromethorphan HBr Extended-Release Tablets, 600 mg/30 mg

EXPECTORANT & COUGH SUPPRESSANT

Drug Facts

**Active ingredient(s)
(in each extended-release tablet)**

Active ingredient (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Guaifenesin - Expectorant

Dextromethorphan HBr - Cough suppressant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These

could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

600 mg/30 mg

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- **Bottle: Tamper evident: Do not use if carton is open or if printed foil under cap is broken or missing**
- **Blister: Do not use if carton is open or if printed seal with product name on blister is broken or missing**
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone and talc

Questions?

1-877-835-5472

You may also report side effects to this phone number.

Parents:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Keep the carton. It contains important information.

See end panel for expiration date.

†Mucinex® is a registered trademark of Reckitt Benckiser LLC.

Distributed by:

Amneal Pharmaceuticals LLC

Bridgewater, NJ 08807

Rev. 02-2018-00

Principal Display Panel

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

**Guaifenesin and Dextromethorphan HBr
Extended-Release Tablet
600 mg/30 mg**

PUSH TABLET THROUGH FOIL

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807

LOT
EXP

†Compare to the active ingredients of Mucinex® DM

NDC 65162-038-03

Guaifenesin and Dextromethorphan HBr Extended-Release Tablets

600 mg/30 mg

EXPECTORANT & COUGH SUPPRESSANT



30 Extended-Release Tablets



Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older:
1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Parents: Learn about teen medicine abuse
www.StopMedicineAbuse.org

**Keep the carton. It contains important information.
See end panel for expiration date.**

*MucineX® is a registered trademark of Reckitt Benckiser LLC.
Dist. by: Amneal Pharmaceuticals LLC, Bridgewater, NJ 08807 Rev. 02-2018-00



Non-Varnish Area

**Guaifenesin and
Dextromethorphan HBr
Extended-Release Tablets**

600 mg/30 mg

**EXPECTORANT AND
COUGH SUPPRESSANT**

[†]Compare to the active ingredients of Mucinex[®] DM
NDC 65162-038-03

**Guaifenesin and
Dextromethorphan HBr
Extended-Release Tablets**

600 mg/30 mg

**EXPECTORANT AND
COUGH SUPPRESSANT**



AN038

- ✓ Controls Cough
 - ✓ Thins And Loosens Mucus
- 30 Extended-Release Tablets**



Drug Facts

Active ingredient (in each extended-release tablet)	Purpose
Dextromethorphan HBr 30 mg...	Cough suppressant
Guaifenesin 600 mg.....	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

- Do not use**
- for children under 12 years of age
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ▶

Drug Facts (continued)

- Ask a doctor before use if you have**
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 - cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours.
- children under 12 years of age: do not use ▶

Drug Facts (continued)

Other information

- **Tamper evident:** Do not use if carton is open or if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients: carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone and talc

Questions? 1-877-835-5472

You may also report side effects to this phone number.

Parents:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Keep the carton. It contains important information. See end panel for expiration date.

[†]Mucinex[®] is a registered trademark of Paddock Benckiser LLC.
Distributed by: **Amneal Pharmaceuticals LLC**
Bridgewater, NJ 08807 Rev. 02-2018-00



1.5" x 1.5"
Non-Varnish Area

†Compare to the active ingredients of Mucinex® DM

NDC 65162-038-06

Guaifenesin and Dextromethorphan HBr Extended-Release Tablets

600 mg/30 mg

**EXPECTORANT & COUGH
SUPPRESSANT**



60 Extended-Release Tablets



Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older:
1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Parents:

Learn about teen medicine abuse
www.StopMedicineAbuse.org

**Keep the carton. It contains important information.
See end panel for expiration date.**

*Mucinex® is a registered trademark of Reckitt Benckiser LLC.

Distributed by: **Amneal Pharmaceuticals LLC**
Bridgewater, NJ 08807

Rev. 02-2018-00



Non-Varnish Area

**Guaifenesin and
Dextromethorphan HBr
Extended-Release Tablets**

600 mg/30 mg


**EXPECTORANT AND
COUGH SUPPRESSANT**

*Compare to the active ingredients of Mucinex® DM
NDC 65162-038-06

**Guaifenesin and
Dextromethorphan HBr
Extended-Release Tablets**

600 mg/30 mg

**EXPECTORANT AND
COUGH SUPPRESSANT**



- ✓ Controls Cough
 - ✓ Thins And Loosens Mucus
- 60 Extended-Release Tablets**



Drug Facts

Active Ingredient (in each extended-release tablet)	Purpose
Dextromethorphan HBr 30 mg.....Cough suppressant	
Guaifenesin 600 mg.....Expectorant	

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

- Do not use**
- for children under 12 years of age
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

- Ask a doctor before use if you have**
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 - cough accompanied by too much phlegm (mucus)

- When using this product**
- do not use more than directed

- Stop use and ask a doctor if**
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours.
- children under 12 years of age: do not use ▶

Drug Facts (continued)

Other information

- **Tamper evident:** Do not use if carton is open or if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone and talc

Questions? 1-877-835-5472

You may also report side effects to this phone number.

Parents:

Learn about teen medicine abuse
www.StopMedicineAbuse.org

Keep the carton. It contains important information. See end panel for expiration date.

*Mucinex® is a registered trademark of Rochelet Benckiser LLC.

Distributed by: Amneal Pharmaceuticals LLC
Bridgewater, NJ 08807 Rev. 02-2018-00



**1.8" x 1.8"
Non-Varnish Area**



GUAIFENESIN AND DEXTROMETHORPHAN HBR

guaifenesin and dextromethorphan hbr tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65162-038
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
CARBOMER HOMOPOLYMER TYPE A (UNII: F68VH75CJC)	

SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	YELLOW (light yellow)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN038
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65162-038-17	2 in 1 CARTON	11/01/2018	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:65162-038-03	1 in 1 CARTON	11/01/2018	
2		30 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:65162-038-06	1 in 1 CARTON	11/01/2018	
3		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	11/01/2018	

Labeler - Amneal Pharmaceuticals LLC (123797875)

Establishment

Name	Address	ID/FEI	Business Operations
Amneal Pharmaceuticals of New York, LLC		123797875	ANALYSIS(65162-038) , LABEL(65162-038) , MANUFACTURE(65162-038) , PACK(65162-038)

Revised: 12/2019

Amneal Pharmaceuticals LLC