-----

## DRUG FACTS

Active ingredient (in each tablet) Aspirin 81 mg (NSAID)\* \*nonsteroidal anti-inflammatory drug

# Purpose

## Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.
- ask your doctor about other uses for safety coated 81 mg aspirin

#### Warnings

**Reye's syndrome**: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert**: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

## Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

## Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

## Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- new symptoms occurs

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

## **Other information**

store between 15º-30ºC (59º-86ºF)

## Inactive ingredients

croscarmellose sodium, D&C yellow #10, lactose monohydrate, methacrylic acid, microcrystalline cellulose 102, polacrilin potassium, propylene glycol 6000, polyvinyl alcohol, purified talc, silicon dioxide, sodium lauryl sulfate, soybean, titanium dioxide, triethyl citrate

## **Questions or comments?**

Call toll free 1-800-934-1204 Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredient in  $\operatorname{Bayer}\nolimits^{\textcircled{\sc s}}$  Low Dose Aspirin†

ASPIRIN REGIMEN≠

LOW DOSE,

SAFETY COATED≠≠

LOW DOSE SAFETY COATED

## ASPIRIN 81 mg

PAIN RELIEVER (NSAID)

## ENTERIC COATED TABLETS

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Bayer® Low Dose Aspirin.

‡Talk to your doctor or other healthcare provider before using this product for your heart. Aspirin is not right

for everyone.

≠≠Coating helps protect against stomach upset

# TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: BJ's Wholesale Club

25 Research Drive, Westborough, MA 01581

## **Product Label**

## BJ's Low Dose Coated Aspirin

ACDIDINI LOW DOCE C						
ASPIRIN LOW DOSE SA						
Product Information						
Product Type	HUMAN OTC DRUG		Item Code	(Source)	NDC:68391	L-063
Route of Administration	ORAL					
Active Ingredient/Active M	loiety					
-	gredient Name			Basis of Strengt	th	Strength
ASPIRIN (UNII: R16C05Y76E) (ASPIRIN -	-			ASPIRIN		l mg
						-
Inactive Ingredients						
	Ingredi	ent Name				Strength
SODIUM LAURYL SULFATE (UNII: 3680	GB5141J)					
TALC (UNII: 7SEV7J4R1U)						
TRIETHYL CITRATE (UNII: 8Z96QXD6UI	M)					
CROSCARMELLOSE SODIUM (UNII: M2	280L1HH48)					
D&C YELLOW NO. 10 (UNII: 35SW5USC	Q3G)					
LACTOSE MONOHYDRATE (UNII: EWQ!						
METHACRYLIC ACID - METHYL METH		1:1) (UNII: 740	64R6TH13)			
POLYVINYL ALCOHOL, UNSPECIFIED						
POLACRILIN POTASSIUM (UNII: 0BZ5A POLYETHYLENE GLYCOL 6000 (UNII: 3						
SOYBEAN (UNII: L7HT8F1ZOD)	501QX750WE)					
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)						
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)						
Product Characteristics						
Color	yellow	Score			no score	
Shape	ROUND	Size			6mm	
Flavor		Imprint Cod	le		Р	
Contains						

Pac	kaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NC	DC:68391-063-50	1 in 1 BOX	08/20/2021	
-				
1		500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
	rketing Inf			
Ma	r <b>keting Inf</b> arketing Catego	ormation	Marketing Start Date	Marketing End Date

Labeler - BJWC (Berkley & Jensen / BJ's) (159082692)

Revised: 2/2024

BJWC (Berkley & Jensen / BJ's)