TING- tolnaftate aerosol, spray Insight Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ting Spray Liquid

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- effective in the treatment and prevention of most athlete's foot (tinea pedis) with daily use
- effectively relieves itching, scaling, burning and discomfort that can accompany athlete's foot

Warnings

For external use onlyFlammability Warning: Contents under pressure. Do not puncture or incinerate. Flammable mixture; do not use near fire or flame, or expose to heat or temperatures above 49°C (120°F). Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product avoid contact with the eyes

Do not use

■ in or near the mouth or the eyes \blacksquare for nail or scalp infections

Ask a doctor before use

on children under 2 years of age.

Stop use and ask a doctor if

irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area and dry thoroughly
- shake can well, hold 4" to 6" from skin. Spray a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product.
- pay special attention to the spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily.
- use daily for 4 weeks. If condition persists, consult a doctor.

Other information

Store at room temperature 15°-25°C (59°-77°F)

Inactive ingredients

BHT, Fragrance, Polyethylene Glycol 400, SD Alcohol 40-B (41% w/w).

Propellant: Isobutane, normal butane, propane

Questions? 1-800-344-7239

© 2015 Distributed by INSIGHT Pharmaceuticals LLC Tarrytown, NY 10591

A Prestige Brands Company Made in India

TAMPER RESISTANT AEROSOL CAN FOR YOUR PROTECTION

Principal Display Panel:

Ting ® Athlete's Foot Spray Tolnaftate Antifungal Spray Liquid NET WT 4.5oz (128G)

Drug Facts	COOL RELIEF	Información sobre el fármaco	
Active ingredient Purpose	ALIVID FRESCA	Ingredientes activos Acción Tolnaftato 1%Antimicótico	
Uses • effective in the treatment and prevention of most athlete's foot (tinea pedis) with daily use • effectively relieves itching, scaling, burning and discomfort that can accompany athlete's foot	ALIVIO IMESCA	Indicaciones Elicaz en el tratamiento de la mayoria de infecciones de pie de atleta (Tinea Pedis), picazón inguinal (Tinea Cruris) y tiña (Tinea Corporis). Elimina comezón, peladuras, ardor malestar que pueda ser causado por el pie de atleta y la tiña.	
Warnings		Advertencias Medicamento de uso externo	
For external use only Hammability Warning: Contents under pressure. Do not puncture or incinerate. Flammable mixture; do not use near fire or flame, or expose to heat or temperatures above 49°C (120°F). Use only as directed. Intentional misuse by deliberately concentrating and inhaling	TIRC	Peligro inflamable: El contenido de este producto esta sometido a presión, No perfore ni tire el envase al fuego. Mezcla inflamable; no use el producto cerca del fuego o lo exponga al calor ni a temperaturas que sobrepasen los 49°C. Emplee el producto de acuerdo a las indicaciones. La inbalación intencional del contenido del producto puede ser dafina o mortal.	
contents can be harmful or fatal.		Al usar este producto: evite el contacto con los ojos.	
When using this product avoid contact with the eyes Do not use in or near the mouth or the eyes for nail or scalp infections	TOLNAFTATE	No use este producto en los ojos o la boca, ni cerca de ellos. No trate infecciones de las uñas o del cuero cabelludo con este producto. Consulte al médico antes de usar en niños menores de 2 años de edac	
Ask a doctor before use on children under 2 years of age.		Suspenda el tratamiento y consulte a su médico: En caso de irritación o de no presentarse mejoría alguna en un periodo de 4	
Stop use and ask a doctor if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)	ATHLETE'S FOOT SPRAY PIE DE ATLETA	semanas en tratamiento del pie de atleta y tiña én un periodo de 4 semanas en tratamiento del pie de atleta y tiña ó 2 semanas en tratamiento de picazón ingúnal. Manténgase fuera del alcance de los niños. En caso de ingestión	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away	PIE DE ATLETA EN AEROSOL	solicite atención médica o comuniquese con el Centro Toxicológico (1-800-222-1222) de inmediato. Modo de empleo ■Lave y seque muy bien el área afectada.	
Directions clean the affected area and dry thoroughly shake can well, hold 4' to 6' from skin. Spray a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor supervise children in the use of this product. pay special attention to the spaces between the toes; wear well-fitting, vertilated shoes and change shoes and socks at least once daily. use daily for 4 weeks. If condition persists, consult a doctor.	ANTIFUNGAL SPRAY LIQUID LÍQUIDO ANTIMICÓTICO EN AEROSOL Cools and Soothes Athletes Foot	Agite bien y marienga el envase a una distancia de 10 a 15 cm de la piel. Aplique una fina capa del producto sobre el área afectada dos veces al día (mañana y noche) o como lo indique el doctor. « La supervisión de un adulto es necesaria si el producto es utilizado por un niño. « En el tratamiento del pie de atleta aplique cuidadosamente entre los espacios de los dedos de los pies. Use zapatos cómodos y con buena ventilación, y cambie de catado y calcetines por lo menos una vez al día. « Adóigue diariamente durante 4 semanas para el tratamiento del pie de atleta y tiña; en el caso del tratamiento del pie de atleta y tiña; en el caso del tratamiento del pie de atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede atleta y tiña; en el caso del tratamiento del piede de piezado necesito del piede atleta y tiña; en el caso del tratamiento del piede de piezado necesito del piede diamiente del piede atleta y tiña; en el caso del tratamiento del piede de piezado del piede atleta y tiña; en el caso del tratamiento del piede piezado del piede del piezado	
Other information Store at room temperature 15°-25°C (59°-77°F).	Refresca y Calma	durante 2 semanas, Si persisten los síntomas, consulte a su médico.	
Inactive ingredients BHT, Fragrance, Polyethylene Głycol 400, SD Alcohol 40-B (41% w/w). Propellant: Isobutane, normal butane, propane	Pies de Atletas	Información adicional Manténgase a temperatura ambiente 15°-25°C (59°-77°F).	
Questions? 1-800-344-7239	Fights Odor Luchas Olor	Excipientes BHT, fragrancia, polietilenglicol 400, alcohol SD 40-B (41%	
2015 Distributed by / Distribuido por:		peso/peso). Propulsor: Isobutano, butano	
NSIGHT Pharmaceuticals LLC, Tarrytown, NY 10591 A Prestige Brands Company Ade in / Hecho en la India TN004201	NET WT PESO NETO 4.5 OZ (128G)	regular, propano. ¿Preguntas o comentarios? 1-800-344-7239	

TING tolnaftate aerosol, spray							
Product Information							
Product Type	HUMAN OTC DRUG	ltem Code	(Source)	NDC:63736-819			
Route of Administration	TOPICAL						
Active Ingredient/Active Moiety							
Ingredient Name			Basis of Streng	th Strength			
TOLNAFTATE (UNII: 06KB629TKV)	(TOLNAFTATE - UNII:06KB62	29TKV)	TOLNAFTATE	1.28 g in 128 g			
Inactive Ingredients							
	Ingredient Name			Strength			
BUTYLATED HYDROXYTOLUENE	(UNII: 1P9D0Z171K)						

ALCOHOL (UNII: 3K9958V90M)						
Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	128 g in 1 CAN; Type 0: Not a Combination Product	07/27/2009	05/02/2025			
		07/27/2009	05/02/2025			
• 05	Product	07/27/2009	05/02/2025			
	Product		05/02/2025 Marketing Enc Date			

Labeler - Insight Pharmaceuticals LLC (05566	5422)
--	-------

Revised: 3/2023

Insight Pharmaceuticals LLC