

REVERSE REGIMEN FOR THE APPEARANCE OF SKIN DULLNESS, DISCOLORATION AND UNEVEN SKIN TONE TRAVEL SIZE- avobenzone, homosalate, octisalate, octocrylene lotion
Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Deep Exfoliating Wash

30 mL / 1.0 Fl. Oz. U.S.

Product Details

Directions

Wet skin with lukewarm water. Using fingertips, gently and evenly massage a thin, even layer over the entire face for 30-60 seconds, avoiding contact with eyes. Rinse thoroughly with water and pat dry. Use once every other day for the first week and increase to twice daily as tolerated.

Warnings

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

Ingredients

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Diethylhexyl Sebacate, Polylactic Acid, Cetearyl Alcohol, Jojoba Esters, PEG-40 Stearate, Glyceryl Stearate, Ammonium Laureth Sulfate, Magnesium Aluminum Silicate, Pentylene Glycol, Potassium Cetyl Phosphate, Cetareth-20, Hydroxyacetophenone, Lactic Acid, Mentha Piperita (Peppermint) Oil, Fragrance/Parfum, Xanthan Gum, Glycolic Acid, Sodium Magnesium Silicate, Propylene Glycol, Citric Acid, Phenoxyethanol, Potassium Sorbate, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

Intensive Brightening Toner

30 mL / 1.0 Fl. Oz. U.S.

Product Details

Directions

Apply evenly to entire face with a fresh gauze pad, avoiding the eye area. Do not rinse off. Allow to dry. Use morning and evening. Use once every other day for the first week and increase to twice daily as tolerated.

Warnings

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

Ingredients

Water/Aqua/Eau, Hamamelis Virginiana (Witch Hazel) Water, Butylene Glycol, Polysorbate 20, Ethoxydiglycol, Alcohol, Kojic Acid, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Salicylic Acid, Phenylethyl Resorcinol, Tocopherol, Alanine, Glycine, Isoleucine, Leucine, Fragrance/Parfum, Sodium Sulfite, PEG-12 Dimethicone, Sodium Metabisulfite, Sodium Hydroxide, Citric Acid, Disodium EDTA, Caprylyl Glycol, Chlorphenesin, Phenoxyethanol, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool.

Dual Active Brightening Complex

2 x 6 mL / 0.20 Fl. Oz. U.S.

Product Details

Directions

After cleansing and toning, dispense an equal pea-sized amount of product from each tube, side by side. Blend product and apply evenly over the entire face, avoiding eye area. Allow product to be absorbed. Do not rinse off. Use once every other day for the first week and increase to twice daily as tolerated.

Warnings

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

Other information

Store between 2-8 °C (35-47 °F).

Ingredients

Vitamin C Formula: Isododecane, Cyclopentasiloxane, Cyclohexasiloxane, Dimethicone/ Bis-Isobutyl PPG-20 Crosspolymer, Ethoxydiglycol, Ascorbic Acid, Caprylic/Capric Triglyceride, Kojic Acid, Ethylhexyl Hydroxystearate, Polysilicone-11, Syringa Vulgaris (Lilac) Leaf Cell Culture Extract, Maltodextrin.

Retinol Formula: Water/Aqua/Eau, Caprylic/Capric Triglyceride, Butyrospermum Parkii (Shea) Butter, Glycerin, Glyceryl Stearate, Ethoxydiglycol, Butylene Glycol, Carthamus Tinctorius (Safflower) Seed Oil, Stearic Acid, Polysorbate 60, Stearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Retinol, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Sodium Hyaluronate, Sorbitol, Tocopheryl Acetate, Fragrance/Parfum, Polysorbate 20, Carbomer, Triethanolamine, Glyceryl Acrylate/Acrylic Acid Copolymer, Caprylyl Glycol, Hexylene Glycol, Ethylhexylglycerin, BHT, Citric Acid, Disodium EDTA, Phenoxyethanol, Methylparaben, Propylparaben, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140).

Broad Spectrum SPF 50+ Sunscreen

12 mL / 0.41 Fl. Oz. U.S.

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 2.6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

Other Information

- Protect this product from excessive heat and direct sun

Inactive Ingredients

Water/Aqua/Eau, Caprylyl Methicone, Dipropylene Glycol, Dicaprylyl Carbonate, PEG/PPG-17/6 Copolymer, Alcohol Denat., Methyl Glucose Sesquistearate, Potassium Cetyl Phosphate, Dipotassium Glycyrrhizate, Adenosine, Tocopheryl Acetate, Euterpe Oleracea Fruit Extract, Morus Alba Root Extract, Portulaca Oleracea Extract, Camellia Oleifera Leaf Extract, Dunaliella Salina Extract, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyacrylate-15, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Hydrogenated Palm Glycerides, Fragrance/Parfum, Isohexadecane,

Panthenol, Butylene Glycol, PEG-10 Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyacrylate-17, Polysorbate 80, Polydecene, C11-15 Pareth-40, C11-15 Pareth-7, Sorbitan Oleate, Disodium Lauryl Sulfosuccinate, Sodium Laureth-12 Sulfate, Potassium Hydroxide, Disodium EDTA, Tetrasodium EDTA, Phenoxyethanol, Caprylyl Glycol, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool.

Questions

1-888-995-5656

Principal Display Panel - Reverse Broad Spectrum Sunscreen Label

RODAN+FIELDS®

REVERSE™

4

Broad Spectrum

SPF 50+ Sunscreen

Écran solaire FPS 50+

á large spectre

RODAN+FIELDS[®]
REVERSE[™]

4 Broad Spectrum
SPF 50+ Sunscreen
Écran solaire FPS 50+
à large spectre



Active Ingredients:
Avobenzone 3%, Homosalate
10%, Octisalate 5%,
Octocrylene 2.6%

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
RVTSS12 8500-05-0021
(6000-05-5092)

QUESTIONS?
1-888-995-5656

NOT FOR RESALE
See outer packaging for
product information

NON DESTINÉ À LA REVENTE
Voir l'emballage extérieur pour
plus d'informations sur le
produit

12 mL/0.41 FL. Oz. U.S.

Principal Display Panel – Reverse Regimen for Appearance of Skin Dullness, Discoloration, Uneven Skin Tone Carton Label

RODAN+FIELDS

REVERSE

Regimen for the Appearance of Skin Dullness, Discoloration
and Uneven Skin Tone

REVERSE REGIMEN FOR THE APPEARANCE OF SKIN DULLNESS, DISCOLORATION AND UNEVEN SKIN TONE TRAVEL SIZE

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-5025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	3.0 g in 100 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	10 g in 100 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	5 g in 100 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	2.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Dipropylene Glycol (UNII: E107L85C40)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
PEG/PPG-17/6 Copolymer (UNII: P5QZM4T259)	
Alcohol (UNII: 3K9958V90M)	
Methyl Glucose Sesquistearate (UNII: V1YW10H14D)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Adenosine (UNII: K72T3FS567)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Acai (UNII: 46AM2VJ0AW)	
Morus Alba Root (UNII: CST1G9BZGD)	
Purslane (UNII: M6S840WXG5)	
Camellia Oleifera Leaf (UNII: 5077EL0C60)	
Dunaliella Salina (UNII: F401DKI9A6)	
Sodium Acrylate/Sodium Acryloyldimethyltaurate Copolymer (400000 MW) (UNII: 1DXE3F3OZX)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
Hydrogenated Palm Glycerides (UNII: YCZ8EM144Q)	
Isohexadecane (UNII: 918X10UF1E)	
Panthenol (UNII: WV9CM0O67Z)	
Butylene Glycol (UNII: 3XUS85K0RA)	
PEG-10 Dimethicone (600 CST) (UNII: 8PR7V1SVM0)	
Carbomer Interpolymer Type A (Allyl Sucrose Crosslinked) (UNII: 59TL3WG5CO)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Hydrogenated Polydecene (550 MW) (UNII: U333RI6EB7)	
C11-15 Pareth-40 (UNII: L774F88277)	

C11-15 Pareth-7 (UNII: 261HPE0IS3)
Sorbitan Monooleate (UNII: 06XEA2VD56)
Disodium Lauryl Sulfosuccinate (UNII: P160Q81342)
Sodium Laureth-12 Sulfate (UNII: 8M492LDU23)
Potassium Hydroxide (UNII: WZH3C48M4T)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Edetate Sodium (UNII: MP1J8420LU)
Phenoxyethanol (UNII: HIE492ZZ3T)
Caprylyl Glycol (UNII: 00YIU5438U)
Citral (UNII: T7EU0O9VPP)
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (UNII: QUE43B9Z2Q)
Limonene, (+)- (UNII: GFD7C86Q1W)
Linalool, (+/-)- (UNII: D81QY6I88E)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-5025-1	1 in 1 BOX	07/24/2017	
1		12 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/24/2017	

Labeler - Rodan & Fields (051659584)