

DM MAX- dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

Best Choice

Best Choice DM Max

Drug Facts

Active ingredients

(in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Purpose

Dextromethorphan HBrCough suppressant

GuaifenesinExpectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- Temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation

Warnings

Do not use: ■ for children under 12 years of age
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product, do not use more than directed

Stop use and ask a doctor if

- cough lasts for more than 7 days
- days comes back, or occurs with fever, rash or persistent headache.

These could be signs of a serious condition.

If pregnant or breast feeding ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center rightaway.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as recommended
- use dosage cup
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

Age

Dose

Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

Other information

- **Each 20 mL contains:** sodium 12 mg
- dosage cup provided
- store between 15-30° C (59-86° F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, dextrose
D&C Blue #33, FD&C Red#40,
flavors, glycerin, maltitol,
propylene glycol, purified
water, saccharin sodium,
sodium benzoate, sucralose,
xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**

Product Label: Best Choice® DM Max

Best Choice®



MAXIMUM STRENGTH

DM Max

6 FL OZ (177 mL)

PROUDLY DISTRIBUTED BY:
VALUE MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

• This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ DM MAX®



Drug Facts

Active Ingredients **Purpose**
(in each 20 mL)
Dextromethorphan HBr 20 mg
.....Cough suppressant
Guaifenesin 400 mg.....Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation

Warnings

- Do not use for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

Drug Facts (continued)

doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough that occurs with too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 Years of age	Do not use

Other information

- Each 20 mL contains: sodium 12 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

Inactive ingredients
 anhydrous citric acid, dextrose, D&C Red # 33, FD&C Red #40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Drug Facts (continued)

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ DM MAX

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106



Scan here for more product information. Call 1-844-292-1112 for more product information.

Best Choice.
100% Guaranteed
www.bestchoicebrand.com

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

res

DM MAX

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-518
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
DEXTROSE (UNII: IY9XDZ35W2)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

SODIUM BENZOATE (UNII: OJ245FE5EU)

SUCRALOSE (UNII: 96K6UQ3ZD4)

XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-518-25	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - Best Choice (868703513)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(63941-518)

Revised: 1/2025

Best Choice