

SLEEP AID- diphenhydramine hcl tablet, film coated
Topco Associates, LLC

TopCare 44-672

Active ingredient (in each caplet)

Diphenhydramine HCl 25 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- for children under 12 years of age

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- adults and children 12 years and over: take 2 caplets (50 mg) at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

Other information

- **each caplet contains:** calcium 65 mg
- avoid excessive heat (greater than 100°F) or humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?

1-888-423-0139

Principal display panel

TopCare®
health

NDC 36800-672-06

**COMPARE TO
VICKS® ZzzQUIL®
ACTIVE INGREDIENT***

**NIGHTTIME
Sleep Aid**

DIPHENHYDRAMINE HCl, 25 mg

NIGHTTIME SLEEP AID

- Non-Habit Forming
- Not for Treating Pain,
Cold or Flu

200 CAPLETS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

©TOPCO LNKA0521 QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

Visit here for more information:

http://topbrnds.com/48ZZY7

✓ QUALITY GUARANTEED

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil®.

50844 REV0419B67206

TopCare[®]
health

NDC 36800-672-06

COMPARE TO
VICKS® ZzzQuil®
ACTIVE INGREDIENT*

NIGHTTIME
Sleep Aid
DIPHENHYDRAMINE HCl, 25 mg

NIGHTTIME SLEEP AID

- Non-Habit Forming
- Not for Treating Pain, Cold or Flu

200 CAPLETS

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0521 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
Visit here for more information:
http://topbrnds.com/48ZZY7

✓ QUALITY GUARANTEED

TAMPER EVIDENT. DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

No print/no varnish area
Lot no/Exp date

Drug Facts	Purpose
Active ingredient (in each caplet) Diphenhydramine HCl 25 mg	Nighttime sleep-aid
Uses	
■ for relief of occasional sleeplessness	
■ reduces time to fall asleep if you have difficulty falling asleep	
Warnings	
Do not use	
■ for children under 12 years of age	
■ with any other product containing diphenhydramine, even one used on skin	

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil®.
50844 REV0419B67206

0 36800 49582 1

PEEL HERE FOR MORE DRUG FACTS

STOP PEELING

Drug Facts (continued)
Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma
■ difficulty in urination due to enlargement of the prostate gland
Ask a doctor or pharmacist before use if you are taking
sedatives or tranquilizers.
When using this product avoid alcoholic beverages.
Stop use and ask a doctor if sleeplessness persists
continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
■ do not take more than directed
■ adults and children 12 years and over: take 2 caplets (50 mg) at bedtime if needed, or as directed by a doctor
■ children under 12 years: do not use
Other information
■ each caplet contains: calcium 65 mg
■ avoid excessive heat (greater than 100°F) or humidity
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ use by expiration date on package
Inactive ingredients corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide
Questions or comments? 1-888-423-0139

Top Care 44-672

SLEEP AID

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-672
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	purple	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	44;672
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-672-06	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/24/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	07/24/2015	

Labeler - Topco Associates, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(36800-672)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-672)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(36800-672)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(36800-672)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-672)

Revised: 6/2025

Topco Associates, LLC