

## **MEDI-CHORD- homeopathic liquid liquid**

### **Energetix Corporation**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Medi-Chord**

**Active ingredients** 59.1 mL contains 2.77% of Aceticum ac 18X; Acetylsalicylicum ac 18X; Adrenocorticotrophin 18X; Alumina 18X; Belladonna 12X; Benzinum 12X; Chloramphenicolum 18X; Chlorpromazinum 18X; Cortisone aceticum 18X; Folliculinum 18X; Glandula suprarenalis suis 9X, 12X, 6C; Glycyrrhiza 4X; Hepar suis 9X, 12X, 6C; Kali iod 12X; Lappa 4X; Lycopodium 12X; Nitricum ac 12X; Nux vom 12X; Petroleum 18X; Phenacetinum 18X; Phosphoricum ac 12X; Phytolacca 4X; Plumb met 15X; Rhamnus pursh 4X; Salol 18X; Sarsaparilla 4X, 6X; Thyroidinum 9X, 12X, 6C; Trifolium prat 4X; Triticum 4X.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **Uses**

Temporary relief of headache, joint pain, skin eruption, itching.

### **Warnings**

- In case of overdose, get medical help or contact a Poison Control Center right away.
- **If pregnant or breast-feeding**, ask a healthcare professional before use.
- **Keep out of reach of children.**

### **Directions**

- Take 30 drops orally twice daily or as directed by a healthcare professional.
- Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

### **Other information**

- Store at room temperature out of direct sunlight.
- Do not use if neck wrap is broken or missing.
- Shake well before use.

### **Inactive ingredients**

Ethyl Alcohol, Glycerin, Purified Water.

**Distributed by Energetix Corp.**

**Dahlonega, GA 30533**

**Questions? Comments?**

**800.990.7085**

**www.energetix.com**

energetix

☐ **Medi-Chord**

☐ **Homeopathic Remedy**

Headache, joint pain, skin eruption, itching

<p>Questions? Comments? 800.990.7085 www.energetix.com</p> 	<p><b>Drug Facts</b></p> <p><b>Active ingredients</b> 59.1 mL contains 2.77% of Aceticum ac 18X; Acetylsalicylicum ac 18X; Adrenocorticotrophin 18X; Alumina 18X; Belladonna 12X; Benzinum 12X; Chloramphenicolum 18X; Chlorpromazinum 18X; Cortisone aceticum 18X; Folliculinum 18X; Glandula suprarenalis suis 9X, 12X, 6C; Glycyrrhiza 4X; Hepar suis 9X, 12X, 6C; Kali iod 12X; Lappa 4X; Lycopodium 12X; Nitricum ac 12X; Nux vom 12X; Petroleum 18X; Phenacetinum 18X; Phosphoricum ac 12X; Phytolacca 4X; Plumb met 15X; Rhamnus pursh 4X; Salol 18X; Sarsaparilla 4X, 6X; Thyroidinum 9X, 12X, 6C; Trifolium prat 4X; Triticum 4X.</p> <p><b>Purpose</b> Temporary relief of headache, joint pain, skin eruption, itching.</p>	<p><b>Drug Facts (continued)</b></p> <p>Center right away. ■ <b>If pregnant or breast-feeding</b>, ask a healthcare professional before use. ■ <b>Keep out of reach of children.</b></p> <p><b>Directions</b> ■ Take 30 drops orally twice daily or as directed by a healthcare professional. ■ Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.</p> <p><b>Other information</b> ■ Store at room temperature out of direct sunlight. ■ Do not use if neck wrap is broken or missing. ■ Shake well before use.</p>
	<p><b>Uses</b> Temporary relief of headache, joint pain, skin eruption, itching.</p> <p><b>Warnings</b> ■ In case of overdose, get medical help or contact a Poison Control →</p>	<p><b>Inactive ingredients</b> Ethyl Alcohol, Glycerin, Purified Water.</p> <p>Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p> <p><b>Distributed by Energetix Corp.</b> Dahlonega, GA 30533 r01-23 02071</p>

**2 fl oz (59.1 mL) / 15% Ethyl Alcohol**

Questions? Comments?  
800.990.7085  
www.energetix.com



# Medi-Chord

## Homeopathic Remedy

Headache, joint pain, skin eruption, itching

2 fl oz (59.1 mL) / 15% Ethyl Alcohol



### Drug Facts

#### Active ingredients

59.1 mL contains 2.77% of Aceticum ac 18X; Acetylsalicylicum ac 18X; Adrenocorticotrophin 18X; Alumina 18X; Belladonna 12X; Benzinum 12X; Chloramphenicolum 18X; Chlorpromazinum 18X; Cortisone aceticum 18X; Folliculinum 18X; Glandula suprarenalis suis 9X, 12X, 6C; Glycyrrhiza 4X; Hepar suis 9X, 12X, 6C; Kali iod 12X; Lappa 4X; Lycopodium 12X; Nitricum ac 12X; Nux vom 12X; Petroleum 18X; Phenacetinum 18X; Phosphoricum ac 12X; Phytolacca 4X; Plumb met 15X; Rhamnus pursh 4X; Salol 18X; Sarsaparilla 4X, 6X; Thyroidinum 9X, 12X, 6C; Trifolium prat 4X; Triticum 4X.

**Purpose** Temporary relief of headache, joint pain, skin eruption, itching.

**Uses** Temporary relief of headache, joint pain, skin eruption, itching.

#### Warnings

■ In case of overdose, get medical help or contact a Poison Control →

### Drug Facts (continued)

Center right away. ■ **If pregnant or breast-feeding**, ask a healthcare professional before use. ■ **Keep out of reach of children.**

**Directions** ■ Take 30 drops orally twice daily or as directed by a healthcare professional. ■ Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

**Other information** ■ Store at room temperature out of direct sunlight. ■ Do not use if neck wrap is broken or missing. ■ Shake well before use.

#### Inactive ingredients

Ethyl Alcohol, Glycerin, Purified Water.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Distributed by Energetix Corp.

Dahlonega, GA 30533 r01-23 02071

□ **Purpose** Temporary relief of headache, joint pain, skin eruption, itching.

## MEDI-CHORD

homeopathic liquid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64578-0060
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETIC ACID</b> (UNII: Q40Q9N063P) (ACETIC ACID - UNII:Q40Q9N063P)	ACETIC ACID	18 [hp_X] in 59.1 mL
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	18 [hp_X] in 59.1 mL
<b>CORTICOTROPIN HUMAN</b> (UNII: 63KF469V7T) (CORTICOTROPIN HUMAN - UNII:63KF469V7T)	CORTICOTROPIN HUMAN	18 [hp_X] in 59.1 mL
<b>ALUMINUM</b> (UNII: CPD4NFA903) (ALUMINUM - UNII:CPD4NFA903)	ALUMINUM	18 [hp_X] in 59.1 mL
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	12 [hp_X] in 59.1 mL
<b>BENZENE</b> (UNII: J64922108F) (BENZENE - UNII:J64922108F)	BENZENE	12 [hp_X] in 59.1 mL
<b>CHLORAMPHENICOL</b> (UNII: 66974FR9Q1) (CHLORAMPHENICOL - UNII:66974FR9Q1)	CHLORAMPHENICOL	18 [hp_X] in 59.1 mL
<b>CHLORPROMAZINE</b> (UNII: U42B7VYA4P) (CHLORPROMAZINE - UNII:U42B7VYA4P)	CHLORPROMAZINE	18 [hp_X] in 59.1 mL
<b>CORTISONE ACETATE</b> (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	18 [hp_X] in 59.1 mL
<b>ESTRONE</b> (UNII: 2DI9HA706A) (ESTRONE - UNII:2DI9HA706A)	ESTRONE	18 [hp_X] in 59.1 mL

<b>SUS SCROFA ADRENAL GLAND</b> (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	9 [hp_X] in 59.1 mL
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	4 [hp_X] in 59.1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	9 [hp_X] in 59.1 mL
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	12 [hp_X] in 59.1 mL
<b>ARCTIUM LAPPA ROOT</b> (UNII: 597E9BI3Z3) (ARCTIUM LAPPA ROOT - UNII:597E9BI3Z3)	ARCTIUM LAPPA ROOT	4 [hp_X] in 59.1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 59.1 mL
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 59.1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 59.1 mL
<b>KEROSENE</b> (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E)	KEROSENE	18 [hp_X] in 59.1 mL
<b>PHENACETIN</b> (UNII: ER0CTH01H9) (PHENACETIN - UNII:ER0CTH01H9)	PHENACETIN	18 [hp_X] in 59.1 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 59.1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 59.1 mL
<b>LEAD</b> (UNII: 2P299V784P) (LEAD - UNII:2P299V784P)	LEAD	15 [hp_X] in 59.1 mL
<b>FRANGULA PURSHIANA BARK</b> (UNII: 4VBP01X99F) (FRANGULA PURSHIANA BARK - UNII:4VBP01X99F)	FRANGULA PURSHIANA BARK	4 [hp_X] in 59.1 mL
<b>PHENYL SALICYLATE</b> (UNII: 28A37T47QO) (PHENYL SALICYLATE - UNII:28A37T47QO)	PHENYL SALICYLATE	18 [hp_X] in 59.1 mL
<b>SARSAPARILLA</b> (UNII: 2H1576D5WG) (SARSAPARILLA - UNII:2H1576D5WG)	SARSAPARILLA	4 [hp_X] in 59.1 mL
<b>THYROID, UNSPECIFIED</b> (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII:0B4FDL9I6P)	THYROID, UNSPECIFIED	9 [hp_X] in 59.1 mL
<b>TRIFOLIUM PRATENSE FLOWER</b> (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	4 [hp_X] in 59.1 mL
<b>ELYMUS REPENS ROOT</b> (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	4 [hp_X] in 59.1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64578-0060-1	59.1 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/21/2017	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		09/21/2017	

**Labeler** - Energetix Corporation (969572502)

Revised: 12/2023

Energetix Corporation