

GAS RELIEF- simethicone capsule, liquid filled
Advanced Rx LLC

Drug Facts

Active ingredient (in each softgel)

Simethicone 250 mg

Purpose

Antigas

Use

for the relief of pressure, bloating, and fullness, commonly referred to as gas.

Warnings

Stop use and ask a doctor if condition persists

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.

Directions

- **adults and children 12 years and older:**swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 2 softgels in 24 hours except under the advice and supervision of a physician

Other information

- store at 20° to 25°C (68° to 77°F)
- protect from light, heat and moisture
- DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Inactive ingredients

D&C red #33, FD&C blue #1, gelatin, glycerin, purified water and white edible ink.

Questions?

call **1-800-630-8895**

Distributed by:

Advanced Rx LLC

1942 NE 163rd St North Miami Beach,
FL 33162 U.S.A.

NDC 80513-112-01

Compare to the active ingredient in Maximum Strength Gas-X^{®†}

HIGH POTENCY

GAS RELIEF

Simethicone 250 mg

- RELIEVES GAS FAST
- PRESSURE
- BLOATING
- DISCOMFORT

100 SOFTGELS

†This product is not manufactured or distributed by the owner of the registered trademark Maximum Strength Gas-X[®]

PUREGEN LABS

Compare to the active ingredient in Maximum Strength Gas-X^{®†}

HIGH POTENCY GAS RELIEF

Simethicone 250 mg

• RELIEVES GAS FAST • PRESSURE
• BLOATING • DISCOMFORT

100 SOFTGELS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each softgel) Purpose
Simethicone 250 mg.....Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas.

Warnings
Stop use and ask a doctor if condition persists.
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions
■ adults and children 12 years and older: swallow with water 1 or 2 softgels as needed after meals and at bedtime
■ do not exceed 2 softgels in 24 hours except under the advice and supervision of a physician

Other information
■ store at 20° to 25°C (68° to 77°F)
■ protect from light, heat and moisture

Inactive ingredients
D&C red #33, FD&C blue #1, gelatin, glycerin, purified water and white edible ink.

Questions? call 1-800-630-8895

†This product is not manufactured or distributed by the owner of the registered trademark Maximum Strength Gas-X[®].
Distributed by: Advanced Rx, 1942 NE 163rd St
North Miami Beach, FL 33162 U.S.A. L9029-100-106-1

GAS RELIEF

simethicone capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80513-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	250 mg	
Inactive Ingredients				
Ingredient Name		Strength		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	purple (Transparent Purple)	Score	no score	
Shape	OVAL	Size	13mm	
Flavor		Imprint Code	PC31	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80513-112-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/30/2024	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M002	08/30/2024		

Labeler - Advanced Rx LLC (042795108)

Revised: 8/2024

Advanced Rx LLC