

## **ISOPROPYL RUBBING ALCOHOL- isopropyl alcohol liquid**

**Pioneer Associates**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **CAVALIER ISOPROPYL RUBBING ALCOHOL 70%**

#### **Active ingredient (by volume)**

Isopropyl alcohol (70% conc.)

#### **Purpose**

first aid antiseptic

#### **Uses**

- First aid to help prevent risk of infection in:
- minor cuts
- scrapes
- burns

#### **Warnings**

##### **For external use only**

- **flammable, keep away from fire and flame**
- will produce serious gastric disturbances if taken internally.

**Ask a doctor before use if you have** deep puncture wounds or serious burns

##### **When using this product**

- do not get into eyes or mucous membranes
- use in well-ventilated area: forms may be toxic

**Stop use and ask a doctor if** condition persists or gets worse

##### **Keep out of reach of children.**

In case of an accidental ingestion, contact a Poison Control Center immediately

#### **Directions**

- apply to skin directly or with clean gauze, cotton or swab
- for rubbing apply, liberally and rub with hands

#### **Other information**

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- keep bottle tightly closed

#### **Inactive ingredient**

Water (Aqua)

### **PRINCIPAL DISPLAY PANEL**

CAVALIER ISOPROPYL RUBBING ALCOHOL 70%

FIRST AID ANTISEPTIC

12 FL.OZ (354 mL)



# 70% ISOPROPYL RUBBING ALCOHOL

**Drug Facts**

Active ingredient (by volume)	Purpose
Isopropyl alcohol (70% conc.).....	first aid antiseptic

**Uses** ■ First aid to help prevent risk of infection in :  
 ■ minor cuts ■ scrapes ■ burns

**Warnings**

For external use only

- flammable, keep away from fire and flame
- will produce serious gastric disturbances if taken internally.

**Ask a doctor before use if you have** deep puncture wounds serious burns

**When using this product** ■ do not get into eyes or mucous membranes ■ Use in well-ventilated area : forms may be toxic.

**Stop use and ask a doctor if** condition persists or gets worse.

**Keep out of reach of children.** In case of an accidental ingestion, contact a Poison Control Center immediately.

**Directions**

- apply to skin directly or with clean gauze, cotton or swab. ■ for rubbing, apply liberally and rub with hands.

**Other information** ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■ keep bottle tightly closed.

**Inactive ingredient:** Water (Aqua)

DISTRIBUTED BY:  
**Pioneer Associates**  
 Brooklyn, NY 11206  
 www.pioneermorton.com  
 PA 14562

NDC# 53033-006-05



MH/DRUGS/KD-313

Made in India

## 12 FL.OZ. (354mL)

### ISOPROPYL RUBBING ALCOHOL

isopropyl alcohol liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53033-006
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53033-006-01	119 mL in 1 BOTTLE, PLASTIC		
2	NDC:53033-006-02	178 mL in 1 BOTTLE, PLASTIC		
3	NDC:53033-006-03	237 mL in 1 BOTTLE, PLASTIC		
4	NDC:53033-006-04	295 mL in 1 BOTTLE, PLASTIC		
5	NDC:53033-006-05	354 mL in 1 BOTTLE, PLASTIC		
6	NDC:53033-006-06	414 mL in 1 BOTTLE, PLASTIC		
7	NDC:53033-006-07	473 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	02/05/2013	

**Labeler** - Pioneer Associates (012604336)

Revised: 2/2013

Pioneer Associates