PROPOLIS WART REMOVER STICK- salicylic acid stick Rida LLC

Drug Facts

Active Ingredient

Salicylic acid 40% (w/w)

Purpose

Wart remover

Uses

For the removal of common warts (hands) and plantar warts (feet)

Warnings

- For external use only
- Do not use if you have diabetes
- On irritated, infected, or reddened skin
- On moles, birthmarks, warts with hair, or on the face or genitals
- If you have poor blood circulation

Stop use and ask a doctorif irritation occurs discomfort persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Do not use

- if you are a diabetic
- on irritated, infected, or reddened skin
- if you have poor blood circulation
- on warts with hair growing from them
- on moles or birthmarks
- on face, genitals, or mucous membranes

Stop use and ask a doctor if

irritation occurs or discomfort persists

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Wash affected area
- Soak wart for 5 minutes in warm water
- Dry thoroughly
- Apply stick directly to wart
- Avoid surrounding skin
- Cover with a clean bandage
- Repeat once daily for up to 12 weeks or until wart is removed

Inactive Ingredients

Colloidal Oatmeal, Oxygenated Olive Oil, Shorea (Sal) Butter, Caprylic/Capric Triglyceride, Bakuchiol, Squalane, Propolis Extract, Tocopherol (Vitamin E), Tetrahexyldecyl Ascorbate, Tea Tree Oil, Frankincense Oil

Other Information

Store at room temperature. Replace cap tightly after use.

Product label



SOOTHING NATURAL **FORMULA**

Comfort-First Plant-Powered Blend Infused with Propolis, Tea Tree Oil, Squalane, and Frankincense-known to help support skin healing and minimize irritation during wart removal

INACTIVE INGREDIENTS

- Colloidal Oatmeal
- Oxygenated Olive Oil
- ➤ Shorea (Sal) Butter
- ➤ Caprylic/Capric Triglyceride
- ▶ Bakuchio
- ➤ Plant-Based Squalane
- ➤ Propolis Extract
- Tocopherol (Vitamin E)
- > Tetrahexyldecyl Ascorbate
- Tea Tree Oil
- > Frankincense Oil

DRUG FACTS

Active Ingredient

Salicylic Acid 40% (w/w) Wart Remover

Purpose: Wart treatment

Uses

For the removal of common warts (cauliflower-like surface) For plantar warts (on soles, tender, disrupt footprint pattern)

Warnings: For external use only

- Do not use:
 If you have diabetes
 On irritated, infected, or reddened skin
 On moles, birthmarks, warts with hair,
 or on the face or genitus
 If you have poor blood circulation

Stop use and ask a doctor if irritation occurs or discomfort persists. Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Directions:
Wash affected area
(Optional) Sook in warm water for 5 minutes
Dry area thoroughly
Apply stick directly to wart
Avoid surrounding skin
Cover with clean bandage
Repeat once dally for up to 12 weeks or until
wart is removed

Other Information

Store at room temperature. Replace cap tightly after use.

SOURCING STORY

Why We Created This Stick We created the Propolis Wart Remover Stick to offer a powerful yet gentle solution for wart removal. While 40% salicylive acid breaks down the wart tissue, we've included propolis to nourish and protect

the skin throughout the process. Why Propolis?

Propolis is a natural resin used by bees to seal and protect their hives. Rich in antimicrobial and anti-inflammatory compounds, it supports the skin's natural healing response.

Where We Source It

We source our propolis from: Willamette Valley, Oregon Blue Ridge Mountains, North Carolina Alberta Prairies, Canada

All regions are pesticide-free and home to thriving, biodiverse bee ecosystems giving us pure, therapeutic-grade propolis in every stick.



PROPOLIS WART REMOVER STICK

salicylic acid stick

Product Information Product Type HUMAN OTC DRUG NDC:83004-029 Item Code (Source) **Route of Administration TOPICAL**

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
OATMEAL (UNII: 8PI54V663Y)	
OLIVE OIL (UNII: 6UYK2W1W1E)	

SHOREA STENOPTERA SEED BUTTER (UNII: 129R0X862G)	
TRICAPRIN (UNII: O1PB8EU98M)	
BAKUCHIOL (UNII: OT12HJU3AR)	
SQUALANE (UNII: GW89575KF9)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
TOCOPHEROL (UNII: ROZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
TEA TREE OIL (UNII: VIF565UC2G)	
FRANKINCENSE OIL (UNII: 67ZYA5T02K)	

Product Characteristics		
Color	yellow	Score
Shape		Size
Flavor		Imprint Code
Contains		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:83004-029- 01	1 in 1 CARTON	08/02/2025			
1		5.7 g in 1 TUBE; Type 0: Not a Combination Product				
2	NDC:83004-029- 02	1 in 1 KIT	08/02/2025			
2		5.7 g in 1 TUBE; Type 1: Convenience Kit of Co-Package				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M028	08/02/2025		

Labeler - Rida LLC (004425803)

Revised: 8/2025 Rida LLC