VIRX - instant hand sanitizer gel Filo America

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Virx Instant Hand Sanitizer Drug Facts

Active Ingredient......Purpose
Ethyl Alcohol 62%......Antiseptic

Use to decrease bacteria on the skin.

Warnings

For external use only * Flammable * Keep away from fire or flame.

When using this product avoid contact with mouth, ears, and eyes. In case of contact, flush eyes with water.

Stop use and ask a doctor if redness or irritation develops and lasts more than 72 hours.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Pump into palms and thoroughly rub into skin until dry.

Other Information * store at 20 degrees Celcius (68 degrees to 77 degrees Farenheit) * may discolor fabrics.

Deionized water, glycerin, isopropyl myristate, propylene glycol, tocopheryl acetate, aminomethyl propanol, carbomer, fragrance and yellow 5.

MM1



Drug Facts

Active ingredient.....Purpose

Ethyl alcohol 62%.....Antiseptic

Use to decrease bacteria on the skin.

Warnings

 For external use only • Flammable • Keep away from fire or flame

When using this product

 avoid contact with mouth, ears and eyes. In case of contact, flush eyes with water

Stop use and ask a doctor if

redness or irritation develops & lasts more than 72 hours.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

· pump into palms and thoroughly rub into skin until dry

Other information • store at 20°C (68° to 77°F)

· may discolor fabrics

Inactive ingredients deionized water, glycerin, isopropyl myristate, propylene glycol, tocopheryl acetate, aminomethyl propanol, carbomer, fragrance, yellow 5.

Distributed by: Filo America, PO Box 23592, Los Angeles, CA 9002 Questions or Concerns? 1,866,460,0922





Drug Facts

Active ingredient.....Purpose

Ethyl alcohol 62%......Antiseptic

Use to decrease bacteria on the skin.

Warnings

• For external use only • Flammable • Keep away from fire or flame

When using this product

 avoid contact with mouth, ears and eyes. In case of contact, flush eyes with water

Stop use and ask a doctor if

redness or irritation develops & lasts more than 72 hours.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

· pump into palms and thoroughly rub into skin until dry

Other information • store at 20°C (68° to 77°F)

· may discolor fabrics

Inactive ingredients deionized water, glycerin, isopropyl myristate, propylene glycol, tocopheryl acetate, aminomethyl propanol, carbomer, fragrance, yellow 5

Distributed by: Filo America, PO Box 23592, Los Angeles, CA 900; Questions of Concerns? 1,866,460,0322



VIRX

instant hand sanitizer gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50438-807

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)	Alcohol	496 mL in 800 mL

Inactive Ingredients

Ingredient Name	Strength

Carbomer 934 (UNII: Z135WT9208)

Product Characteristics			
Color	yellow (yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

]	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50438-807-15	300 mL in 1 BOTTLE, PUMP		
2	NDC:50438-807-16	500 mL in 1 BOTTLE, PUMP		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	02/11/2010	

Labeler - Filo America (943873703)

Registrant - Filo America (943873703)

Establishment				
Name	Address	ID/FEI	Business Operations	
Dongyang Changdi Daily Sanitary Co., Ltd		528198683	manufacture	

Revised: 3/2010 Filo America