

ISOPROPYL ALCOHOL WITH WINTERGREEN 70% - isopropyl alcohol with wintergreen 70% solution

Hydrox Laboratories

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Isopropyl Rubbing Alcohol 70% with Wintergreen

Drug Facts

Active Ingredient

Isopropyl Alcohol 70%

Purpose:

□ First Aid Antiseptic

Uses first aid to help prevent the risk of infection in: minor cuts, scrapes, burns.

□ **Warnings For external use only**

Flammable

- Keep away from fire or flame, heat, spark, electrical. Flash point 72°F.
- do not use with electrocautery procedures.

□ **Ask a doctor before use if you have** □ deep or puncture wounds, animal bites or serious burns.

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

□ **Stop use and ask a doctor** □ if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

<**Directions** □ clean the affected area. apply 1 to 3 times daily.

□ **Other information** □ does not contain, nor is intended as a substitute for grain or ethyl alcohol. will produce serious gastric disturbances if taken internally.

Inactive Ingredients:

FD&C Blue No. 1, FD&C Yellow No. 5, Methyl Salicylate, PEG-75 Lanolin, Purified Water

Principal Display Panel



Hydrox

NDC 10565-006-04

ISOPROPYL ALCOHOL
with **WINTERGREEN**
FIRST AID ANTISEPTIC

70%



TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Made in USA

**WARNING:
FLAMMABLE!**



4 FL. OZ. (118 mL)

Mfg. by **Hydrox LABORATORIES**
Elgin, IL 60123 • www.hydroxlabs.com

Drug Facts

Active ingredient	Purpose
Isopropyl alcohol 70%	First Aid Antiseptic

Uses helps prevent the risk of infection in • minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical • do not use with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • apply 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredients FD&C Blue No. 1, FD&C Yellow No. 5, Methyl Salicylate, PEG-75 Lanolin, Purified Water

1-07-F0060

Reorder
F0060

Hydrox

Isopropyl Alcohol with Wintergreen 70%

A cooling and refreshing and massaging compound

First Aid Antiseptic

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING, DO NOT USE.

WARNING: FLAMMABLE!

Hydrox Laboratories

Elgin, IL 60123



Hydrox

NDC 10565-006-04

ISOPROPYL ALCOHOL
with **WINTERGREEN**
FIRST AID ANTISEPTIC

70%



TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Made in USA

**WARNING:
FLAMMABLE!**



4 FL. OZ. (118 mL)

Mfg. by **Hydrox** LABORATORIES
Elgin, IL 60123 • www.hydroxlabs.com

Drug Facts

Active ingredient	Purpose
Isopropyl alcohol 70%	First Aid Antiseptic

Uses helps prevent the risk of infection in • minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical • do not use with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • apply 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredients FD&C Blue No. 1, FD&C Yellow No. 5, Methyl Salicylate, PEG-75 Lanolin, Purified Water

1-07-F0060

Reorder
F0060



Hydrox

NDC 10565-006-04

ISOPROPYL ALCOHOL
with **WINTERGREEN**
FIRST AID ANTISEPTIC

70%



TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Made in USA

**WARNING:
FLAMMABLE!**



4 FL. OZ. (118 mL)

Mfg. by **Hydrox LABORATORIES**
Elgin, IL 60123 • www.hydroxlabs.com

Drug Facts

Active ingredient Isopropyl alcohol 70% **Purpose** First Aid Antiseptic

Uses helps prevent the risk of infection in • minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical • do not use with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • apply 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredients FD&C Blue No. 1, FD&C Yellow No. 5, Methyl Salicylate, PEG-75 Lanolin, Purified Water

1-07-F0060

Reorder F0060

ISOPROPYL ALCOHOL WITH WINTERGREEN 70%

isopropyl alcohol with wintergreen 70% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10565-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	

water (UNII: 059QF0K00R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10565-006-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/11/2019	
2	NDC:10565-006-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/17/2019	
3	NDC:10565-006-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/17/2019	
4	NDC:10565-006-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/17/2019	
5	NDC:10565-006-99	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/17/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/11/2019	

Labeler - Hydrox Laboratories (025164302)

Registrant - Hydrox Laboratories (025164302)

Establishment

Name	Address	ID/FEI	Business Operations
Hydrox Laboratories		025164302	manufacture(10565-006) , label(10565-006) , pack(10565-006)

Revised: 7/2019

Hydrox Laboratories