

NEW SKIN BANDAGE- benzethonium chloride spray
Advantice Health, LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

New Skin® Bandage

Drug Facts

Active ingredient

Benzethonium chloride 0.2%

Purpose

First aid antiseptic

Use

first aid to help prevent bacterial contamination in minor cuts and scrapes

Warnings

For external use only

Flammable keep away from fire or flame

Do not use

- in the eyes
- over large areas of the body
- longer than one week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not get in eyes
- do not store at temperatures above 120° F
- do not puncture or incinerate; contents under pressure
- intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- clean affected area
- shake well
- spray a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more New-Skin[®] Liquid Bandage Spray and quickly wipe off
- New-Skin[®] may at times form a thin covering over the spray hole. If valve doesn't spray, simply scratch across spray hole with fingernail

Other information

- store at 20-25°C (68-77°F), away from heat
- may temporarily sting upon application
- do not allow to come into contact with floors, counter tops or other finished surfaces - will stain

Inactive ingredients

acetone, amyl acetate, butyl acetate, camphor, ethyl acetate, isobutane, nitrocellulose, propane, SD alcohol 3-C (4.9% v/v)

Questions?

1-800-345-0032

www.NewSkinProducts.com

Distributed by Advantice Health, LLC
Cedar Knolls, NJ 07927

PRINCIPAL DISPLAY PANEL - 28.5 g Canister Box

new-
skin[®]

Benzethonium Chloride 0.2%/First Aid Antiseptic
LIQUID BANDAGE
SPRAY

ALL-IN-ONE
PROTECTION

Prevents Infection

Seals Out Water,
Dirt & Germs

Helps Heal Cuts

Protects Wounds,
Blisters & Calluses

#1
pharmacist
recommended

NET WT
1 OZ (28.5 g)

Works
Where
Bandages
Can't



new-Skin
LIQUID BANDAGE SPRAY

Benzethonium Chloride 0.2%/First Aid Antiseptic

new-Skin
LIQUID BANDAGE SPRAY

Benzethonium Chloride 0.2%/First Aid Antiseptic

Drug Facts

Active Ingredient	Purpose
Benzethonium chloride 0.2%	First aid antiseptic

Use first aid to help prevent bacterial contamination in minor cuts and scrapes

Warnings

For external use only

Flammable keep away from fire or flame

Do not use

- in the eyes
- over large areas of the body
- longer than one week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not get in eyes
- do not store at temperatures above 120° F
- do not puncture or incise rate; contents under pressure
- intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Drug Facts (continued)

Directions

- clean affected area
- shake well
- spray a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more New-Skin® Liquid Bandage Spray and quickly wipe off
- New-Skin® may at times form a thin covering over the spray hole. If valve doesn't spray, simply scratch across spray hole with fingernail

Other Information

- store at 20-25°C (68-77°F), away from heat
- may temporarily sting upon application
- do not allow to come into contact with floors, counter tops or other finished surfaces - will stain

Inactive Ingredients

acetone, amyl acetate, butyl acetate, camphor, ethyl acetate, isobutane, nitrocellulose, propane, SD alcohol 3-C (4.9% v/v)

LIQUID BANDAGE SPRAY USES

Ideal for Hard-to-Cover Places

Perfect for Gardeners, Hikers, Bikers, Runners, Bowlers, Golfers, Swimmers, Tennis Players, Fishermen, and Musicians

ALL-IN-ONE PROTECTION

Prevents Infection

Seals Out Water, Dirt & Germs

Helps Heal Cuts

Protects Wounds, Blisters & Calluses



Works Where Bandages Can't

NET WT 1 OZ (28.5 g)

ALL-IN-ONE PROTECTION



Kills Germs & Prevents Infections




Seals Out Water, Dirt & Germs



Helps Heal & Protects Blisters & Calluses



©2019 Distributed by Advantice Health, LLC
Cedar Knolls, NJ 07927
MADE IN U.S.A.
Questions? 1-800-345-0032
www.NewSkinProducts.com
82-4501-05



NEW SKIN BANDAGE

benzethonium chloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16864-450
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzethonium Chloride (UNII: PH41D05744) (Benzethonium - UNII:1VU15B70BP)	Benzethonium Chloride	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ETHYL ACETATE (UNII: 7684508NMZ)	
ACETONE (UNII: 1364PS73AF)	
BUTYL ACETATE (UNII: 464P5N1905)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
ALCOHOL (UNII: 3K9958V90M)	
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
ISOBUTANE (UNII: BXR49TP611)	
PROPANE (UNII: T75W9911L6)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16864-450-01	1 in 1 BOX	03/01/2011	
1		28.5 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	03/01/2011	

Labeler - Advantice Health, LLC. (192527062)

Revised: 1/2020

Advantice Health, LLC.