

**LINKUS LOZENGES COUGH SUPPRESSANT/ORAL ANESTHETIC- menthol lozenge**  
**Herbion Pakistan (Pvt.) Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Menthol 5.2mg

Cough Suppressant, Oral Anesthetic

**Uses:**

- Temporarily relieves cough due to minor throat and bronchial irritation associated with the common cold
- For temporary relief of occasional minor irritation, pain, sore mouth and sore throat

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if:

- Cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persisted headache. These could be signs of a serious condition
- Sore throat symptoms do not improve in 7 days
- Irritation, pain or redness persists or worsens

Ask a doctor before use if you have:

- A persistent or chronic cough such as occurs with smoking, asthma, emphysema
- A cough that is accompanied by excessive phlegm (mucus)

If pregnant or breast feeding ask a health professional before use.

Keep out of reach of children.

**Directions**

Adults and children 12 years and over  
lozenges in 24 hours

Take 1-2 lozenges every 2 to 3 hours not more than 8

Children 6 years to under 12 years  
lozenges in 24 hours

Take 1 lozenge every 5 to 6 hours not more than 4

Children under 6 years of age

Consult your doctor

**Other Information:**

- store in a cool, dry place, below 25 degrees C
- Protect from heat and light
- Diabetic patients should not use linkus lozenges without the advice of physician and they should monitor glucose levels closely while taking lozenges as it may alter blood glucose levels

Manufactured for:

Herbion USA Inc.

Williamsville NY 14221

1-888-(OK-HERBION)-654-3724

info.us@herbion.com  
www.herbion.com

Ascorbic Acid, Citric Acid, Cherry Flavor, Colorants Red No. 40, Eucalyptus Oil, Hyssop, Large leaf Geiger Tree, Lesser Galangal, Licorice, Liquid Glucose, Long Pepper, Malabar Nut, Sugar, Sweet Violet

Questions or comments:

1-888-654-3724 Monday thru Friday, 9am-5pm or visit www.Herbion.com

Linkus Lozenges

Cough Suppressant Oral Anesthetic

Relieves Cough and Soothes Sore Throat

Cherry

<b>Drug Facts:</b>	
Active Ingredient (in each lozenge): Menthol, 5.2 mg	Purpose Cough Suppressant, Oral Anesthetic
<b>Uses:</b> <ul style="list-style-type: none"><li>Temporarily relieves cough due to minor throat and bronchial irritation associated with the common cold.</li><li>For temporary relief of occasional minor irritation, pain, sore mouth and sore throat</li></ul>	
<b>Warnings:</b> <p>Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These may be serious.</p>	
<b>Ask a doctor before use if you have:</b> <ul style="list-style-type: none"><li>A persistent or chronic cough such as occurs with smoking, asthma, emphysema</li><li>A cough that is accompanied by excessive phlegm (mucus)</li></ul>	
<b>Stop use and ask a doctor if:</b> <ul style="list-style-type: none"><li>Cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</li><li>Sore throat symptoms do not improve in 7 days.</li><li>Irritation, pain or redness persists or worsens.</li></ul>	
If pregnant or breast feeding, ask a health professional before use.	
<b>Keep out of reach of children</b>	
<b>Directions</b>	
Adults and children 12 years and over	Take 1-2 lozenges every 2 to 3 hours not more than 8 lozenges in 24 hours
Children 6 year to under 12 years	Take 1 lozenge every 5 to 6 hours not more than 4 lozenges in 24 hours
Children under 6 years of age	Consult your doctor
<b>Other information</b> <ul style="list-style-type: none"><li>store in a cool, dry place, below 25°C.</li><li>Protect from heat and light</li><li>Diabetic patients should be not use linkus lozenges without the advice of physician and they should monitor level closely while taking lozenges as it may alter blood glucose levels</li></ul>	
<b>INACTIVE INGREDIENTS:</b> Ascorbic Acid, Citric Acid, Cherry Flavor, Colorants (FD&C Red No 40), Eucalyptus Oil, Hyssop, Large leaf Geiger Tree, Lesser Galangal, Licorice, Liquid Glucose, Long Pepper, Malabar Nut, Sugar, Sweet Violet.	
<b>Questions or comments:</b> 1-888-654-3724 Monday through Friday, 9am-5pm or visit: www.herbion.com	



Batch No:  
Mfg. Date:  
Exp. Date:

Manufactured for:  
Herbion USA Inc.  
Williamsville, NY 14221  
1-888 (OK-HERBION)-654-372  
info.us@herbion.com  
www.herbion.com



## LINKUS LOZENGES COUGH SUPPRESSANT/ORAL ANESTHETIC

menthol lozenge

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44237-003
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 mg

### Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	17mm
Flavor	CHERRY	Imprint Code	NONE
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44237-003-08	8 in 1 BOX		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/01/2010	

**Labeler** - Herbion Pakistan (Pvt.) Ltd. (645482936)

**Registrant** - Herbion Pakistan (Pvt.) Ltd. (645482936)

**Establishment**

Name	Address	ID/FEI	Business Operations
Herbion Pakistan (Pvt.) Ltd.		645482936	relabel, manufacture

Revised: 3/2010

Herbion Pakistan (Pvt.) Ltd.