

ANTIBACTERIAL BATHING- benzalkonium chloride cloth
Cardinal Health, Inc.

Antibacterial Bathing Wipe

Drug Facts

Active Ingredient

Benzalkonium Chloride 0.13%

Purpose

Antiseptic

Uses

- to decrease bacteria on skin

Warnings

For external use only

Do not heat sealed package in microwave

Ask a doctor before you use if you have:

- Deep puncture wounds
- Animal bites
- Serious burns

Keep out of reach of children.

- In case of accidental ingestion seek medical help or contact a Poison Control Center immediately.
- Gloves diminish sensitivity to heat
- Closely monitor heat level with infants, unresponsive or skin sensitive individuals

Do not use

- In the eye
- Longer than 1 week unless directed by a physician
- Over raw surfaces or blistered areas

Directions

- Cloths can be used at room temperature or heated in a wipes warmer for extra comfort. Warming Instructions:
- single warming session at temperatures not to exceed 52°C (125°F) and
- for a maximum of 200 hours.

- Discard wipes that have been exposed to warming temperatures exceeding 52°C (125°F) or
- stored longer than 200 hours in the warmer. Bathing Instructions:
- Remove one cloth at a time to clean each area in the following order: 1. Neck & facial area; 2. Front torso; 3. Right arm; 4. Left arm; 5. Right leg; 6. Left leg; 7. Back torso; 8. Buttocks & perineal area
- Allow skin to dry
- Dispose of cloth in waste receptacle
- Do not flush cloths in toilet

Inactive Ingredients

Aqua, Phenoxyethanol, Sodium Benzoate, Aloe Barbadensis Leaf Extract, Myristamidopropyl PG-Dimonium Chloride Phosphate, Linoleamidopropyl PG-Dimonium Chloride Phosphate, Citric Acid, Disodium EDTA, Allantoin.

Package Labeling:

Caractéristiques du produit
Fonction de l'ingrédient actif Chlorure de benzalkonium 0,13 %.....Antiseptique
Usage ■ Pour réduire les bactéries sur la peau
Mise en garde Pour usage externe seulement L'emballage scellé ne doit pas être chauffé au micro-onde
Demander l'avis d'un médecin avant d'utiliser si vous avez : ■ Plaies punctiforme profondes ■ Morsures d'un animal ■ Brûlures sévères
Garder hors de la portée des enfants. En cas d'ingestion accidentelle, obtenir de l'aide médicale ou contacter le Centre anti-poison immédiatement. ■ Les gants diminuent la sensibilité à la chaleur ■ Bien vérifier la température avant d'utiliser sur les nourrissons, les personnes inconscientes ou sur les peaux sensibles
Ne pas utiliser ■ Autour des yeux ■ Plus d'une semaine sauf sur avis d'un médecin ■ Sur une peau à vif ou sur une ampoule
Mode d'emploi ■ Les lingettes peuvent être utilisées à latempérature de la pièce ou réchauffé dans un chauffe-lingette pour plus de confort. Mode de chauffage : ■ Réchauffer une seule fois à une température inférieure à 52 °C (125 °F) ■ Pendant 200 heures maximum. ■ Jeter les lingettes exposées à une température supérieure à 52 °C (125 °F) ou ■ Laisser plus de 200 heures dans le chauffe-lingette. Mode d'emploi : ■ Retirer une débarbouillette du sachet à la fois pour nettoyer chaque partie du corps dans l'ordre suivant : 1. Cou et visage; 2. Poitrine; 3. Bras droit; 4. Bras gauche; 5. Jambe droite; 6. Jambe gauche; 7. Dos; 8. Région fessière et pelvienne ■ Laisser sécher la peau ■ Jeter la débarbouillette dans une poubelle ■ Ne pas jeter dans les toilettes
Ingrédients inactifs eau, phénoxyéthanol, benzoate de sodium, gel d'aloë vera, myristamidopropyl PG-dimonium chlorure phosphate, linoléamidopropyl PG-dimonium chlorure phosphate, acide citrique, EDTA de disodium, allantoiné.

LOT
EXP YYYV/MM/DD

8 88499 01143 7

EN - DO NOT FLUSH. NOT MADE WITH NATURAL RUBBER LATEX.
 FR - NE PAS JETER DANS LES TOILETTES. NE CONTIENT PAS DE LATEX DE CAOUTCHOUC NATUREL.

X8

↑ ANTIBACTERIAL / ANTIBACTÉRIEN ↑

↑ PEEL HERE • TIREZ ICI ↑

BATHING WIPES
DÉBARBOUILLETES
POUR LE BAIN

CardinalHealth™

NDC 63517-210-22

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%.....Antiseptic	

Uses ■ to decrease bacteria on skin

Warnings
For external use only
Do not heat sealed package in microwave
Ask a doctor before you use if you have:
■ Deep puncture wounds
■ Animal bites ■ Serious burns
Keep out of reach of children. In case of accidental ingestion seek medical help or contact a Poison Control Center immediately.
■ Gloves diminish sensitivity to heat
■ Closely monitor heat level with infants, unresponsive or skin sensitive individuals

Do not use
■ In the eye
■ Longer than 1 week unless directed by a physician
■ Over raw surfaces or blistered areas

Directions ■ Cloths can be used at room temperature or heated in a wipes warmer for extra comfort. Warming Instructions: ■ single warming session at temperatures not to exceed 52°C (125°F) and ■ for a maximum of 200 hours. ■ Discard wipes that have been exposed to warming temperatures exceeding 52°C (125°F) or ■ stored longer than 200 hours in the warmer. Bathing Instructions: ■ Remove one cloth at a time to clean each area in the following order: 1. Neck & facial area; 2. Front torso; 3. Right arm; 4. Left arm; 5. Right leg; 6. Left leg; 7. Back torso; 8. Buttocks & perineal area ■ Allow skin to dry ■ Dispose of cloth in waste receptacle ■ Do not flush cloths in toilet

Inactive Ingredients
Aqua, Phenoxyethanol, Sodium Benzoate, Aloe Barbadensis Leaf Extract, Myristamidopropyl PG-Dimonium Chloride Phosphate, Linoleamidopropyl PG-Dimonium Chloride Phosphate, Citric Acid, Disodium EDTA, Allantoin.

EN - DO NOT FLUSH. NOT MADE WITH NATURAL RUBBER LATEX.
FR - NE PAS JETER DANS LES TOILETTES. NE CONTIENT PAS DE LATEX DE CAOUTCHOUC NATUREL.

59°F
15°C

86°F
30°C

cardinalhealth.com/symbols/glossary

DISTRIBUTED BY / DISTRIBUÉ PAR :
CARDINAL HEALTH, WAUKEGAN, IL 60085 USA
 REV. A 2018-07 - CARDINALHEALTH.COM
 MADE IN CHINA / FABRIQUÉ EN CHINE
 © 2018 CARDINAL HEALTH. ALL RIGHTS RESERVED. /
 © 2018 CARDINAL HEALTH. TOUS DROITS RÉSERVÉS.

REF BT5WPSU

ANTIBACTERIAL BATHING

benzalkonium chloride cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63517-210
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
MYRISTAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: E4821CQM1I)	
LINOLEAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: 5Q87K461JO)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ALLANTOIN (UNII: 344S277G0Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63517-210-22	8 in 1 PACKET	05/15/2019	
1		1 in 1 POUCH		
1		13.775 mL in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	05/15/2019	

Labeler - Cardinal Health, Inc. (961027315)