

**GOOD NEIGHBOR PHARMACY TUSSIN DM MAX- dextromethorphan hydrobromide,  
guaifenesin solution  
Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Amerisource Bergen Tussin DM Max Drug Facts**

**Active ingredients (in each 20 mL)**

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 400 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

**Other information**

- **each 20 mL contains:** sodium 13 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

See New Dosing

Compare to Robitussin® Maximum Strength Cough + Chest Congestion DM active ingredients

ADULT

Tussin DM MAX

cough suppressant (dextromethorphan HBr)

expectorant (guaifenesin)

Cough & Chest Congestion

Maximum Strength

Relieves:

Cough • Mucus

Non-Drowsy

For Ages 12 & Over

Same Effective Cough Relief\*\*

\*\*Compared to our previous (10 mL) formula

8 fl oz (237 mL)



**GOOD NEIGHBOR PHARMACY TUSSIN DM MAX**

dextromethorphan hydrobromide, guaifenesin solution

**Drug Facts**

**Active ingredients (in each 20 mL)**  
 Dextromethorphan HBr, USP 20 mg.....Cough suppressant  
 Guaifenesin, USP 400 mg.....Expectorant

**Purposes**  
 ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**  
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.**

**if pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period  
 ■ measure only with dosing cup provided  
 ■ keep dosing cup with product  
 ■ mL = milliliter  
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

**Drug Facts (continued)**

**Other information**  
 ■ each 20 mL contains: sodium 13 mg  
 ■ store at 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?** 1-800-719-9260

\*Good Neighbor Pharmacy® Tussin DM MAX is not manufactured or distributed by Pfizer, distributor of Robitussin® Maximum Strength Cough + Chest Congestion DM.

**GLUTEN FREE**

Distributed By  
 AmerisourceBergen  
 1300 Morris Drive  
 Chesterbrook, PA 19087  
 Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)



**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

ABC#: 10198260

2B734 29 C1

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46 122-541
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-541-34	1 in 1 CARTON	10/11/2018	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/11/2018	

