

MEIJER SHEER SPF 55- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 2.8%
Oxybenzone 6.0%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed, with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- apply liberally 15 minutes before sun exposure
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Styrene/Acrylates Copolymer, Butyloctyl Salicylate, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, VP/Hexadecene Copolymer, Behenyl Alcohol, Silica, Sodium Polyacrylate, Trideceth-6, Dimethicone, Trimethylsiloxysilicate, Caprylyl Methicone, Ethylhexyl Stearate, PEG-4 Dilaurate, PEG-4 Laurate, Xanthan Gum, BHT, Disodium EDTA, PEG-4, Ethylhexylglycerin, Methylparaben, Propylparaben, Ethylparaben, Iodopropynyl Butylcarbamate, Fragrance.


Other Information

protect this product from excessive heat and direct sun

Principle Display Panel



Drug Facts	
Active ingredients Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 2.8%, Oxybenzone 6.0%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics	
Directions • apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor	
Inactive ingredients Water, Styrene/Acrylates Copolymer, Butylbutyl Salicylate, Glycerol Stearate, PEG-100 Stearate, Phenoxethanol, VP/Hexadecene Copolymer, Behenyl Alcohol, Silica, Sodium Polyacrylate, Trideceth-6, Dimethicone, Trimethylsilylsilicate, Caprylyl Methicone, Ethylhexyl Stearate, PEG-4 Dilaurate, PEG-4 Laurate, Xanthan Gum, BHT, Disodium EDTA, PEG-4, Ethylhexylglycerin, Methylparaben, Propylparaben, Ethylparaben, Iodopropynyl Butylcarbamate, Fragrance.	
Other information • protect this product from excessive heat and direct sun	



Made in USA

DIST BY MEIJER
DISTRIBUTION, INC.
2129 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com



93005543

MEIJER SHEER SPF 55

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 mL in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 mL in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mL in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.8 mL in 100 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DOCOSANOL (UNII: 9G1OE216XY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
PEG-4 DILAURATE (UNII: KCR71CW036)	
PEG-4 LAURATE (UNII: AYF4VM3N1Z)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL 200 (UNII: R95B8J264J)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ETHYLPARABEN (UNII: 14255EXE39)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-019-22	88 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2012	

Labeler - Meijer Distribution Inc (006959555)