

**EASY CARE FIRST AID CHEST - HOME AND WORKSHOP - benzalkonium chloride,  
benzocaine, sd alcohol, bacitracin zinc, neomycin sulfate, polymyxin b  
Tender Corp dba Adventure Medical Kits**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ANTISEPTIC TOWELETTE**

**Active Ingredient**

Active Ingredient:

Benzalkonium Chloride 0.40%

**Purpose**

Antiseptic

**Use**

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings**

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

**Directions**

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive Ingredients**

Inactive Ingredient: Purified water

LOT/EXP:                      Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

[www.GenuineFirstAid.com](http://www.GenuineFirstAid.com)

1/pouch

GENUINE FIRST AID

Active Ingredient:                      Purpose:  
Benzocaine, 6% w/v.....      Topical Anesthetic  
SD alcohol, 60% w/v.....      Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Made in CHINA

LOT/EXP:

Insect Sting Relief Pad

Genuine First Aid LLC, Clearwater FL 33755  
[www.GenuineFirstAid.com](http://www.GenuineFirstAid.com)

1/pouch

GENUINE FIRST AID

**Active Ingredients**

Active Ingredient: .....Bacitracin Zinc 400 units  
Neomycin Sulfate 5mg ( equivalent to 3.5 mg Neomycin base)  
Polymyxin B Sulfate 5000 units

**Purpose**

Triple Antibiotic  
Uses: To help prevent infection in:  
minor cuts; scrapes; burns

**Warnings**

For external use only.  
Do not use: in eyes; over large areas of the body;  
If allergic to any of the ingredients; for more than one week unless directed by a physician.  
Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

### **Directions**

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

### **Inactive Ingredient**

water

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Triple Antibiotic Ointment 10pcs

Net wt. 0.9g (1/32oz)

100

Triple Antibiotic

### **Active Ingredients**

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

## **Purpose**

Purpose: First aid antiseptic, external analgesic

## **Uses**

First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

## **Warnings**

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Do not use:

in the eyes or apply over large areas of the body.

longer than 1 week unless directed by a doctor.

in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

When using this product, avoid contact with the eyes.

Stop use and ask a doctor if

condition worsens

symptoms persist for more than 7 days

condition clears up and occurs again within a few days

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

## **Directions**

Adults and children 2 years of age and older

clean affected area.

apply a small amount of this product on the area 1 to 3 times daily.

may be covered with a sterile bandage

children under 2 years of age: consult a doctor

**Other Information:**

Store at room temperature (do not freeze).

Taper evident sealed packets.

Do not use packet if opened or torn.

**Inactive Ingredients**

Aloe vera, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, irolamine

LOT/EXP:

Made in CHINA

20130301

GFA Production Xiamen Co., Ltd

No. 20 Huli Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100

Tel: 86-592-7269515 Fax: 86-592-7269528 [Http: //www.gfaproduction.com](http://www.gfaproduction.com)

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder TAO-001

# Genuine Triple Antibiotic

**First Aid Ointment  
To Help Prevent Infection**

**Each Gram Contains:  
Bacitracin Zinc 400 units  
Neomycin Sulfate 5 mg  
(equivalent to 3.5 mg  
Neomycin base)  
Polymyxin B Sulfate 5000 units  
Net Wt 0.5g • (1/64 oz)**



Manufactured in CHINA for  
**GENUINE FIRST AID.**

## Drug Facts

Uses: To help prevent infection  
in • minor cuts • scrapes • burns

## Warnings:

For external use only

Do not use • in eyes • over large  
areas of the body • if allergic to  
any of the ingredients • for more  
than one week unless directed  
by a physician

Stop use and consult a doctor  
• if the condition persists or gets  
worse • a rash or other allergic  
reaction develops

Keep out of reach of children.

If ingested, contact a Poison  
Control Center right away.

Directions: • clean affected area  
• apply small amount of this product  
(an amount equal to the surface  
area of the tip of a finger) on the  
area 1 to 3 times daily • may be  
covered with a sterile bandage

Other information:

Store at room temperature

LOT/EXP:

20130118

Reorder BC-001

# Genuine First Aid Burn Cream

**Antiseptic Pain Relief  
With Aloe**

**ACTIVE INGREDIENTS:**

**Benzalkonium**

**Chloride 0.13%**

**Lidocaine HCL 0.5%**

**Net Wt 0.9g · (1/32 oz)**



Manufactured in CHINA for  
**GENUINE FIRST AID.**

**Drug Facts**

**Purpose:** First aid antiseptic,  
external analgesic

**Uses:** First aid to help prevent  
infection and for the temporary  
relief of pain and itching

**associated with:** • minor cuts  
• scrapes • burns

**Warnings:**

For external use only

Do not use • in eyes • in large  
quantities • over raw blistered  
areas, or on deep puncture  
wounds, animal bites or serious  
burns • for more than one week  
Keep out of reach of children.

If ingested, contact a Poison  
Control Center right away.

**Directions:** • clean affected area  
• apply small amount not more  
than 3 times daily • may be  
covered with a sterile bandage

**Other information:**

Store at room temperature

**LOT/EXP:**

20130301

REORDER AST-001

**Antiseptic  
Towelette**  
**Toallitas  
Antisepicas**



ISO 9001:2010



Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com



**GENUINE FIRST AID®**



DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.40% Purpose: First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water

Made in CHINA

LOT/EXP:

20130301

--- TEAR HERE ---





GENUINE FIRST AID®



ISO 9001:2010



Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com

**Insect Sting  
Relief Pad**

---

**Toallitas para  
Picaduras de Insectos**

REORDER ISRP-001

**DRUG FACTS - Insect Sting Relief Pad**

**Active Ingredient:** Benzocaine, 6% w/v ..... Topical Anesthetic

**Purpose:** SD alcohol, 60% w/v ..... Antiseptic

**Use:** For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

**Do not use:** In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

--- TEAR HERE ---

Made in CHINA

**EASY CARE**

# First Aid Chest

CONTENTS:



HOME + WORKSHOP

<b>Cuts &amp; Scrapes</b>	
Adhesive Plastic Bandage 3/4"x3"	15
Adhesive Plastic Bandage 3/8"x1.5"	8
Adhesive Plastic Bandage 1 1/2"x3"	8
Adhesive Knuckle Fabric Bandage	2
Adhesive Spot Bandage 7/8"x7/8" Plastic	2
Elbow/Knee Fabric Adhesive Bandage	2
Antiseptic Towelette	15
Triple Antibiotic Ointment	3
Butterfly Wound Closure	2
<b>Blisters, Splinters &amp; Stings</b>	
Assorted Safety Pins	3
Insect Sting Relief Pad	2
Tweezers	1
<b>Bleeding, Wounds &amp; Burns</b>	
Non-Adherent Pad 2"x3"	1
Burn Cream 0.9g	2
Cotton Tipped Applicator	10
Sterile Gauze Pad 2"x2"	3
Sterile Gauze Pad 3"x3"	3
Roller Gauze Bandage 2"x4, 1yds.	2
First Aid Tape 1/2"x2.5yds.	1
Combine Pad 5"x5"	1
Medical Grade Gloves	2
<b>CPR &amp; Shock</b>	
CPR Breathing Barrier	1
Emergency First Aid Guide	1

\*We reserve the right to add, replace or withdraw items as needed. We offer a 100% satisfaction guarantee.



Made in China for  
**Tender**  
CORPORATION  
Littleton, NH 03561

**EASY CARE**  
www.easy-carefirstaid.com



**EASY CARE**

# First Aid Chest

HOME + WORKSHOP

Be Prepared with Easy Care!

- 1 Cuts & Scrapes
- 2 Blisters, Splinters & Stings
- 3 Bleeding, Wounds & Burns
- 4 CPR & Shock

For Fast & Effective First Aid

Four Pockets  
Organized  
By Injury



Workshop | Home | Family | Auto

## EASY CARE FIRST AID CHEST - HOME AND WORKSHOP

benzalkonium chloride, benzocaine, sd alcohol, bacitracin zinc, neomycin sulfate, polymyxin b kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:44224-1499
---------------------	----------------	---------------------------	----------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-1499-3	1 in 1 KIT		

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	15 PACKAGE	12 mL
Part 2	2 PACKAGE	1.0 mL
Part 3	3 TUBE	1.5 g
Part 4	2 PACKET	1.8 g

**Part 1 of 4**

**ANTISEPTIC TOWELETTE**

benzalkonium chloride swab

**Product Information**

<b>Item Code (Source)</b>	NDC:52124-0001
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.4 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	04/13/2011	

## Part 2 of 4

### INSECT STING RELIEF PAD

benzocaine, alcohol swab

#### Product Information

Item Code (Source) NDC:52124-0008

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mL in 100 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0008-1	0.5 mL in 1 PACKAGE		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	04/13/2011	

## Part 3 of 4

### GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

#### Product Information

Item Code (Source) NDC:52124-0003

Route of Administration TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-1	0.5 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	04/13/2011	

**Part 4 of 4****GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE**

benzalkonium chloride, lidocaine cream

**Product Information**

Item Code (Source)	NDC:52124-0004
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKET		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333A	04/13/2011	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	04/13/2011	

**Labeler** - Tender Corp dba Adventure Medical Kits (064437304)