AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C- octinoxate, octocrylene, titanium dioxide cream
Aekyung Industrial Co., Ltd.

67225-5205 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C

Octinoxate 6.50%
Octocrylene 3.00%
Titanium Dioxide 5.12%

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

■ damaged skin or broken skin

■ keep out of eyes. Rinse with water to remove.

if ■ rash occurs.

If swallowed, get medical help or contact poison control center right away.

Directions

■ Apply liberally 15 minutes before sun exposure.

■ Children under 6 months of age: Ask a doctor.

■ Reapply at least every 2 hours.

■ Use a water-resistant sunscreen if swimming or sweating

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. Todecrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ Limit time in the sun, especially from 10 a.m. - 2 p.m.

■ Wear long-sleeved shirts, pants, hats, and sunglasses.

■ Protect the product in the container from excessive heat and avoid storing it under direct sun.

■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

WATER (AQUA), ETHYLHEXYL METHOXYCINNAMATE, TITANIUM DIOXIDE (NANO), BETULA PLATYPHYLLA JAPONICA JUICE, DIPROPYLENE GLYCOL PENTAERYTHRITYL STEARATE/CAPRATE/CAPRYLATE/ADIPATE, HYDROGENATED POLY(C6-14 OLEFIN), OCTOCRYLENE, PHENYL TRIMETHICONE NIACINAMIDE, EUPHORBIA CERIFERA (CANDELILLA) WAX, DIMETHICONE, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, TRIISOSTEARIN, 1,2-

HEXANEDIOL, DISODODECANE, POLYMETHYLSILSESQUIOXANE, ISODECYL NEOPENTANOATE, PROPANEDIOL, VP/HEXADECENE COPOLYMER, ALUMINUM HYDROXIDE, CETYL PEG/PPG-10/1 DIMETHICONE, SODIUM GLUTAMATE, C30-45 ALKYL METHICONE, STEARIC ACID, P-ANISIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, C30-45 OLEFIN, GLYCERYL CAPRYLATE, BETULA PLATYPHYLLA JAPONICA BARK
EXTRACT, GLYCERIN, TRIETHOXYCAPRYLYLSILANE, PANTHENOL, TOCOPHERYL ACETATE, CERAMIDE NP, METHYL METHACRYLATE CROSSPOLYMER, STEARYL HEPTANOATE, ADENOSINE, SILICA, HYDROLYZED HYALURONIC
ACID, POLYHYDROXYSTEARIC ACID, SODIUM HYALURONATE, LACTOBACILLUS FERMENT LYSATE, HAEMATOCOCCUS PLUVIALIS EXTRACT, LINOLEIC
ACID, BHT, SODIUM CITRATE, BORON NITRIDE, ASTAXANTHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL, YDROXYHYDROCINNAMATE, TOCOPHEROL, APHANOTHECE SACRUM POLYSACCHARIDE, FRAGRANCE (PARFUM), Titanium Dioxide(CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C



CONFIRM SHEET — **Printing Guide Line**

상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 작이 안보일 경우, 표기사항 부분을 1 : 1 또는 확대하여 넣는 공간에 삽입하여 제출하시기 바랍니다

제 품 명 AGE20'S 시그니처 팩트 (US) 본품 2개입 단상자	사이즈(mm) 105 X 101 X 80 (mm) 도면참조	인쇄 컬러 Black, 투명금, White, 에칭	원단재질 및 코팅 유무 뷰티팩은광지 +에칭	특이 사항 기재란 특이사항 없음	디자인 개발 담당 애경디자인센터 CD팀 정상원 Tel. 02 2014 7007
날 짜 2026. 01. 20	인쇄 방법 옵셋 인쇄				원고담당 LINK 링크디자인 Tel. 02 2261 0315
프로그램 버전 및 화일명 Illustrator CS 3 단상자 26AGE20S 시그니처팩트(US)27C본품 2개입.ai					

*주의사항 : 반드시 담당자가 확인 후 승인 한 건에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다. AEKYUNG DESIGN CENTER





CONFIRM SHEET

Printing Guide Line

상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 작아 안보일 경우, 표기사항 부분을 1:1 또는 확대하여 남는 공간에 삽입하여 제출하시기 바랍니다

제 품 명 AGE20'S SIGNATURE ESSENCE PACT INTENSE COVER **날 짜** 2025. 06. 18 **프로그램 버전 및 화일명** Illustrator CS 3 단상자 25AGE20S 시그니처팩트(US)27C 본품1개입.ai	**사이즈(mm)** 105 X 101 X 64 (mm) 도면참조 **인쇄 방법** 옵셋 인쇄	**인쇄 컬러** Black 투명금 White 에칭	**원단재질 및 코팅 유무** 데드롱지 +에칭	**특이 사항 기재란** 특이사항 없음	**디자인 개발 담당** **애경디자인센터** CD팀 박누리 Tel. 02 2014 7048 **원고담당** **LINK** 링크디자인 Tel. 02 2261 0315

*주의사항 : 만드시 담당자가 확인 후 승인 한 건에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER

Net Wt. 0.49 oz. (14 g)

MIX
Packaging
FSC® C126510

[Manufactured by] Aekyung Industrial Co., Ltd.
1547-9, Chungui-ro, Jeongsan-myeon,
Cheongyang-gun, Chungcheongnam-do, 33353, Korea
[Lot. and Exp. date] Marked separately

www.age20s.co.kr | MADE IN KOREA
Questions? aekyungus@aekyung.kr

8 801046 450659

This product cannot be sold, distributed, or used in Hawaii according to chapter 342D. Accordingly, AEKYUNG will not take responsibility nor incur any liability for any Hawaii distribution or selling activities that occur by third parties.

Drug Facts (continued)

Directions

■ Apply the product on your skin with the included applicator by rubbing the product with the applicator and gently patting it on your skin. ■ Apply liberally 15 minutes before sun exposure.
■ **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses. ■ Children under 6 months of age: Ask a doctor.
■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating.

Inactive ingredients

WATER(AQUA), BETULA PLATYPHYLLA JAPONICA JUICE, DIPROPYLENE GLYCOL, PENTAERYTHRITYL STEARATE/CAPRATE/CAPRYLATE/ADIPATE, HYDROGENATED POLY(C6-14 OLEFIN), PHENYL TRIMETHICONE, NIACINAMIDE, EUPHORBIA CERIFERA (CANDELILLA) WAX, DIMETHICONE, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, TRIISOSTEARIN, 1,2-HEXANEDIOL, ISODODECANE, ISODECYL NEOPENTANOATE, PROPANEDIOL, VP/HEXADECENE COPOLYMER, ALUMINUM HYDROXIDE, CETYL PEG/PPG-10/1 DIMETHICONE, SODIUM GLUTAMATE, C30-45 ALKYL METHICONE, STEARIC ACID, P-ANISIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, C30-45 OLEFIN, GLYCERYL CAPRYLATE, POLYMETHYLSILSESQUIOXANE, BETULA PLATYPHYLLA JAPONICA BARK EXTRACT, TRIETHOXYCAPRYLYLSILANE, GLYCERIN, PANTHENOL, TOCOPHERYL ACETATE, CERAMIDE NP, METHYL METHACRYLATE CROSSPOLYMER, STEARYL HEPTANOATE, ADENOSINE, SILICA, HYDROLYZED HYALURONIC ACID, POLYHYDROXYSTEARIC ACID, SODIUM HYALURONATE, LACTOBACILLUS FERMENT LYSATE, HAEMATOCOCCUS PLUVIALIS EXTRACT, LINOLEIC ACID, BHT, SODIUM CITRATE, BORON NITRIDE, ASTAXANTHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TOCOPHEROL, APHANOTHECE SACRUM POLYSACCHARIDE, FRAGRANCE (PARFUM), ALPHA-ISOMETHYL IONONE, BENZYL BENZOATE, BENZYL SALICYLATE, LINALOOL +MAY CONTAIN(TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499))

SIGNATURE ESSENCE PACT
INTENSE COVER

27C

SIGNATURE ESSENCE PACT
INTENSE COVER

SUNSCREEN
27C | BROAD SPECTRUM SPF 50+

Net Wt. 0.49 oz. (14 g)

AGE20'S

Drug Facts

Active ingredients	Purpose
Octinoxate 6.50% / Octocrylene 3.00% Titanium Dioxide 5.12%	Sunscreen

Uses

■ Helps prevent sunburn.
■ If used as directed with other sun protection measures (***See Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use ■ on damaged skin or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

Other information

■ Protect the product in this container from excessive heat and avoid storing it under direct sun. ■ Do not crush or drop product. ■ Handle with care. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun. ▶

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C

octinoxate, octocrylene, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:67225-5205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.42 g in 14 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7186 g in 14 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.91 g in 14 g

Inactive Ingredients

Ingredient Name	Strength
BETULA PLATYPHYLLA JAPONICA JUICE (UNII: 1B33PG6N4K)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
TRIISOSTEARIN (UNII: 71503RH8KG)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ISODODECANE (UNII: A8289P68Y2)	

ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
PROPANEDIOL (UNII: 5965N8W85T)	
VP/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SODIUM GLUTAMATE (UNII: W81N5U6R6U)	
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)	
WATER (UNII: 059QF0KO0R)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
C30-45 OLEFIN (UNII: 6DWD51M0O8)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
BETULA PLATYPHYLLA JAPONICA BARK (UNII: ZF70YKN0YO)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WV9CM0O67Z)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
CERAMIDE NP (UNII: 4370DF050B)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
SILICA (UNII: ETJ7Z6XBU4)	
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)	
ADENOSINE (UNII: K72T3FS567)	
HYALURONIC ACID (UNII: S270N0TRQY)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
LIMOSILACTOBACILLUS FERMENTUM ME-3 (UNII: BQX4W45LG8)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31T0FF0472)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
BHT (UNII: 1P9D0Z171K)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
ASTAXANTHIN (UNII: 8XPW32PR7I)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CI 77492 (UNII: EX438O2MRT)	
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5205-2	1 in 1 PACKAGE	08/13/2025	
1	NDC:67225-5205-1	14 g in 1 CASE; Type 0: Not a Combination Product		
2	NDC:67225-5205-3	2 in 1 BOX	01/21/2026	
2	NDC:67225-	14 g in 1 CASE; Type 0: Not a Combination		

2	5205-1	Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/13/2025	

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5205)

Revised: 1/2026 Aekyung Industrial Co., Ltd.