

DOVE- men plus care stain defense cool 48h dry spray antiperspirant aerosol, spray
Conopco Inc. d/b/a/ Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dove Men plus Care Stain Defense Cool 48H Dry Spray Antiperspirant

DOVE MEN PLUS CARE STAIN DEFENSE COOL 48H DRY SPRAY ANTIPERSPIRANT - aluminum chlorohydrate aerosol, spray

DOVE MEN PLUS CARE STAIN DEFENSE COOL 48H DRY SPRAY ANTIPERSPIRANT

Drug Facts

Active ingredient

Aluminum Chlorohydrate (20.2%)

Purpose

antiperspirant

Uses

reduces underarm wetness

Warnings

• FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH

- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.

• USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

Help stop inhalation abuse. For information visit www.inhalant.org

• KEEP OUT OF REACH OF CHILDREN.

Directions

apply to underarms only

Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

Questions?

Call toll-free 1-800-761-3683

Packaging

ANTI YELLOW STAINS ANTI WHITE MARKS

Dove

MEN + CARE

DRY SPRAY

GOES ON INSTANTLY DRY

Drug Facts

Active ingredient	Purpose
Aluminum Chlorohydrate (20.2%)	antiperspirant

Uses

- reduces underarm wetness

Warnings

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse.

For information visit www.inhalant.org.

Drug Facts continued below ▼

STAIN DEFENSE COOL



NON-IRRITANT

[48h POWERFUL PROTECTION]

ANTIPERSPIRANT

NET WT. 3.8 OZ/107g
ALUMINUM CHLOROHYDRATE




- SHAKE WELL BEFORE EACH USE
- HOLD CAN 6 INCHES FROM THE UNDERARM
- SPRAY TO UNDERARM TO FEEL THE DIFFERENCE
- 1 CAN LASTS UP TO 8 WEEKS

48h POWERFUL PROTECTION
NON-IRRITANT ANTIPERSPIRANT FORMULA

Drug Facts (continued)

Directions apply to underarms only

Inactive ingredients
Benzene, Hydrofluorcarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Di-sperdimonium Hexanoate, C12-15 Alkyl Benzoate, Propane, SHT, Cetylalcohol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate

Questions? Call toll-free 1-800-761-3683



Unilever

Dist. by Unilever
Trumbull, CT 06611

Made in Mexico
67152641
67161368

Dove and Men+Care are
Registered Trademarks.
www.dovemenandcare.com

DOT 2P
M6284



DOVE

men plus care stain defense cool 48h dry spray antiperspirant aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-1510
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M)	ALUMINUM CHLOROHYDRATE	20.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-14 BUTYL ETHER (UNII: R199TJT95T)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PROPANE (UNII: T75W9911L6)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
DIMETHICONOL (40 CST) (UNII: 343C7U75XW)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1510-1	107 g in 1 CAN; Type 0: Not a Combination Product	09/07/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	09/07/2017	

Labeler - Conopco Inc. d/b/a/ Unilever (001375088)

Revised: 9/2020

Conopco Inc. d/b/a/ Unilever