

AXE- forest dry spray antiperspirant aerosol, spray
Conopco Inc. d/b/a/ Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Axe Forest Dry Spray Antiperspirant

AXE FOREST DRY SPRAY ANTIPERSPIRANT - aluminum chlorohydrate aerosol, spray
AXE FOREST DRY SPRAY ANTIPERSPIRANT

Drug Facts

Active ingredient

Aluminum Chlorohydrate (23.3%)

Purpose

antiperspirant

Uses

reduces underarm wetness

Warnings

- For external use only
- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.**

Help stop inhalation abuse. For information visit www.inhalant.org

- **KEEP OUT OF REACH OF CHILDREN.**

Directions

Apply to underarms only. If dispenser clogs, rinse in warm water

Inactive ingredients

Butane, Cyclopentasiloxane, Hydrofluorocarbon 152a, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Disteardimonium Hectorite, Propane, BHT, Propylene Carbonate.

Questions?

Call toll-free 1-800-450-7580

Packaging

AXE

FOREST
PROTECTS YOUR
SHIRTS FROM
WHITE MARKS AND
YELLOW STAINS.



Shake
well before
every use




Twist
top open to
reveal nozzle



Hold
6 inches from
underarm

DIRECTIONS:

SPRAY TO UNDERARM ONLY



9

7940044083

0

DOT 2P M6084



Unilever

Questions/Comments?
1-800-450-7580
AXE.COM

Dist. by © Unilever
Trumbull CT 06611
Made in Mexico

67165133
67161019

Drug Facts

Active ingredient	Purpose
Aluminum Chlorohydrate (23.3%)	antiperspirant

Uses • reduces underarm wetness

Warnings

For external use only • **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.** • Keep away from face and mouth to avoid breathing in. • Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. • Do not use on broken skin. Stop use if rash or irritation occurs. • Ask a doctor before using if you have kidney disease. • **KEEP OUT OF REACH OF CHILDREN. • USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit www.inhalant.org

Directions Apply to underarms only. If dispensers: Sigs, rinse in warm water.

Inactive ingredients

Butane, Cyclopentasiloxane, Hydrofluorocarbon 152A, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Distearidimonium Hectorite, Propane, BHT, Propylene Carbonate.

Questions? Call toll-free 1-800-450-7580



AXE

FOREST
ANTI MARKS

ANTIPERSPIRANT
DRY SPRAY

48HR PROTECTION
DRY

ALUMINUM CHLOROHYDRATE

NET WT 3.8 OZ (107g)

AXE

forest dry spray antiperspirant aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-1518
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M)	ALUMINUM CHLOROHYDRATE	23.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-14 BUTYL ETHER (UNII: R199TJT95T)	
PROPANE (UNII: T75W9911L6)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1518-1	107 g in 1 CAN; Type 0: Not a Combination Product	09/11/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	09/11/2017	

Labeler - Conopco Inc. d/b/a/ Unilever (001375088)

Revised: 9/2020

Conopco Inc. d/b/a/ Unilever