

**STOOL SOFTENER LIQUID- docusate sodium liquid**  
**AMERISOURCEBERGEN DRUG CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**GNP DOCUSATE LIQUID**

**Active ingredient (in each 5 mL teaspoonful)**

Docusate Sodium 50 mg

**Purpose**

Stool Softener Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

**Warnings**

**Do not use** for more than one week unless directed by a doctor

**Ask a doctor before use if you**

- have abdominal pain, nausea, or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts more than 14 days

**Stop use and ask a doctor if**

- you have rectal bleeding or failure to have a bowel movement within 3 days. These could be signs of a serious condition.
- a skin rash occurs
- you experience throat irritation

**If pregnant or breast feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control Center right away.

**Directions**

- follow dosing directions below or take as directed by doctor
- must be given in a 6 to 8 oz glass of milk or fruit juice to prevent throat irritation
- may be taken as a single daily dose or in divided doses
- take maximum daily dose until first bowel movement, then reduce dose according to individual response
- shake well before using

Adults and children 12 years and over	1 to 4 teaspoonfuls (5 to 20 mL)
Children under 12 years of age	ask a doctor

**Other information**

- **Each teaspoonful contains:** sodium 15 mg
- Store at room temperature 15°- 30° C (59°-86° F)
- protect from excessive heat
- Keep tightly closed

**Inactive ingredients**

citric acid, D&C Red #33, flavor, parabens, poloxamer, polyethylene glycol, sodium citrate, sorbitol, sucrose, and water.

**package label**

NDC 46122-399-43

Compare to Colace® Liquid active ingredient \*

GOOD NEIGHBOR PHARMACY

STOOL

SOFTENER

LIQUID

Docusate Sodium

Relieves Constipation

50 mg/5 mL

16 FL OZ (473 mL)

NDC 46122-399-43

Compare to Colace® Liquid active ingredient\*



# STOOL SOFTENER LIQUID

## Docusate Sodium

### Relieves Constipation

50 mg/5 mL  
16 FL OZ (473 mL)

#### Drug Facts

Tamper Evident: Do not use if breakaway band on cap is broken or missing.

Active ingredient (in each 5 mL teaspoonful)	Purpose
Docusate Sodium 50 mg.....	Stool Softener Laxative

**Uses** • relieves occasional constipation (irregularity)  
• generally produces bowel movement in 12 to 72 hours

#### Warnings

**Do not use** for more than one week unless directed by a doctor

**Ask a doctor before use if you** • have abdominal pain, nausea, or vomiting  
• are taking mineral oil • have noticed a sudden change in bowel habits that lasts more than 14 days

**Stop use and ask a doctor if** • you have rectal bleeding or failure to have a bowel movement within 3 days. These could be signs of a serious condition.  
• a skin rash occurs • you experience throat irritation

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control Center right away.

**Directions** • follow dosing directions below or use as directed by a doctor  
• must be given in a 6 oz to 8 oz glass of milk or fruit juice to prevent throat irritation • may be taken as a single daily dose or in divided doses  
• take maximum daily dose until first bowel movement, then reduce dose according to individual response • shake well before using

Adults and children 12 years and over	1 to 4 teaspoonfuls (5 to 20 mL)
Children under 12 years of age	ask a doctor

**Other information** • Each teaspoonful contains: sodium 15 mg  
• Store at room temperature 15°-30° C (59°-86° F) • protect from excessive heat  
• Keep tightly closed

**Inactive ingredients** citric acid, D&C Red #33, flavor, parabens, poloxamer, polyethylene glycol, sodium citrate, sorbitol, sucrose, water.

**Questions or comments?** 1-800-540-3765

\*This product is not manufactured or distributed by the owner of the registered trademark Colace® Liquid.

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)

10173679 REV GC 0617



## STOOL SOFTENER LIQUID

docusate sodium liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-399
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
SUCROSE (UNII: C151H8M554)	
SORBITOL (UNII: 506T60A25R)	

## Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	RASPBERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-399-43	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2017	08/31/2020

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	09/01/2017	08/31/2020

**Labeler** - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

**Registrant** - GRI-CARE PHARMACEUTICAL CORP (611196254)

Revised: 12/2019

AMERISOURCEBERGEN DRUG CORPORATION