CHILDRENS MULTI SYMPTOM COLD- dextromethorphan hbr, guaifenesin, phenylephrine hcl solution Walgreen Company

Walgreen Co. Children's Multi-Symptom Cold Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg Guaifenesin 100 mg Phenylephrine HCl 2.5 mg

Purposes

Cough suppressant Expectorant Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- · the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

Warnings

Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diahetes

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product

do not use more than directed

Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose	
children 6 years to under 12 years	10 mL every 4 hours	
children 4 years to under 6 years	5 mL every 4 hours	
children under 4 years	do not use	

Other information

- each 5 mL contains: sodium 3 mg
- · do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Walgreens

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients

children's MULTI-SYMPTOM Cold

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

GUAIFENESIN / EXPECTORANT

PHENYLEPHRINE HCI/ NASAL DECONGESTANT

ALCOHOL FREE

Relief from: stuffy nose, cough & chest congestion

Breaks up mucus

AGES 4 - 12 YEARS

BERRY FLAVOR

4 FL OZ (118 mL)



Compare to Children's Mucinex® Multi-Symptom Cold active ingredients†

NDC 0363-9839-26

Walgreens

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients!†

children's

MULTI-SYMPTOM

 Cold

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT PHENYLEPHRINE HCI / NASAL DECONGESTANT

ALCOHOL FREE

children's

 Cold

MULTI-SYMPTOM

DEXTROMETHORPHAN HBr /

GUAIFENESIN / EXPECTORANT

COUGH SUPPRESSANT

PHENYLEPHRINE HCI /


NASAL DECONGESTANT

- Relief from: stuffy nose, cough & chest congestion
- Breaks up mucus





4 FL 0Z (118 mL)



ALCOHOL FREE

- Relief from: stuffy nose, cough & chest congestion
- Breaks up mucus





4 FL 0Z (118 mL)

ORG0717-F

Drug Facts

Active ingredients	Purposes
(In each 5 mL)	100000000000000000000000000000000000000
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

Walgreens

NASAL DECONGESTANT COUGH S UP PRES SANT GUAIFENES IN / EXPECTORANT PHENYLEP HRINE HCI / DEXTROMETHORPHAN HBr /

> plod MOLTI-SYMPTOM children's

- Uses

 helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves.

 cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing
 the impulse to cough to help your child get to sleep ansal congestion due to a cold
 stuffy nose

Do not use in a child who is taking a prescription monoamine exidase inhibitor (MAOI) (certain drugs for monoramine oxicise minimor (word, certain origis to depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MADI drug, if you do not know if your child's prescription drug contains an MADI, ask a doctor or pharmacist before giving this product.

- Ask a doctor before use if the child has
 heart disease high blood pressure
 thyroid disease document or current
 to recough that occurs with too much phlegm (mucus)
 persistent or chronic cough such as occurs
 with bether with asthma

When using this product do not use more than directed

- Stop use and ask a doctor if
 u your child gets nervous, dizzy or sleepless
 symptoms do not get better within 7 days or occur
- with fever cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions

 do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
 do not use dosing cup with other products
- dose as follows or as directed by a doctor



LOT NO.

EXP.

: 83926 94 C4

Drug Facts (continued) children 6 years to under 12 years 10 mL every 4 hours

children 4 years to 5 mL every 4 hours under 6 years children under 4 years do not use

- Other Information

 each 5 ml. contains: sodium 3 mg
 do not use if printed neckband is broken or missing
 store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-719-9260

Watgreens Pharmacist Recommended Watgreens Pharmacist Survey IIThis product is not manufactured or distributed by Reckitt Benckiser, the distributor of Children's Mucinex® Multi-Symptom Cold.





DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co.

CHILDRENS MULTI SYMPTOM COLD

dextromethorphan hbr, quaifenesin, phenylephrine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-9839 **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9839- 26	1 in 1 CARTON	06/27/2015	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/27/2015	

Revised: 10/2023 Walgreen Company