

ACETAMINOPHEN 500 MG- acetaminophen tablet
NUVICARE LLC

Extra Strength Pain Relief ACETAMINOPHEN 500 mg

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- muscular aches
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- If you are allergic to acetaminophen or any of the inactive ingredient in this product.

Ask a doctor before use if you have

- liver disease

Ask a doctor/pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

Overdose warning: In case of overdose, get medical help or contact a Poison Control (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

Adults and children 12 years and over:

- take 2 Caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 Years

- ask a doctor

Other information

- store at 20° - 25°C (68° -77°F)

Inactive ingredients

Pregelatinized starch, Polyvinyl pyrrolidone, stearic acid powder, microcrystalline cellulose, magnesium stearate, Hypromellose-5, Hypromellose-15, polyethylene glycol 400, titanium dioxide, talc

Questions or comments?

Call 1 (718) 337-8733 or visit: support@nuvicare.com

This product is not manufactured or distributed by Johnson & Johnson Consumer Inc.,

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-021-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/2025	

Labeler - NUVICARE LLC (119257565)

Revised: 12/2024

NUVICARE LLC