DAILY UV PROTECTOR SPF 30 SUNSCREEN- titanium dioxide and zinc oxide liquid Colorescience

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Daily UV Protector[™] SPF 30 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 5.4%	Sunscreen
Zinc Oxide 5.4%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Cyclopentasiloxane, Caprylic/Capric Triglyceride, Dimethicone Crosspolymer, Glycerin, Water, Dimethicone/Vinyl Dimethicone Crosspolymer, Spirulina Maxima Extract, Camellia Sinensis Leaf Extract, Opuntia Ficus-Indica Stem Extract, Palmaria Palmata Extract, Disodium Lauriminodipropionate Tocopheryl Phosphates, Citrus Paradisi (Grapefruit) Seed Extract, Ascorbic Acid, Dimethiconol, Vanilla Planifolia Fruit Extract, Fusanus Spicatus Wood Oil, Dimethicone, Triethoxycaprylylsilane, Benzoic Acid, Dehydroacetic Acid, Phenoxyethanol, Farnesol, Iron Oxides (Cl 77491, Cl 77492, Cl 77499)

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Distributed in USA by Colorescience[®] Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton

colorescience®

DAILY UV PROTECTOR™

WHIPPED MINERAL SUNSCREEN

Non-greasy

Non-whitening

Water resistant (40 minutes)

30 Broad Spectrum SPF 30 Sunscreen

CHEMICAL-FREE ACTIVES | 100% MINERAL WATER/SWEAT RESISTANT (40 MINUTES)

1 fl. oz. / 30 mL

DAILY UV PROTECTOR[™] SPF 30

It's Whipped

Zinc oxide and titanium dioxide deliver non-chemical sun protection from UVA/UVB rays and environmental stressors. A non-greasy, lightweight sunscreen rich in antioxidants, Colorescience® Daily UV Protector™ SPF 30 helps prevent the signs of premature aging and guards against free radical damage.

Experience the confidence and ease of Colorescience®

- + Trusted and personally used by thousands of physicians.
- 365-day defense from UV rays and environmental stressors.

How to Use

Dispense half a pump to fingertips. Dot product around the face and blend, ensuring even coverage. Can be worn alone or under makeup.

Discover our full line of uncompromising, health-forward formulas designed to fit your life at colorescience.com

Manufactured for / Fabriqué pour colorescience

EU: 7170 MANAGE, BE



For USA only

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 5.4%	Sunscreen
Zinc Oxide 5.4%	Sunscreen
Uses	

Helps prevent sunburn.

If used as directed with other sun protection measures (see Directions). decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. When using this product keep aut of eyes. Rinse with water to remove. Stop use and ask a doctor i rash occurs. Keep out of reach of children. F swallowed, get medical help or contact a Polson Control Center right away.

Directions

- · Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- · Reapply: = After 40 minutes of swimming
- In mediately after towel drying.
- At bastevery 2 hours.
- Children under 6 months: ask a doctor. = Sun Protection Measures

your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other

- · Limit time in the sun, especially from 10 a.m.- 2 p.m.
- · Wear long-sleeved shirts, pants,
- hats, and sunglasses.

Continued on opposite side panel .

DAILY UV **PROTECTOR**[™]

WHIPPED MINERAL SUNSCREEN

Non-greasy

Non-whitening

Water resistant (40 minutes)



CHEMICAL-FREE ACTIVES | 100% MINERAL WATER/SWEAT RESISTANT (40 MINUTES)

1 fl. oz. / 30 mL



For USA only

colorescience

Drug Facts (continued)

Inactive ingredients:

Cyclopentasilioxane, Caprylic/Capric Tridyceride, Dimethicone Crosspdymer, Glycerin, Water, Dimethicone Vinyl Dimethicone Crosspolymer, Spinulina Maxima Extract, Cameilla Snersis Leaf Maxima Extract, Carineira Crientisis Lean Extract, Opinita Ficus-Indica Stern Extract, Palimaria Palmata Extract, Disodium Lauriminodiprophorate Tocophenyi Phosphates, Otrus Paradisi (Grapefruth Seed Extract, Accordic Act) Disobitore Juscille Distribute Control Dimethiconol, Vanilla Planifolia Fruit Extract, Fusanus Spicatus Wood Oil Extract, Fusarius Spicatus wood Oli, Dimethicone, Triefnoxycapryl/silane, Benzoic Add, Deflydroacetic Add, Phenoxyethand, Famesol, Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information: Protect this product from excessive heat and direct sun.

Questions or comments? Call toll free 866,426,5673

Ingredients (EU) Cyclopentasibxane, Caprylic/Capric

Opciopentasilbæne, Carnyllo/Carnio Trigiyceride, Dimethicone Crosspolymer, Tilarium Dioxide, Zho Coxkle, Giyoerin, Aqua, Dimethicone/Vinyl Dimethicone Crosspolymer, Sphulina Maxima Extract, Camella Shensis Leaf Extract, Opurita Ficus-Indica Stem Extract, Palmaria Patmata Extract, Disodum Lauriminodpropionate Tocopheryl Prosphate, Citus Paradali Seed Extract, Ascortac Add, Dimethicond, Vanilla Panifola Frut Extract, Fusanus Spicatus Wood Oli, Dimethicone, Triethowycaphylisiane, Benzolo Acid, Dehydroacetic Add, Phenoxyethand, Famesol, (H-/ C177491, C177492, C177499)

How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. while using a sunscreen product. Keep bables and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and aeka chochor if adverse e and ask a doctor if adverse

DAILY UV PROTECTOR SPF 30 SUNSCREEN

titanium dioxide a	and zinc oxide	e liquid				
Product Infor	mation					
Product Type		HUMAN OTC DRUG	Item Code	(Source)	NDC:6	8078-019
Route of Admini	stration	TOPICAL		-		
Route of Admini	Stration	TOTICAL				
Active Ingredi	ent/Active	Moiety				
	Ingred	lient Name		Basis of Stre	ngth	Strength
Titanium Dioxide		P) (Titanium Dioxide - UNII:1	15FIX9V2JP)	Titanium Dioxide	-	54 mg in 1 mL
Zinc Oxide (UNII: S	0I2LOH54Z) (Z	inc Oxide - UNII:SOI2LOH54	Z)	Zinc Oxide	5	54 mg in 1 mL
Inactive Ingre	dients					
_		Ingredient Nam	е			Strength
Cyclomethicone 5	(UNII: 0THT5PC	•				
Medium-Chain Tri						
Dimethicone Cros	spolymer (450	0000 MPA.S AT 12% IN C	yclopentasilo	xane) (UNII: UF762	20L1W6)	
Glycerin (UNII: PDC	6A3C0OX)					
Water (UNII: 059QF	0KO0R)					
Dimethicone/Viny	Dimethicone	Crosspolymer (Soft Part	ticle) (UNII: 9E	4CO0W6C5)		
Arthrospira Maxim	a (UNII: 9K7IG1	.5M0Q)				
Green Tea Leaf (U	NII: W2ZU1RY8	30)				
Opuntia Ficus-Ind	ica Stem (UNII	: MUD8892KHL)				
PALMARIA PALMAT	A (UNII: 7832H	DY4ZQ)				
Disodium Laurimiı	nodipropionat	e Tocopheryl Phosphate	s (UNII: 0K5Y9	U1P6M)		
Citrus Paradisi Se	ed (UNII: 12F08	874Y7)				
Ascorbic Acid (UNI	I: PQ6CK8PD0R)					
Dimethiconol (100	0000 CST) (UN	II: OSA9UP217S)				
VANILLA BEAN (UN	II: Q74T35078H)				
Santalum Spicatu	m Oil (UNII: H9I	LVS6REV4)				
Dimethicone (UNII:						
Triethoxycaprylyls		C331P08E)				
Benzoic Acid (UNII						
Dehydroacetic Aci						
Phenoxyethanol (3T)				
Farnesol (UNII: EB4						
Ferric Oxide Yello						
Ferric Oxide Red (UNII: 1K09F3G675)						
Ferrosoferric Oxic	e (UNII: XMUM8	/F357)				
Packaging						
# Item Code	Pac	kage Description	Mar	keting Start Date	Mark	ceting End Date
1 NDC:68078-019- 20	1 in 1 CARTON		02/01/2	2017		
1	30 mL in 1 TUE Product	3E; Type 0: Not a Combinat	ion			

2		1 mL in 1 PACKET; Type 0: Not a Combination Product	02/01/2017			
Marketing Information						
м	arketing Categ	ory Application Number or Monograp Citation	h Marketing Start Date	Marketing End Date		
	rc monograph no Nal	DT part352	02/01/2017			

Labeler - Colorescience (128731929)

Revised: 10/2021

Colorescience