

**KAOLIN PECTIN SUSPENSION- kaolin pectin suspension**

**Vedco**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Kaolin Pectin Suspension**

**NDC 50989-549-29**

**KAOLIN PECTIN SUSPENSION**

**ANTI-DIARRHEAL LIQUID**

**NET CONTENTS: 1 gallon (3.785L)**

**VEDCO**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS:**

For oral administration as an aid in the treatment of noninfectious diarrhea in horses, cattle, dogs and cats.

**DOSAGE AND ADMINISTRATION:**

Administer orally after first sign of diarrhea and after each loose bowel movement, or as needed.

**Cattle and Horses:** 6 to 10 fl oz

**Calves and Foals:** 3 to 4 fl oz

**Dogs and Cats:** 1 to 3 tablespoonfuls

If symptoms persist after using this product for 2 or 3 days, consult a veterinarian.

Iss. 7-99

Distributed By

**VEDCO, INC.**

St. Joseph, MO 64504

**COMPOSITION:**

Each fluid ounce (2 tablespoonfuls) contains:

Kaolin ... 90 gr. (5.8 g)

Pectin ..... 4 gr. (0.268 g)

In a palatable vehicle.

Flavorings and color added.

**Store at controlled room temperature between 15° and 30° C (59° - 86° F).**

**Protect from freezing.**

**SHAKE WELL BEFORE USING.**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

Lot No. Exp. Date

**Label**

**INDICATIONS:** For oral administration as an aid in the treatment of noninfectious diarrhea in horses, cattle, dogs and cats.


**DOSAGE AND ADMINISTRATION:** Administer orally after first sign of diarrhea and after each loose bowel movement, or as needed.  
**Cattle and Horses** – 6 to 10 fl oz  
**Calves and Foals** – 3 to 4 fl oz  
**Dogs and Cats** – 1 to 3 tablespoonfuls

If symptoms persist after using this product for 2 or 3 days, consult your veterinarian.

Iss. 7-99

Distributed By  
**VEDCO, INC.**  
 St. Joseph, MO 64504

NDC 50989-549-29



**KAOLIN PECTIN  
 SUSPENSION**

ANTI-DIARRHEAL LIQUID

NET CONTENTS: 1 gallon (3.785 L.)

**VEDCO**


**FOR ANIMAL  
 USE ONLY  
 KEEP OUT OF  
 REACH OF CHILDREN**

**COMPOSITION:** Each fluid ounce (2 tablespoonfuls) contains:  
 Kaolin ..... 90 gr. (5.8 g)  
 Pectin ..... 4 gr. (0.268 g)  
 In a palatable vehicle.  
 Flavorings and color added.

**Store at controlled room temperature between 15° and 30°C (59°–86°F).**

**Protect from freezing.  
 SHAKE WELL BEFORE USING.**

TAKE TIME



OBSERVE LABEL DIRECTIONS

Lot No.                      Exp. Date

KAOLIN PECTIN SUSPENSION			
kaolin pectin suspension			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50989-549
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
KAOLIN (UNII: 24H4NWX5CO) (KAOLIN - UNII:24H4NWX5CO)	KAOLIN	196 mg in 1 mL	
PECTIN, CITRUS (UNII: 47EQO8LE7H) (PECTIN - UNII:89NA02M4RX)	PECTIN, CITRUS	9 mg in 1 mL	
Inactive Ingredients			
Ingredient Name	Strength		
GUAR GUM (UNII: E89I1637KE)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
WATER (UNII: 059QF0KO0R)			

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	STRAWBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-549-29	3785 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		07/26/2000	

**Labeler** - Vedco (021634266)

Revised: 9/2013

Vedco