

**SEVERE CONGESTION RELIEF MAXIMUM STRENGTH SINUS- acetaminophen,  
guaifenesin, phenylephrine hcl tablet, film coated  
Wal-Mart Stores Inc**

-----  
**Equate 44-615-SM**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - nasal congestion
  - headache
  - sinus congestion and pressure
  - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily promotes nasal and/or sinus drainage

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- thyroid disease
- heart disease
- diabetes
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-888-287-1915**

### ***Principal Display Panel***

**equate™**

NDC 49035-165-09

**Compare to  
Maximum  
Strength Mucinex  
SINUS-MAX  
Severe Congestion  
& Pain Active  
Ingredients\***

Maximum Strength Sinus  
**Severe Congestion  
Relief**

**Acetaminophen** - Pain Reliever  
Guaifenesin - Expectorant  
Phenylephrine HCl - Nasal Decongestant

- Relieves headache
- Thins & loosens mucus
- Relieves sinus congestion

**For Ages 12+**

**20  
CAPLETS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Satisfaction guaranteed - For questions or comments please call **1-888-287-1915**

DISTRIBUTED BY: Walmart Inc.,  
Bentonville, AR 72716

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50844 REV0623B61509

69-4635169-0351

**Maximum Strength Sinus**

## Severe Congestion Relief

**Acetaminophen - Pain Reliever**  
**Guaifenesin - Expectorant**  
**Phenylephrine HCl - Nasal Decongestant**

- Relieves headache
- Thins & loosens mucus
- Relieves sinus congestion

For Ages 12+

**20 CAPLETS**

Actual Size

**Drug Facts** (continued)

**Active ingredients (in each caplet)**

Acetaminophen 325 mg.....Pain reliever

Guaifenesin 200 mg.....Expectorant

Phenylephrine HCl 5 mg.....Nasal decongestant

**Purpose**

**Uses** ■ temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily promotes nasal and/or sinus drainage

**Drug Facts** (continued)

**Drug Facts** (continued)

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

■ liver disease ■ thyroid disease ■ heart disease ■ diabetes ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough that occurs with too much phlegm (mucus)

**Drug Facts** (continued)

**Directions** ■ do not take more than directed

■ do not take more than 12 caplets in any 24-hour period

■ adults and children 12 years and over: take 2 caplets every 4 hours

■ children under 12 years: do not use

**Other information** ■ each caplet contains: sodium 3 mg

**TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTERS ARE TORN OR BROKEN**

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see and flap for expiration date and lot number

**Drug Facts** (continued)

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

■ fever gets worse or lasts more than 3 days

■ pain, nasal congestion, or cough gets worse or lasts more than 7 days

■ redness or swelling is present

■ new symptoms occur

■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

■ nervousness, dizziness, or sleeplessness occur

■ fever gets worse or lasts more than 3 days

■ pain, nasal congestion, or cough gets worse or lasts more than 7 days

■ redness or swelling is present

■ new symptoms occur

■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed

■ do not take more than 12 caplets in any 24-hour period

■ adults and children 12 years and over: take 2 caplets every 4 hours

■ children under 12 years: do not use

**Other information** ■ each caplet contains: sodium 3 mg

**TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTERS ARE TORN OR BROKEN**

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see and flap for expiration date and lot number

**Drug Facts** (continued)

**Questions or comments?** 1-888-287-1915

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTERS ARE TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print/No varnish area  
Lot no/Exp date

8-2203-615-09-SM  
RE10623861509

Satisfaction guaranteed. For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50344 RE10623861509

23665

81131107825

2

Equate 44-615

## SEVERE CONGESTION RELIEF MAXIMUM STRENGTH SINUS

acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-165
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	44;615
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-165-09	2 in 1 CARTON	06/30/2014	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M012	06/30/2014	

**Labeler** - Wal-Mart Stores Inc (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-165)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-165) , pack(49035-165)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(49035-165)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(49035-165)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-165)

Revised: 12/2025

Wal-Mart Stores Inc