

**SEVERE CONGESTION RELIEF MAXIMUM STRENGTH SINUS- acetaminophen,
guaifenesin, phenylephrine hcl tablet, film coated
Wal-Mart Stores Inc**

Equate 44-615 SM

Active ingredients (in each caplet)

Acetaminophen 325 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Expectorant
Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - headache
 - sinus congestion and pressure
 - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily promotes nasal and/or sinus drainage

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- thyroid disease
- heart disease
- diabetes
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

Other information

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-287-1915

Principal display panel

equate™

NDC 49035-165-09

**Compare to
Maximum
Strength Mucinex®
SINUS-MAX®
Severe Congestion
& Pain Active
Ingredients***

Maximum Strength Sinus
**Severe Congestion
Relief**

Acetaminophen - Pain Reliever
Guaifenesin - Expectorant
Phenylephrine HCl - Nasal Decongestant

- Relieves headache
- Thins & loosens mucus
- Relieves sinus congestion

For Ages 12+

**20
CAPLETS**

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Satisfaction guaranteed - For questions or comments please call **1-888-287-1915**

**DISTRIBUTED BY: Walmart Inc.,
Bentonville, AR 72716**

*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50844 REV0623B61509

No print/No varnish area
Lot no/Exp date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Drug Facts (continued)

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen.

Do not use
If a skin reaction occurs, stop use and seek medical help right away.

Ask a doctor or pharmacist before use if you have
■ heart disease ■ liver disease ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough that occurs with too much phlegm (mucus)

Drug Facts (continued)

Active ingredients (in each caplet)
Acetaminophen 325 mg.....Pain reliever
Guaifenesin 200 mg.....Expectorant
Phenylephrine HCl 5 mg.....Nasal decongestant

Drug Facts (continued)

Directions
■ do not take more than directed
■ do not take more than 12 caplets in any 24-hour period
■ adults and children 12 years and over: take 2 caplets every 4 hours
■ children under 12 years: do not use

Other information
■ each caplet contains: sodium 3 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-888-287-1915

Drug Facts (continued)

Directions
■ do not take more than directed
■ do not take more than 12 caplets in any 24-hour period
■ adults and children 12 years and over: take 2 caplets every 4 hours
■ children under 12 years: do not use

Other information
■ each caplet contains: sodium 3 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-888-287-1915

B-2203-615-09-SM
RE1062861509

Drug Facts (continued)

Directions
■ do not take more than directed
■ do not take more than 12 caplets in any 24-hour period
■ adults and children 12 years and over: take 2 caplets every 4 hours
■ children under 12 years: do not use

Other information
■ each caplet contains: sodium 3 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-888-287-1915

Drug Facts (continued)

Directions
■ do not take more than directed
■ do not take more than 12 caplets in any 24-hour period
■ adults and children 12 years and over: take 2 caplets every 4 hours
■ children under 12 years: do not use

Other information
■ each caplet contains: sodium 3 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-888-287-1915

USTRIIBUTED BY: Walmart Inc., Bentonville, AR 72716

This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50344 REV0623861509

Satisfaction guaranteed. For questions or comments please call 1-888-287-1915.

81131107825
2

Drug Facts (continued)

Directions
■ do not take more than directed
■ do not take more than 12 caplets in any 24-hour period
■ adults and children 12 years and over: take 2 caplets every 4 hours
■ children under 12 years: do not use

Other information
■ each caplet contains: sodium 3 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-888-287-1915

69-035169-463203 ND

Compare to Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain Active Ingredients*

Maximum Strength Sinus Severe Congestion Relief

Acetaminophen - Pain Reliever
Guaifenesin - Expectorant
Phenylephrine HCl - Nasal Decongestant

- Relieves headache
- Thins & loosens mucus
- Relieves sinus congestion

20

CAPLETS

Actual Size

Equate 44-615

SEVERE CONGESTION RELIEF MAXIMUM STRENGTH SINUS
acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-165
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	44;615
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-165-09	2 in 1 CARTON	06/30/2014	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M012	06/30/2014	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-165)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-165) , pack(49035-165)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(49035-165)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(49035-165)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-165)

Revised: 12/2023

Wal-Mart Stores Inc