KDS LAB LIQUID STYPTIC- lidocaine hydrochloride, zinc chloride, alcohol liquid KDS Lab

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if	they
comply with applicable regulations and policies. FDA has not evaluated whether this product complies.	

Active Ingredient:

Lidocaine HCl 4%	
Zinc Chloride 40%	•
Alcohol Denat. 20%	

Purpose:

Antiseptic Antiseptic

Antiseptic

Use:

First aid to help prevent bacterial contamination in minor cuts and scrapes.

Warnings

For External Use Only. Flammable.

Keep away from fire or flame.

Do not use

• in the eyes • excessive amounts over large areas of the body • longer than one week unless directed by a doctor • on infected areas or wounds that are draining • with other first-aid products such as lotions and creams • over sutures • lon mucous membranes

In case of deep or punctured wounds, animal bites, or serious burns, consult a doctor.

In case of deep or punctured wounds, animal bites, or serious burns, consult a doctor.

Stop use and ask a doctor if

• condition persists or gets worse • infection occurs

When using this product

• do not pucture or incinerate, do not store at temperatures above 120°F • intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Keep out of reach of children.

f swallowed, get medical help or call a Poison Control Center right away.

Directions

Clean affected area • Apply a small amount on the area 1-3 times a day • Let dry • A second coating may be applied for extra protection • To remove, apply more Liquid Styptic and quickly wipe off.

Other Information

• Store at room temperature away from heat • may temporarily sting upon application • do not allow to come into contact with floors, countertops or other finished surfaces — will stain.

Inactive Ingredients

• Water/Aqua/Eau, Blue 1, Yellow 5

Place Holder Text

NDC# 24488-040-80

Drug Facts Active Ingredient: Purpose:	Stop use and ask a doctor if • condition persists or gets worse • infection occurs	
Lidocaine HCl 4% Antiseptic Zinc Chloride 40% Antiseptic	When using this product • do not pucture or incinerate, do not store at temperatures above 120°F • intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
Alcohol Denat. 20%	Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.	
Use: First aid to help prevent bacterial contamination in minor cuts and scrapes.	Poson control center fight away.	
Warnings For External Use Only. Flammable.	Directions • Clean affected area • Apply a small amount on the area 1-3 time a day • Let dry • A second coating may be applied for extra protection • To remove, apply more Liquid Styptic and quickly wipe off.	
Keep away from fire or flame.		
Do not use • in the eyes • excessive amounts over large areas of		
Do not use • in the eyes • excessive amounts over large areas of the body • longer than one week unless directed by a doctor • on infected areas or wounds that are draining • with other first-aid products such as lotions and creams • over sutures • lon mucous membranes	Other Information • Store at room temperature away from heat • may temporarily sting upon application • do not allow to come into contact with floors, countertops or other finished surfaces – will stain.	
In case of deep or punctured wounds, animal bites, or serious burns, consult a doctor.	Inactive Ingredients • Water/Aqua/Eau, Blue 1, Yellow 5	

KOS LAB

RADICAL TOUCH

RADICAL TOUCH

RADICAL TOUCH

RADICAL TOUCH

ANTISEPTIC

1/2 FL OZ

8580 Younger Creek Dr. Sacramento, CA 95828 WWW.KDSPRODUCTS.COM Product Made In USA

KDS LAB LIQUID STYPTIC

lidocaine hydrochloride, zinc chloride, alcohol liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24488-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	39.9680796 mg in 1 mL	
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)	ZINC CHLORIDE	400.018936 mg in 1 mL	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	199.975654 mg in 1 mL	

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)				

]	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24488-040-80	14.786 mL in 1 BOTTLE, DROPPER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/03/2012	

Labeler - KDS Lab (961956229)

Registrant - Creation's Garden Natural Products (961956229)

Establishment				
Name	Address	ID/FEI	Business Operations	
Creation's Garden Natural Products		961956229	manufacture(24488-040)	

Revised: 10/2012 KDS Lab