

SILICEA - silicon dioxide pellet
REMEDY MAKERS

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

SILICEA 15C (Silicon Dioxide)

ABSCESSSES, VERTIGO, DEBILITY, OR OTHER INDICATIONS

SILICON DIOXIDE

WARNING:Keep this and all medications out of reach of children.

INDICATIONS: To be use according to standard homeopathic indications, for self-limiting conditions such as these indicated above or as directed by a physician.

WARNING: Use only if cap and seal are unbroken. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug. If you are pregnant or nursing (breast-feeding) a baby, seek the advise of a health professional before using this product. Store tightly closed in a cool area.

Directions:(adult/children) Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 the adult dose.

Inactive Ingredient: Lactose and Sucrose. Free from yeast, wheat, corn and soy.

Questions or comments.(877)REM4YOU. Fax (909)594-4205 Pomona, CA. 91768. USA
www.remedymakers.com

Other information: Contain approx.133 - 137 pellets.



SILICEA
(*Silicon Dioxide*)

15CH

Approx. 1.0×10^{-31} g per gram

**ABSCESSSES, VERTIGO, DEBILITY,
OR OTHER INDICATIONS**

2 Drams (1/4 ounce) Lot # XXX-XXX-X Exp. XX/XXXX

Drug Facts: Active Ingredient Listed above. To be used according to standard homeopathic indications for self-limiting conditions such as those indicated above or as directed by a physician .

Warning : Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug, if you are pregnant or nursing (breast-feeding) a baby, seek the advise of a health professional before using this product. Store tightly closed in a cool area.

Directions (adult/children) Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

Other information: Contains approx. 133 - 137 pellets.

Inactive Ingredients: Lactose and, Sucrose. Free from yeast, wheat, corn and soy.

Questions or comments (877) REM4YOU Fax (909) 594-4205 Pomona, CA 91768. USA www.remedymakers.com

NDC 10191-1828-2



**HOMEOPATHIC
MEDICINE**

SILICEA

silicon dioxide pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10 19 1-18 28
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	15 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10 19 1-18 28-2	133 in 1 VIAL, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/30/2003	

Labeler - REMEDY MAKERS (018543582)

Revised: 12/2011

REMEDY MAKERS