

TOO COOL FOR SCHOOL DINOPLATZ LOOSE AND SILLY NO. 2 ILLUSION- octinoxate, octisalate, titanium dioxide, and zinc oxide powder

Too Cool For School USA, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Too Cool For School
DINOPLATZ LOOSE & SILLY #2 Illusion**

Drug Facts

Active ingredients	Purpose
Octinoxate 3.75%	Sunscreen
Octisalate 2.50%	Sunscreen
Titanium Dioxide 7.80%	Sunscreen
Zinc Oxide 4.80%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months : Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse event from use of this product to: Too Cool For School USA INC. 181 North 11th St. STE 201, Brooklyn, NY 11211

Inactive Ingredients

MICA, SILICA, NYLON-12, SYNTHETIC FLUORPHLOGOPITE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PHENYL TRIMETHICONE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, GLYCERYL CAPRYLATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, DIMETHICONE, HYDROGENATED LECITHIN, METHICONE, CAPRYLYL GLYCOL, FRAGRANCE/PARFUM, BETULA ALBA JUICE, ROSA CANINA FRUIT OIL, ACRYLATES/TRIDECYL ACRYLATE/TRIETHOXYSILYLPROPYL METHACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, C9-15 FLUOROALCOHOL PHOSPHATE, IRON OXIDES (CI 77491, CI 77492, CI 77499)

Dist. by©Too Cool For Shhol USA Inc. Brooklyn, NY 11211

PRINCIPAL DISPLAY PANEL - 8 g Bottle Carton


Loose & Silly

Dinoplatz Loose & Silly

Loose setting powder

Broadspectrum spf 27 Sunscreen

8g (0.27oz)





Loose & Silly



Dinoplatz Loose & Silly
Loose setting powder

Broad spectrum SPF 27 Sunscreen
8 g (0.27 oz)



Loose & Silly #2 illusion 8g (0.27 oz)

Drug Facts	
Active ingredients	Purpose
Octinoxate 3.75%.....	Sunscreen
Octisalate 2.50%.....	Sunscreen
Titanium Dioxide 7.80%.....	Sunscreen
Zinc Oxide 4.80%	Sunscreen
Uses	
■ Help prevent sunburn ■ If used as directed with other	

IP

• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months : Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse event from use of this product to: Too Cool For School USA INC. 181 North 11th St. STE 201, Brooklyn, NY 11211

Inactive Ingredients

MICA, SILICA, NYLON-12, SYNTHETIC FLUORPHLOGOPITE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PHENYL TRIMETHICONE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, GLYCERYL CAPRYLATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, DIMETHICONE, HYDROGENATED LECITHIN, METHICONE, CAPRYLYL GLYCOL, FRAGRANCE/PARFUM, BETULA ALBA JUICE, ROSA CANINA FRUIT OIL, ACRYLATES/TRIDECYL ACRYLATE/TRIETHOXSILYLPROPYL METHACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, C9-15 FLUOROALCOHOL PHOSPHATE, IRON OXIDES (CI 77491, CI 77492, CI 77499)

Dinoplatz



Loose&Silly : illusion #2



8 809297 214761

TOO COOL FOR SCHOOL DINOPLATZ LOOSE AND SILLY NO. 2 ILLUSION

octinoxate, octisalate, titanium dioxide, and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69926-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	3.75 g in 100 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	2.5 g in 100 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	7.8 g in 100 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.8 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BETULA PUBESCENS RESIN (UNII: 9G931M6I4G)	
ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69926-005-02	1 in 1 CARTON		
1	NDC:69926-005-01	8 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	09/01/2015	

Labeler - Too Cool For School USA, Inc (079860981)

Establishment

Name	Address	ID/FEI	Business Operations
KOLMAR KOREA Co.,Ltd		688732723	MANUFACTURE(69926-005)

Revised: 6/2015

Too Cool For School USA, Inc