

**MUCINEX SINUS-MAX SEVERE NASAL CONGESTION RELIEF CLEAR AND COOL  
NASAL- oxymetazoline hydrochloride solution  
RB Health (US) LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MUCINEX® SINUS-MAX®  
SEVERE NASAL CONGESTION RELIEF CLEAR & COOL NASAL SPRAY**

***Drug Facts***

**Active ingredient**

Oxymetazoline hydrochloride 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - a cold
  - hay fever or other upper respiratory allergies
- promotes nasal and sinus drainage
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages; shrinks swollen membranes

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

- **do not exceed recommended dosage**
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge
- the use of this container by more than one person may spread infection

**Stop use and ask a doctor if** symptoms persist

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor.

**Shake well before use.**

To open, hold by the white grips then squeeze and turn cap. Before using for the first time, remove the protective cap from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at the base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use. To close, turn cap until it "clicks".

DO NOT DISCARD CAP.

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

benzalkonium chloride, camphor, edetate disodium, eucalyptol, glycine, menthol, polyethylene glycol, polysorbate 80, propylene glycol, purified water, sodium chloride, sodium hydroxide

**Questions?**

**1-866-MUCINEX (1-866-682-4639)**

You may also report side effects to this number.

Dist. by: RB Health (US)

Parsippany, NJ 07054-0224

**PRINCIPAL DISPLAY PANEL - 22 mL Bottle Carton**

NDC 63824-129-17

Mucinex®

SINUS-MAX®

SEVERE

NASAL CONGESTION

RELIEF

CLEAR & COOL

NASAL SPRAY

Oxymetazoline HCl 0.05%

Nasal Decongestant

- Fast acting
- Lasts 12 Hours
- Cooling Menthol flavor

3/4 FL OZ (22 mL)

Tamper evident: Do not use if printed seal over cap is torn or missing.

**Mucinex**  
**SINUS-MAX**

SEVERE NASAL CONGESTION RELIEF  
**CLEAR & COOL**  
NASAL SPRAY

NDC 63824-129-17

**Mucinex**  
**SINUS-MAX**

SEVERE NASAL CONGESTION RELIEF

**CLEAR & COOL**

**NASAL SPRAY**  
Oxymetazoline HCl 0.05%  
Nasal Decongestant

- ✓ Fast acting
- ✓ Lasts 12 Hours
- ✓ Cooling Menthol flavor

3/4 FL OZ (22 mL)



**Mucinex**  
**SINUS-MAX**

- ✓ Fast acting relief
- ✓ Lasts up to 12 hours, through the day or night
- ✓ Targeted sinus congestion relief
- ✓ Non-drowsy

Also Available:  
**Mucinex Sinus-Max**  
Severe Nasal Congestion Relief  
Sinus & Allergy  
Nasal Spray



**Drug Facts**

**Active ingredient**      **Purpose**  
Oxymetazoline hydrochloride 0.05%...Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - a cold
  - hay fever or other upper respiratory allergies
- promotes nasal and sinus drainage
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages; shrinks swollen membranes

**Warnings**

- Ask a doctor before use if you have
- heart disease
  - high blood pressure
  - thyroid disease
  - diabetes
  - difficulty in urination due to enlargement of the prostate gland

**When using this product**

- do not exceed recommended dosage
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge
- the use of this container by more than one person may spread infection

**Stop use and ask a doctor if symptoms persist**  
if pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
  - children under 6 years of age: consult a doctor.
- Shake well before use.**  
To open, hold by the white grips then squeeze and turn cap. Before using for the first time, remove the protective cap from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at the base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use. To close, turn cap until it "clicks".

**Drug Facts (continued)**

DO NOT DISCARD CAP.

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

benzalkonium chloride, camphor, edetate disodium, eucalyptol, glycine, menthol, polyethylene glycol, polysorbate 80, propylene glycol, purified water, sodium chloride, sodium hydroxide

**Questions?**

1-866-MUCINEX (1-866-682-4639)  
You may also report side effects to this number.

To open: hold by the white grips then squeeze & turn cap.



KEEP CARTON FOR FULL INFORMATION.  
Please visit our website  
[www.mucinex.com](http://www.mucinex.com)  
Patents: [www.rb.com/patents](http://www.rb.com/patents)



HEALTH > HYGIENE > HOME

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224  
© 2019 RB Health 011719  
Made in India

No Vanish Area



8349925

No Vanish Area  
Lot Code &  
Expiration Date Area

**MUCINEX SINUS-MAX SEVERE NASAL CONGESTION RELIEF CLEAR AND COOL NASAL**

oxymetazoline hydrochloride solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63824-129
<b>Route of Administration</b>	NASAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Oxymetazoline Hydrochloride</b> (UNII: K89MJ0S5VY) (Oxymetazoline - UNII:8VLN5B44ZY)	Oxymetazoline Hydrochloride	0.05 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>benzalkonium chloride</b> (UNII: F5UM2KM3W7)	
<b>edetate disodium</b> (UNII: 7FLD91C86K)	
<b>eucalyptol</b> (UNII: RV6J6604TK)	
<b>glycine</b> (UNII: TE7660XO1C)	
<b>menthol, unspecified form</b> (UNII: L7T10EIP3A)	
<b>polyethylene glycol, unspecified</b> (UNII: 3WJQ0SDW1A)	
<b>polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63824-129-17	1 in 1 CARTON	10/01/2018	
1		22 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341	10/01/2018	

**Labeler** - RB Health (US) LLC (081049410)