

UDDERCARE PLUS PART A- lactic acid solution
Aspen Veterinary Resources, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

DIRECTIONS:

IMPORTANT: Do not mix Uddercare+ Part A with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Uddercare+ Part A.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Uddercare+ Part A and Uddercare+ Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milk Dipping: Fill teat dip cup with properly mixed Uddercare+ Part A and Uddercare+ Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use mixed Uddercare+ Part A and Uddercare+ Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Uddercare+ Part A is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

Eye Contact: Rinse with plenty of water.

Skin Contact: Rinse with water.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Representative label and principal display panel

aspen DAIRY SOLUTIONS

UDDERCARE+ PART A™

ACTIVE INGREDIENT:

Lactic acid..... 2.64%

SKIN CONDITIONING SYSTEM:

(contains sorbitol, lanolin) 10.00%

INERT INGREDIENTS:..... 87.36%

TOTAL:..... 100.00%

Sanitizing Pre/Post Teat Dip

Uddercare+ Part A is formulated to be used as a companion product for Uddercare+ Part B.

An aid in reducing the spread of organisms which may cause mastitis

NET CONTENTS: 208 L (55 US GAL)

6301573

Manufactured for:

Aspen Veterinary Resources®, Ltd.

3155 Heartland Drive, Liberty, MO 64068

1-800-203-5620

761369/5300/0315



UDDERCARE+ PART A™



ACTIVE INGREDIENT:	
Lactic acid	2.64%
SKIN CONDITIONING SYSTEM:	
(contains sorbitol, lanolin)	10.00%
INERT INGREDIENTS:	87.36%
TOTAL:	100.00%

Sanitizing Pre/Post Teat Dip

Uddercare+ Part A is formulated to be used as a companion product for Uddercare+ Part B.

An aid in reducing the spread of organisms which may cause mastitis

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS:

IMPORTANT: Do not mix Uddercare+ Part A with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Uddercare+ Part A. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Uddercare+ Part A and Uddercare+ Part B into clean containers.

Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milk Dipping: Fill teat dip cup with properly mixed Uddercare+ Part A and Uddercare+ Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use mixed Uddercare+ Part A and Uddercare+ Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Uddercare+ Part A is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

WARNING

Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

FIRST AID

Eye Contact: Rinse with plenty of water.

Skin Contact: Rinse with water.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Desinfectante antes y después sellador de pezones

Uddercare+ Part A está formulado para su uso como producto complementario de Uddercare+ Part B.

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

PARA USO INDUSTRIAL SOLAMENTE

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

INSTRUCCIONES:

IMPORTANTE: No mezcle Uddercare+ Part A con agua ni con otros productos, a menos que se especifique en las instrucciones de uso. En caso de trasvase desde este recipiente a cualquier otro, este último debe limpiarse previamente a fondo y tener la correspondiente etiqueta de Uddercare+ Part A.

Si el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir. No reutilice el producto ni vuelva a colocar en el recipiente original el producto que quede sin usar.

Instrucciones de mezclado: Mida volúmenes iguales de Uddercare+ Part A y Uddercare+ Part B en recipientes limpios. Mezcle hasta obtener un color uniforme. Mezcle sólo la cantidad necesaria para un turno de ordeño y deseche el resto.

Sellado previo al ordeño: Llene el aplicador con una mezcla correcta de Uddercare+ Part A y Uddercare+ Part B.

Antes de cada ordeño, sumerja cada pezón por completo en el aplicador con producto. Posteriormente, seque los pezones con toallas descartables para evitar la contaminación de la leche.

Sellado posterior al ordeño: Inmediatamente después de cada ordeño, utilice una mezcla sin diluir de Uddercare+ Part A y Uddercare+ Part B. Sumerja cada pezón por completo en el aplicador con producto mezclado. Deje secar al aire. No limpie. Siempre utilice una nueva mezcla de producto sin diluir. No coloque las vacas en lugares con temperaturas bajo cero hasta que el producto esté completamente seco.

PRECAUCIÓN: Uddercare+ Part A no tiene por objeto curar ni ayudar a eliminar el agrietamiento y la irritación de los pezones. Al igual que con cualquier bactericida, puede producirse irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, consulte con un veterinario para su examen y, de ser necesario, su tratamiento.

ATENCIÓN

Provoca irritación ocular. Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.

PRIMEROS AUXILIOS

Contacto con los ojos: Enjuague con mucha agua.

Contacto con la piel: Enjuague con agua.

Ingestión: Enjuague la boca. Consultar un médico si los síntomas aparecen.

Inhalación: Consultar un médico si los síntomas aparecen.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: Contacto local de veneno.

NET CONTENTS: 208 L (55 US GAL)

6301573



Manufactured for:
Aspen Veterinary Resources®, Ltd.
3155 Heartland Drive, Liberty, MO 64068
1-800-203-5620
761369/5300/0315

UDDERCARE PLUS PART A

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-406
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	26.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
LANOLIN (UNII: 7EV65EAW6H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-406-17	18900 mL in 1 DRUM		
2	NDC:46066-406-21	208000 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/03/2015	

Labeler - Aspen Veterinary Resources, Ltd. (627265361)

Revised: 6/2025

Aspen Veterinary Resources, Ltd.